

# Clean Power Alliance Non-residential Rates

# Effective July 1, 2023

Rates contained in this document are applicable <u>ONLY</u> to non-residential customers receiving service in <u>unincorporated Los Angeles County</u>, <u>Rolling Hills Estates</u>, <u>and South Pasadena</u>.

Rates shown do not include SCE delivery charges, Generation Municipal Surcharge (GMS) or the CCA Customer Responsibility Surcharge (CCA-CRS). Rate information for SCE delivery charges, GMS, and the CCA-CRS, including the Power Charge Indifference Adjustment (PCIA), can be found at www.sce.com.

#### **Table of Contents**

(Hover and click to jump to section)	Page Number
Introduction	2
Rate Key	4
Small General Service	8
Medium & Large General Service	11
Industrial	16
Agriculture and Pumping	19
Electric Vehicle Charging	25
Lighting and Traffic Control	27
Wireless Technology Rate (WTR)	28
Legacy Rates for Solar and Super Off Peak (SOP) Agriculture and Pumping	29
General Service - CARE	40
Peak Management Pricing (PMP)	53
Wind Machine Credit (WMC)	54



#### Introduction

#### **About Our Rates**

Clean Power Alliance's rates are established by its Board of Directors. Any changes to Clean Power Alliance rates will be adopted at duly noticed public meetings of the Board of Directors.

The rates shown in this document are for electric generation/supply only. Please visit SCE.com for delivery rates and schedules.

# 100% Green Power for CARE Customers in Default Jurisdictions

Some Clean Power Alliance jurisdictions have selected 100% Green Power as their default CPA rate product. Customers in these jurisdictions that participate in California Alternate Rates for Energy (CARE) receive 100% renewable power at a reduced cost.

Clean Power Alliance is committed to giving every customer the opportunity to be a champion for clean energy, as well as ensuring our customers have choices when it comes to their energy needs. At any time, any 100% Green customer can choose to move to our **Clean Power** option, which provides 50% clean energy content at cost-competitive rates, or our **Lean Power** option, which provides 40% clean energy content and offers a rate savings compared to SCE base rates. Customers can change their rate product option by contacting our Customer Service Center at 888-585-3788, or visiting our website at www.cleanpoweralliance.org/rate-options.

<sup>&</sup>lt;sup>1</sup>Jurisdictions that have selected 100% Green Power default are Rolling Hills Estates and South Pasadena. Effective October 1, 2023, unincorporated Los Angeles County has selected 100% Green Power as the default CPA rate product for non-residential customers in this jurisdiction.



#### **Rate Definitions**

#### Seasons

For all rate schedules, seasons are defined as follows:

- **Summer:** season shall commence at 12:00 a.m. on June 1 and continue until 12:00 a.m. on October 1 of each year.
- Winter: season shall commence at 12:00 a.m. on October 1 of each year and continue until 12:00 a.m. on June 1 of the following year.

#### Time Periods

For all standard non-residential rate schedules, time periods are defined as follows:

#### Summer

- On-Peak: 4:00 p.m. to 9:00 p.m., weekdays except holidays
- Mid-Peak: 4:00 p.m. to 9:00 p.m., weekends and holidays
- Off-Peak: All other hours
- Time-related Demand Charges: 4:00 p.m. to 9:00 p.m., weekdays except holidays

#### Winter

- Mid-Peak: 4:00 p.m. to 9:00 p.m., everyday
- Super Off-Peak: 8:00 a.m. to 4:00 p.m., everyday
- Off-Peak: All other hours
- Time-related Demand Charges: 4:00 p.m. to 9:00 p.m. weekdays

For optional agricultural/pumping rate schedules TOU-PA-2-PRI-E-5TO8, TOU-PA-2-PRI-D-5TO8, TOU-PA-3-PRI-E-5TO8, TOU-PA-3-PRI-D-5TO8, time periods are defined as follows:

#### Summer

- On-Peak: 5:00 p.m. to 8:00 p.m., weekdays except holidays
- Mid-Peak: 5:00 p.m. to 8:00 p.m., weekends and holidays
- Off-Peak: All other hours, everyday
- Time-related Demand Charges: 5:00 p.m. to 8:00 p.m., weekdays except holidays

#### Winter

- Mid-Peak: 5:00 p.m. to 8:00 p.m., everyday
- Super Off-Peak: 8:00 a.m. to 5:00 p.m., everyday
- Off-Peak: All other hours, everyday
- Time-related Demand Charges: 5:00 p.m. to 8:00 p.m. weekdays

For eligible legacy solar and/or agriculture and pumping rate schedules. 2 time periods are defined as follows:

- On-Peak: 12:00 p.m. to 6:00 p.m., summer weekdays except holidays
- Mid-Peak: 8:00 a.m. to 12:00 p.m. and 6:00 p.m. to 11:00 p.m., summer weekdays except holidays. 8:00 a.m. to 9:00 p.m., winter weekdays except holidays.
- Off-Peak: All other hours

#### **Holidays**

Applicable holidays for rate time periods are as follows: New Year's Day (January 1), Presidents' Day (third Monday in February), Memorial Day (last Monday in May), Independence Day (July 4), Labor Day (first Monday in September), Veterans Day (November 11), Thanksgiving Day (fourth Thursday in November), and Christmas Day (December 25). When any holiday listed above falls on Sunday, the following Monday will be recognized as a holiday. No change will be made for holidays falling on Saturday.

<sup>&</sup>lt;sup>2</sup>Legacy eligibility determined by SCE. If you are unsure if you are eligible for legacy rates, contact SCE at (800) 974-2356.



# **Rate Key**

The name of your Clean Power Alliance rate schedule may not exactly match your SCE rate, as Clean Power Alliance offers simplified, consolidated rate options. This will not impact service, billing, or CARE/FERA status.

#### **General Service - Small**

CPA Rate	SCE Rate	Voltage
TOU-GS-1-E	TOU-GS1E, TOU-GS1E-AE, TOU-GS1E-AEC, TOU-GS1E-C	Secondary
TOU-GS-1-PRI-E	TOU-GS1E, TOU-GS1E-AE, TOU-GS1E-AEC, TOU-GS1E-C	Primary
TOU-GS-1-SUB-E	TOU-GS1E, TOU-GS1E-AE, TOU-GS1E-AEC, TOU-GS1E-C	Subtransmission
TOU-GS-1-ES	TOU-GS-1-ES	Secondary
TOU-GS-1-PRI-ES	TOU-GS-1-ES	Primary
TOU-GS-1-D	TOU-GS1D, TOU-GS1D-AE, TOU-GS1D-AEC, TOU-GS1D-C	Secondary
TOU-GS-1-PRI-D	TOU-GS1D, TOU-GS1D-AE, TOU-GS1D-AEC, TOU-GS1D-C	Primary
TOU-GS-1-SUB-D	TOU-GS1D, TOU-GS1D-AE, TOU-GS1D-AEC, TOU-GS1D-C	Subtransmission

#### **General Service - Medium & Large**

CPA Rate	SCE Rate	Voltage
TOU-GS-2-E	TOU-GS2E, TOU-GS2E-AE, TOU-GS2E-AEC, TOU-GS2E-C	Secondary
TOU-GS-2-PRI-E	TOU-GS2E, TOU-GS2E-AE, TOU-GS2E-AEC, TOU-GS2E-C	Primary
TOU-GS-2-D	TOU-GS2D, TOU-GS2D-AE, TOU-GS2D-AEC, TOU-GS2D-C, TOU-GS2D-SAE	Secondary
TOU-GS-2-PRI-D	TOU-GS2D, TOU-GS2D-AE, TOU-GS2D-AEC, TOU-GS2D-C, TOU-GS2D-SAE	Primary
TOU-GS-2-SUB-D	TOU-GS2D, TOU-GS2D-AE, TOU-GS2D-AEC, TOU-GS2D-C, TOU-GS2D-SAE	Subtransmission
TOU-GS-3-E	TOU-GS3E, TOU-GS3E-AE	Secondary
TOU-GS-3-PRI-E	TOU-GS3E, TOU-GS3E-AE	Primary
TOU-GS-3-D	TOU-GS3-D, TOU-GS3-D-C, TOU-GS3-DAES, TOU-GS3D-AE	Secondary
TOU-GS-3-PRI-D	TOU-GS3-D, TOU-GS3-D-C, TOU-GS3-DAES, TOU-GS3D-AE	Primary
TOU-GS-3-SUB-D	TOU-GS3-D, TOU-GS3-D-C, TOU-GS3-DAES, TOU-GS3D-AE	Subtransmission

#### Industrial

CPA Rate	SCE Rate	Voltage
TOU-8-PRI-D	TOU-8-D, TOU-8-D-APSE	Primary
TOU-8-PRI-E	TOU-8-E	Primary
TOU-8-SEC-D	TOU-8-D, TOU-8-D-APSE	Secondary
TOU-8-SEC-E	TOU-8-E	Secondary
TOU-8-SUB-D	TOU-8-D, TOU-8-D-APSE	Subtransmission
TOU-8-SUB-E	TOU-8-E	Subtransmission



#### **Agriculture and Pumping**

CPA Rate	SCE Rate	Voltage
TOU-PA-2-E	TOU-PA2E	Secondary
TOU-PA-2-PRI-E	TOU-PA2E	Primary
TOU-PA-2-D	TOU-PA2D	Secondary
TOU-PA-2-PRI-D	TOU-PA2D	Primary
TOU-PA-3-E	TOU-PA3E	Secondary
TOU-PA-3-PRI-E	TOU-PA3E	Primary
TOU-PA-3-D	TOU-PA3D	Secondary
TOU-PA-3-PRI-D	TOU-PA3D	Primary
TOU-PA-2-E-5TO8	TOU-PA-2E-5TO8	Secondary
TOU-PA-2-D-5TO8	TOU-PA-2D-5TO8	Secondary
TOU-PA-3-E-5TO8	TOU-PA-3E-5TO8	Secondary
TOU-PA-3-D-5TO8	TOU-PA-3D-5TO8	Secondary
TOU-PA-2-PRI-E-5TO8	TOU-PA-2E-5TO8	Primary
TOU-PA-2-PRI-D-5TO8	TOU-PA-2D-5TO8	Primary
TOU-PA-3-PRI-E-5TO8	TOU-PA-3E-5TO8	Primary
TOU-PA-3-PRI-D-5TO8	TOU-PA-3D-5TO8	Primary

#### **Electric Vehicle Charging**

CPA Rate	SCE Rate	Voltage
TOU-EV-7	TOU-EV-7-E, TOU-EV-7-D	Secondary
TOU-EV-8	TOU-EV-8	Secondary
TOU-EV-SEC-9	TOU-EV-9	Secondary
TOU-EV-PRI-9	TOU-EV-9	Primary
TOU-EV-SUB-9	TOU-EV-9	Subtransmission

#### **Lighting and Traffic Control**

CPA Rate	SCE Rate	Voltage
LS-1	OL-1, OL-1-ALLNITE, DWL, DWL-A, DWL-B, LS-1-ALLNITE, LS-2, LS-2-4, LS-2-B	N/A
LS-3	LS-3, LS-3-B	N/A
AL-2-GF	AL-2 (Grandfathered)	N/A
AL-2-F	AL-2-F	N/A
TC-1	TC-1	N/A



#### **Wireless Technology Rate**

CPA Rate	SCE Rate	Voltage
WTR	WTR	N/A

#### Legacy Rates for Solar and Super Off Peak (SOP) Agriculture and Pumping<sup>3</sup>

CPA Rate	SCE Rate	Voltage
TOU-GS-1-A	TOU-GS1A, TOU-GS1A-AE, TOU-GS1A-AEC, TOU-GS1A-C	Secondary
TOU-GS-1-PRI-A	TOU-GS1A, TOU-GS1A-AE, TOU-GS1A-AEC, TOU-GS1A-C	Primary
TOU-GS-1-SUB-A	TOU-GS1A, TOU-GS1A-AE, TOU-GS1A-AEC, TOU-GS1A-C	Subtransmission
TOU-GS-1-B	TOU-GS1B, TOU-GS1B-AE, TOU-GS1B-AEC, TOU-GS1B-C	Secondary
TOU-GS-1-PRI-B	TOU-GS1B, TOU-GS1B-AE, TOU-GS1B-AEC, TOU-GS1B-C	Primary
TOU-GS-1-SUB-B	TOU-GS1B, TOU-GS1B-AE, TOU-GS1B-AEC, TOU-GS1B-C	Subtransmission
TOU-GS-2-B	TOU-GS2B, TOU-GS2B-AE, TOU-GS2B-AEC, TOU-GS2B-C, TOU-GS2B-SAE	Secondary
TOU-GS-2-PRI-B	TOU-GS2B, TOU-GS2B-AE, TOU-GS2B-AEC, TOU-GS2B-C, TOU-GS2B-SAE	Primary
TOU-GS-2-SUB-B	TOU-GS2B, TOU-GS2B-AE, TOU-GS2B-AEC, TOU-GS2B-C, TOU-GS2B-SAE	Subtransmission
TOU-GS-2-R	TOU-GS2R, TOU-GS2R-AE, TOU-GS2R-AEC, TOU-GS2R-C	Secondary
TOU-GS-2-PRI-R	TOU-GS2R, TOU-GS2R-AE, TOU-GS2R-AEC, TOU-GS2R-C	Primary
TOU-GS-3-B	TOU-GS3-B, TOU-GS3-B-C, TOU-GS3-BAES, TOU-GS3B-AE	Secondary
TOU-GS-3-PRI-B	TOU-GS3-B, TOU-GS3-B-C, TOU-GS3-BAES, TOU-GS3B-AE	Primary
TOU-GS-3-R	TOU-GS3-R	Secondary
TOU-GS-3-PRI-R	TOU-GS3-R	Primary
TOU-8-SEC-B	TOU-8-B, TOU-8-B-APSE	Secondary
TOU-8-PRI-B	TOU-8-B, TOU-8-B-APSE	Primary
TOU-8-SUB-B	TOU-8-B, TOU-8-B-APSE	Subtransmission
TOU-8-SEC-R	TOU-8-R	Secondary
TOU-8-PRI-R	TOU-8-R	Primary
TOU-8-SUB-R	TOU-8-R	Subtransmission
TOU-PA-2-A	TOU-PA-2-A	Secondary
TOU-PA-2-PRI-A	TOU-PA-2-A	Primary
TOU-PA-2-B	TOU-PA-2-B	Secondary
TOU-PA-2-PRI-B	TOU-PA-2-B	Primary
TOU-PA-3-A	TOU-PA3-A	Secondary
TOU-PA-3-PRI-A	TOU-PA3-A	Primary
TOU-PA-3-B	TOU-PA3-B	Secondary
TOU-PA-3-PRI-B	TOU-PA3-B	Primary

<sup>&</sup>lt;sup>3</sup>Legacy eligibility determined by SCE. If you are unsure if you are eligible for legacy rates, contact SCE at (800) 974-2356.



#### Peak Management Pricing (PMP)

\*Customers enrolled in CPA's PMP program will see your normal CPA rate schedule follwed by PMP on bills (e.g., customers on TOU-GS-3-D enrolled in CPA's PMP program would see TOU-GS-3-D PMP on their bills). Please see page 53 for more details.



### **Small General Service Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	SS-1-D				
Summer	Demand (\$/kW)	On-peak	\$20.08	\$20.49	\$22.14
	Energy (\$/kWh)	On-peak Mid-peak	\$0.14745 \$0.13362 \$0.08928	\$0.15038 \$0.13626 \$0.09102	\$0.16209 \$0.14684 \$0.09795
Winter	Demand (\$/kW)	Mid-peak	\$6.17	\$6.29	\$6.80
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.13911 \$0.09967 \$0.07581	\$0.14187 \$0.10161 \$0.07726	\$0.15289 \$0.10940 \$0.08309
TOU-G	SS-1-E				
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.53646 \$0.14645 \$0.10610	\$0.54738 \$0.14936 \$0.10818	\$0.59105 \$0.16098 \$0.11649
Winter	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.21970 \$0.12424 \$0.06757	\$0.22411 \$0.12669 \$0.06885	\$0.24175 \$0.13649 \$0.07400
TOU-G	SS-1-ES				
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.57911 \$0.15797 \$0.11425	\$0.59091 \$0.16112 \$0.11649	\$0.63809 \$0.17369 \$0.12547
Winter	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.20540 \$0.11642 \$0.06333	\$0.20952 \$0.11871 \$0.06453	\$0.22599 \$0.12786 \$0.06933



### **Small General Service Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	SS-1-PRI-D				
Summer	Demand (\$/kW)	On-peak	\$19.89	\$20.30	\$21.93
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.14688 \$0.13305 \$0.08871	\$0.14979 \$0.13568 \$0.09043	\$0.16146 \$0.14621 \$0.09732
Winter	Demand (\$/kW)	Mid-peak	\$5.98	\$6.10	\$6.59
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.13854 \$0.09910 \$0.07524	\$0.14129 \$0.10103 \$0.07668	\$0.15226 \$0.10877 \$0.08246
TOU-G	S-1-PRI-E				
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.53485 \$0.14484 \$0.10449	\$0.54574 \$0.14771 \$0.10654	\$0.58928 \$0.15921 \$0.11472
Winter	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.21809 \$0.12263 \$0.06596	\$0.22247 \$0.12505 \$0.06721	\$0.23998 \$0.13472 \$0.07223
TOU-G	S-1-PRI-E	S			
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.57750 \$0.15637 \$0.11264	\$0.58927 \$0.15948 \$0.11485	\$0.63631 \$0.17192 \$0.12370
Winter	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.20380 \$0.11481 \$0.06172	\$0.20788 \$0.11706 \$0.06289	\$0.22422 \$0.12609 \$0.06756



### **Small General Service Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-C	SS-1-SUB-	D			
Summer	Demand (\$/kW)	On-peak	\$19.63	\$20.04	\$21.65
	Energy (\$/k\Mb)	On nook	\$0.14634	\$0.14924	\$0.16086
	Energy (\$/kWh)	On-peak	\$0.13251	\$0.14924 \$0.13513	\$0.14561
		Mid-peak	*	· ·	*
		Off-peak	\$0.08817	\$0.08988	\$0.09672
Winter	Demand (\$/kW)	Mid-peak	\$5.72	\$5.84	\$6.31
	Energy (\$/kWh)	Mid-peak	\$0.13800	\$0.14073	\$0.15166
	<b>37</b> (* ,	Off-peak	\$0.09855	\$0.10048	\$0.10817
		Super-off-peak	\$0.07470	\$0.07613	\$0.08186
		_			
rou-c	SS-1-SUB-	E			
Summer	Energy (\$/kWh)	On-peak	\$0.53296	\$0.54380	\$0.58719
	<b>55</b> ,	Mid-peak	\$0.14295	\$0.14578	\$0.15712
		Off-peak	\$0.10260	\$0.10460	\$0.11263
Winter	Energy (\$/kWh)	Mid-peak	\$0.21620	\$0.22053	\$0.23789
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.21620 \$0.12074	\$0.22053 \$0.12311	\$0.23789 \$0.13263



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	SS-2-D				
Summer	Demand (\$/kW)	On-peak	\$25.42	\$25.96	\$28.12
	Energy (\$/kWh)	On-peak	\$0.14213	\$0.14504	\$0.15667
		Mid-peak	\$0.13004	\$0.13269	\$0.14330
			\$0.08530	\$0.08700	\$0.09380
Winter	Demand (\$/kW)	Mid-peak	\$6.67	\$6.81	\$7.38
	Energy (\$/kWh)	Mid-peak	\$0.09762	\$0.09959	\$0.10744
		Off-peak	\$0.09818	\$0.10016	\$0.10806
		Super-off-peak	\$0.05401	\$0.05505	\$0.05920
TOU-G	SS-2-E				
Summer	Demand (\$/kW)	On-peak	\$7.15	\$7.30	\$7.91
	Energy (\$/kWh)	On-peak	\$0.46526	\$0.47503	\$0.51413
		Mid-peak	\$0.13004	\$0.13269	\$0.14330
		Off-peak	\$0.08530	\$0.08700	\$0.09380
Winter	Demand (\$/kW)	Mid-peak	\$2.77	\$2.82	\$3.06
	Energy (\$/kWh)	Mid-peak	\$0.14885	\$0.15190	\$0.16410
		Off-peak	\$0.09818	\$0.10016	\$0.10806



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	SS-2-PRI-D				
Summer	Demand (\$/kW)	On-peak	\$24.84	\$25.37	\$27.48
	Energy (\$/kWh)	On-peak	\$0.14099	\$0.14387	\$0.15541
		Mid-peak	\$0.12890	\$0.13153	\$0.14204
		Off-peak	\$0.08416	\$0.08583	\$0.09254
Winter	Demand (\$/kW)	Mid-peak	\$6.52	\$6.66	\$7.21
	Energy (\$/kWh)	Mid-peak	\$0.09648	\$0.09842	\$0.10618
		Off-peak	\$0.09704	\$0.09899	\$0.10680
		Super-off-peak	\$0.05287	\$0.05388	\$0.05793
TOU-G	SS-2-PRI-E				
TOU-G	Demand (\$/kW)	On-peak	\$6.91	\$7.06	\$7.64
			\$6.91 \$0.46357	\$7.06 \$0.47331	\$7.64 \$0.51225
	Demand (\$/kW)	On-peak			
	Demand (\$/kW)	On-peak On-peak	\$0.46357	\$0.47331	\$0.51225
	Demand (\$/kW)	On-peak On-peak Mid-peak	\$0.46357 \$0.12835	\$0.47331 \$0.13096	\$0.51225 \$0.14143
Summer	Demand (\$/kW) Energy (\$/kWh)	On-peak On-peak Mid-peak Off-peak	\$0.46357 \$0.12835 \$0.08360	\$0.47331 \$0.13096 \$0.08527	\$0.51225 \$0.14143 \$0.09193
Summer	Demand (\$/kW) Energy (\$/kWh) Demand (\$/kW)	On-peak On-peak Mid-peak Off-peak Mid-peak	\$0.46357 \$0.12835 \$0.08360 \$2.70	\$0.47331 \$0.13096 \$0.08527 \$2.76	\$0.51225 \$0.14143 \$0.09193 \$2.99



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	SS-2-SUB-	D			
Summer	Demand (\$/kW)	On-peak	\$24.08	\$24.59	\$26.64
	Energy (\$/kWh)	On-peak	\$0.13964	\$0.14249	\$0.15392
		Mid-peak	\$0.12755	\$0.13015	\$0.14055
		Off-peak	\$0.08281	\$0.08445	\$0.09105
Winter	Demand (\$/kW)	Mid-peak	\$6.32	\$6.45	\$6.99
	Energy (\$/kWh)	Mid-peak	\$0.09513	\$0.09704	\$0.10469
	, ,	Off-peak	\$0.09569	\$0.09762	\$0.10531
		Super-off-peak	\$0.05152	\$0.05250	\$0.05644
TOU-G	SS-3-D				
Summer	Demand (\$/kW)	On-peak	\$22.09	\$22.56	\$24.45
	Energy (\$/kWh)	On-peak	\$0.13363	\$0.13637	\$0.14737
		Mid-peak	\$0.12231	\$0.12480	\$0.13483
		Off-peak	\$0.08423	\$0.08592	\$0.09269
Winter	Demand (\$/kW)	Mid-peak	\$9.45	\$9.65	\$10.47
	Energy (\$/kWh)	Mid-peak	\$0.11307	\$0.11541	\$0.12471
		Off-peak	\$0.11373	\$0.11608	\$0.12545
		Super-off-peak	\$0.06213	\$0.06337	



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	SS-3-E				
Summer	Demand (\$/kW)	On-peak	\$6.21	\$6.34	\$6.88
	Energy (\$/kWh)	On-peak	\$0.38490	\$0.39298	\$0.42547
		Mid-peak	\$0.12231	\$0.12480	\$0.13483
		Off-peak	\$0.08423	\$0.08592	\$0.09269
Winter	Demand (\$/kW)	Mid-peak	\$3.91	\$4.00	\$4.33
	Energy (\$/kWh)	Mid-peak	\$0.17894	\$0.18270	\$0.19768
		Off-peak	\$0.11373	\$0.11608	\$0.12545
		Super-off-peak	\$0.06213	\$0.06337	\$0.06828
TOU-G	SS-3-PRI-D	)			
TOU-G	S-3-PRI-D Demand (\$/kW)	On-peak	\$21.58	\$22.04	\$23.88
			\$21.58 \$0.13248	\$22.04 \$0.13519	\$23.88 \$0.14609
	Demand (\$/kW)	On-peak			
	Demand (\$/kW)	On-peak On-peak	\$0.13248	\$0.13519	\$0.14609
	Demand (\$/kW)	On-peak On-peak Mid-peak	\$0.13248 \$0.12115	\$0.13519 \$0.12362	\$0.14609 \$0.13355
Summer	Demand (\$/kW) Energy (\$/kWh)	On-peak On-peak Mid-peak Off-peak	\$0.13248 \$0.12115 \$0.08308	\$0.13519 \$0.12362 \$0.08474	\$0.14609 \$0.13355 \$0.09141
Summer	Demand (\$/kW) Energy (\$/kWh) Demand (\$/kW)	On-peak On-peak Mid-peak Off-peak Mid-peak	\$0.13248 \$0.12115 \$0.08308 \$9.22	\$0.13519 \$0.12362 \$0.08474 \$9.42	\$0.14609 \$0.13355 \$0.09141 \$10.21



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	SS-3-PRI-E				
Summer	Demand (\$/kW)	On-peak	\$6.00	\$6.13	\$6.64
	Energy (\$/kWh)	On-peak	\$0.38279	\$0.39083	\$0.42314
		Mid-peak	\$0.12020	\$0.12265	\$0.13250
		Off-peak	\$0.08213	\$0.08377	\$0.09036
Winter	Demand (\$/kW)	Mid-peak	\$3.82	\$3.90	\$4.23
	Energy (\$/kWh)	Mid-peak	\$0.17645	\$0.18016	\$0.19492
		Off-peak	\$0.11124	\$0.11354	\$0.12269
		Super-off-peak	\$0.05964	\$0.06082	\$0.06553
		Super-on-peak	φ0.03904	φυ.υουδ2	ψ0.00333
rou-d	SS-3-SUB-		φυ.υσ904	\$U.UUU62	ψ0.00333
	S-3-SUB- Demand (\$/kW)		\$20.91	\$21.35	\$23.14
		D			
	Demand (\$/kW)	On-peak	\$20.91	\$21.35	\$23.14
	Demand (\$/kW)	On-peak On-peak	\$20.91 \$0.13112	\$21.35 \$0.13381	\$23.14 \$0.14459
	Demand (\$/kW)	On-peak On-peak Mid-peak	\$20.91 \$0.13112 \$0.11980	\$21.35 \$0.13381 \$0.12224	\$23.14 \$0.14459 \$0.13205
Summer	Demand (\$/kW) Energy (\$/kWh)	On-peak On-peak Mid-peak Off-peak	\$20.91 \$0.13112 \$0.11980 \$0.08172	\$21.35 \$0.13381 \$0.12224 \$0.08335	\$23.14 \$0.14459 \$0.13205 \$0.08991
Summer	Demand (\$/kW) Energy (\$/kWh)  Demand (\$/kW)	On-peak On-peak Mid-peak Off-peak Mid-peak	\$20.91 \$0.13112 \$0.11980 \$0.08172 \$8.94	\$21.35 \$0.13381 \$0.12224 \$0.08335 \$9.13	\$23.14 \$0.14459 \$0.13205 \$0.08991 \$9.90



### **Industrial Service Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
B-UOT	8-PRI-D				
Summer	Demand (\$/kW)	On-peak	\$21.84	\$22.30	\$24.17
	Energy (\$/kWh)	On-peak	\$0.12468	\$0.12724	\$0.13751
		Mid-peak	\$0.11434	\$0.11668	\$0.12606
		Off-peak	\$0.07887	\$0.08045	\$0.08679
Winter	Demand (\$/kW)	Mid-peak	\$9.78	\$9.99	\$10.83
	Energy (\$/kWh)	Mid-peak	\$0.10728	\$0.10952	\$0.11833
		Off-peak	\$0.10812	\$0.11038	\$0.11927
		Super-off-peak	\$0.05902	\$0.06020	\$0.06487
TOU-8	B-PRI-E				
Summer	Demand (\$/kW)	On-peak	\$5.36	\$5.47	\$5.93
	Energy (\$/kWh)	On-peak	\$0.34521	\$0.35247	\$0.38162
		Mid-peak	\$0.11434	\$0.11668	\$0.12606
		Off-peak	\$0.07887	\$0.08045	\$0.08679
Winter	Demand (\$/kW)	Mid-peak	\$1.11	\$1.14	\$1.23
	Energy (\$/kWh)	Mid-peak	\$0.19207	\$0.19616	\$0.21228
				** ***	
		Off-peak	\$0.10812	\$0.11038	\$0.11927



### **Industrial Service Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-8	-SEC-D				
Summer	Demand (\$/kW)	On-peak	\$22.70	\$23.19	\$25.13
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.13011 \$0.11907 \$0.08227	\$0.13278 \$0.12151 \$0.08392	\$0.14350 \$0.13129 \$0.09054
Winter	Demand (\$/kW)	Mid-peak	\$8.32	\$8.50	\$9.22
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.11169 \$0.11235 \$0.06130	\$0.11402 \$0.11469 \$0.06253	\$0.12321 \$0.12394 \$0.06738
TOU-8	-SEC-E				
Summer	Demand (\$/kW)	On-peak	\$6.39	\$6.52	\$7.07
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.36303 \$0.11907 \$0.08227	\$0.37067 \$0.12151 \$0.08392	\$0.40134 \$0.13129 \$0.09054
Winter	Demand (\$/kW)	Mid-peak	\$3.44	\$3.52	\$3.82
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.16558 \$0.11235 \$0.06130	\$0.16908 \$0.11469 \$0.06253	\$0.18291 \$0.12394 \$0.06738



### **Industrial Service Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-8	-SUB-D				
Summer	Demand (\$/kW)	On-peak	\$24.12	\$24.63	\$26.70
	Energy (\$/kWh)	On-peak	\$0.11704	\$0.11944	\$0.12907
		Mid-peak	\$0.10765	\$0.10985	\$0.11868
		Off-peak	\$0.07387	\$0.07534	\$0.08128
Winter	Demand (\$/kW)	Mid-peak	\$9.33	\$9.54	\$10.34
	Energy (\$/kWh)	Mid-peak	\$0.10050	\$0.10259	\$0.11085
		Off-peak	\$0.10167	\$0.10379	\$0.11215
		Super-off-peak	\$0.05546	\$0.05657	\$0.06096
TOU-8	-SUB-E				
Summer	Demand (\$/kW)	On-peak	\$2.29	\$2.34	\$2.54
	Energy (\$/kWh)	On-peak	\$0.37896	\$0.38694	\$0.41901
		Mid-peak	\$0.10765	\$0.10985	\$0.11868
		Off-peak	\$0.07387	\$0.07534	\$0.08128
Winter	Demand (\$/kW)	Mid-peak	\$1.33	\$1.36	\$1.47
	Energy (\$/kWh)	Mid-peak	\$0.16896	\$0.17255	\$0.18670
		Off-peak	\$0.10167	\$0.10379	\$0.11215
		Super-off-peak	\$0.05546	\$0.05657	\$0.06096



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-F	PA-2-D				
Summer	Demand (\$/kW)	On-peak	\$14.06	\$14.32	\$15.34
	Energy (\$/kWh)	On-peak	\$0.14388	\$0.14641	\$0.15652
		Mid-peak	\$0.13162	\$0.13393	\$0.14315
			\$0.08883	\$0.09035	\$0.09645
Winter	Demand (\$/kW)	Mid-peak	\$3.17	\$3.23	\$3.46
	Energy (\$/kWh)	Mid-peak	\$0.11377	\$0.11575	\$0.12367
		Off-peak	\$0.09157	\$0.09315	\$0.09945
		Super-off-peak	\$0.07894	\$0.08029	\$0.08567
TOU-F	PA-2-D-5TC	)8			
TOU-F	PA-2-D-5TC  Demand (\$/kW)	<b>)8</b> On-peak	\$13.45	\$13.69	\$14.67
			\$13.45 \$0.28154	\$13.69 \$0.28658	\$14.67 \$0.30672
	Demand (\$/kW)	On-peak			
	Demand (\$/kW)	On-peak On-peak	\$0.28154	\$0.28658	\$0.30672
	Demand (\$/kW)	On-peak On-peak Mid-peak	\$0.28154 \$0.26585	\$0.28658 \$0.27060	\$0.30672 \$0.28960
Summer	Demand (\$/kW) Energy (\$/kWh)	On-peak On-peak Mid-peak Off-peak	\$0.28154 \$0.26585 \$0.08357	\$0.28658 \$0.27060 \$0.08500	\$0.30672 \$0.28960 \$0.09072
Summer	Demand (\$/kW) Energy (\$/kWh) Demand (\$/kW)	On-peak On-peak Mid-peak Off-peak Mid-peak	\$0.28154 \$0.26585 \$0.08357 \$2.13	\$0.28658 \$0.27060 \$0.08500 \$2.17	\$0.30672 \$0.28960 \$0.09072 \$2.33



Season	Туре	Period	Lean Power	Clean Power	100% Green Powe
OU-P	PA-2-E				
	<i></i>				
Summer	Energy (\$/kWh)	On-peak	\$0.47234	\$0.48085	\$0.51489
		Mid-peak	\$0.13162	\$0.13393	\$0.14315
		Off-peak	\$0.08883	\$0.09035	\$0.09645
Winter	Energy (\$/kWh)	Mid-peak	\$0.13090	\$0.13319	\$0.14236
	,	Off-peak	\$0.10520	\$0.10703	\$0.11432
		Super-off-peak	\$0.09058	\$0.09213	\$0.09836
ΓΟU-P	PA-2-E-5TC	)8			
Summer	Energy (\$/kWh)	On-peak	\$0.78238	\$0.79654	\$0.85317
	=y	Mid-peak	\$0.26585	\$0.27060	\$0.28960
		Off-peak	\$0.08357	\$0.08500	\$0.09072
Winter	Energy (\$/kWh)	Mid-peak	\$0.13147	\$0.13377	\$0.14298
	<b>37</b> (* ,	Off-peak	\$0.10566	\$0.10749	\$0.11482
		Super-off-peak	\$0.09097	\$0.09253	\$0.09879
ΓOU-P	A-2-PRI-D				
Summer	Demand (\$/kW)	On-peak	\$13.87	\$14.12	\$15.13
	Energy (\$/kWh)	On-peak	\$0.14271	\$0.14522	\$0.15525
		Mid-peak	\$0.13046	\$0.13274	\$0.14188
		Off-peak	\$0.08766	\$0.08917	\$0.09518
Winter	Demand (\$/kW)	Mid-peak	\$2.98	\$3.04	\$3.25
	Energy (\$/kWh)	Mid-peak	\$0.11260	\$0.11456	\$0.12239
		Off-peak	\$0.09041	\$0.09196	\$0.09818



Season	Туре	Period	Lean Power	Clean Power	100% Green Powe
ΓOU-P	A-2-PRI-D	-5TO8			
Summer	Demand (\$/kW)	On-peak	\$13.28	\$13.52	\$14.49
	Energy (\$/kWh)	On-peak	\$0.28031	\$0.28532	\$0.30537
		Mid-peak	\$0.26462	\$0.26935	\$0.28826
		Off-peak	\$0.08234	\$0.08374	\$0.08937
Winter	Demand (\$/kW)	Mid-peak	\$1.96	\$2.00	\$2.14
	Energy (\$/kWh)	Mid-peak	\$0.11934	\$0.12142	\$0.12975
		Off-peak	\$0.09576	\$0.09741	\$0.10402
		Super-off-peak	\$0.08233	\$0.08373	\$0.08936
ΓOU-P	A-2-PRI-E				
Summer	Energy (\$/kWh)	On-peak	\$0.47045	\$0.47893	\$0.51283
		Mid-peak	\$0.12973	\$0.13200	\$0.14108
		Off-peak	\$0.08694	\$0.08843	\$0.09439
Winter	Energy (\$/kWh)	Mid-peak	\$0.12901	\$0.13126	\$0.14029
		Off-peak	\$0.10331	\$0.10510	\$0.11226
		Super-off-peak	\$0.08868	\$0.09021	\$0.09630
ΓOU-P	A-2-PRI-E	- <b>5</b> TO8			
Summer	Energy (\$/kWh)	On-peak	\$0.78049	\$0.79461	\$0.85111
		Mid-peak	\$0.26396	\$0.26868	\$0.28754
		Off-peak	\$0.08168	\$0.08307	\$0.08865
Winter	Energy (\$/kWh)	Mid-peak	\$0.12958	\$0.13185	\$0.14092
		Off-peak	\$0.10377	\$0.10557	\$0.11276



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-F	PA-3-D				
Summer	Demand (\$/kW)	On-peak	\$14.99	\$15.26	\$16.35
	Energy (\$/kWh)	On-peak	\$0.12562	\$0.12781	\$0.13655
		Mid-peak	\$0.11503	\$0.11702	\$0.12500
		Off-peak	\$0.07790	\$0.07922	\$0.08451
Winter	Demand (\$/kW)	Mid-peak	\$3.24	\$3.30	\$3.53
	Energy (\$/kWh)	Mid-peak	\$0.09830	\$0.10000	\$0.10676
		Off-peak	\$0.09890	\$0.10060	\$0.10741
		Super-off-peak	\$0.05439	\$0.05529	\$0.05887
TOU-F	PA-3-D-5TC	)8			
Summer					
Summer	Demand (\$/kW)	On-peak	\$12.46	\$12.68	\$13.59
Summer	Demand (\$/kW) Energy (\$/kWh)	On-peak On-peak	\$12.46 \$0.22587	\$12.68 \$0.22988	\$13.59 \$0.24589
Summer					
Summer	· · ·	On-peak	\$0.22587	\$0.22988	\$0.24589
Winter	· · ·	On-peak Mid-peak	\$0.22587 \$0.21334	\$0.22988 \$0.21711	\$0.24589 \$0.23222
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.22587 \$0.21334 \$0.07775	\$0.22988 \$0.21711 \$0.07907	\$0.24589 \$0.23222 \$0.08434
	Energy (\$/kWh)  Demand (\$/kW)	On-peak Mid-peak Off-peak Mid-peak	\$0.22587 \$0.21334 \$0.07775 \$2.85	\$0.22988 \$0.21711 \$0.07907 \$2.90	\$0.24589 \$0.23222 \$0.08434 \$3.11



Season	Туре	Period	Lean Power	Clean Power	100% Green Powe
OU-F	PA-3-E				
	7 C E				
Summer	Energy (\$/kWh)	On-peak	\$0.40460	\$0.41184	\$0.44082
		Mid-peak	\$0.11503	\$0.11702	\$0.12500
		Off-peak	\$0.07790	\$0.07922	\$0.08451
Winter	Energy (\$/kWh)	Mid-peak	\$0.13827	\$0.14068	\$0.15035
	,	Off-peak	\$0.11116	\$0.11309	\$0.12079
		Super-off-peak	\$0.04365	\$0.04436	\$0.04716
ΓΟU-F	PA-3-E-5TC	8			
Summer	Energy (\$/kWh)	On-peak	\$0.59033	\$0.60095	\$0.64340
	Lileigy (\psi/ktti)	Mid-peak	\$0.21334	\$0.21711	\$0.23222
		Off-peak	\$0.07775	\$0.07907	\$0.08434
Winter	Energy (\$/kWh)	Mid-peak	\$0.14436	\$0.14688	\$0.15699
	,	Off-peak	\$0.11602	\$0.11803	\$0.12608
		Super-off-peak	\$0.04542	\$0.04616	\$0.04909
ΓOU-F	PA-3-PRI-D				
Summer	Demand (\$/kW)	On-peak	\$14.76	\$15.03	\$16.10
	Energy (\$/kWh)	On-peak	\$0.12446	\$0.12663	\$0.13529
		Mid-peak	\$0.11387	\$0.11584	\$0.12374
		Off-peak	\$0.07674	\$0.07804	\$0.08325
Winter	Demand (\$/kW)	Mid-peak	\$3.01	\$3.07	\$3.28
	Energy (\$/kWh)	Mid-peak	\$0.09715	\$0.09882	\$0.10550
			** ***	<b>#0.00040</b>	<b>#0.4004</b> 5
		Off-peak	\$0.09774	\$0.09942	\$0.10615



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-P	A-3-PRI-D	- <b>5TO</b> 8			
Summer	Demand (\$/kW)	On-peak	\$12.27	\$12.49	\$13.38
	Energy (\$/kWh)	On-peak	\$0.22461	\$0.22859	\$0.24452
		Mid-peak	\$0.21208	\$0.21583	\$0.23085
		Off-peak	\$0.07649	\$0.07778	\$0.08297
Winter	Demand (\$/kW)	Mid-peak	\$2.66	\$2.71	\$2.90
	Energy (\$/kWh)	Mid-peak	\$0.10000	\$0.10172	\$0.10861
	,	Off-peak	\$0.10061	\$0.10234	\$0.10927
		Super-off-peak	\$0.05459	\$0.05549	\$0.05909
TOU-P	PA-3-PRI-E Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.40280 \$0.11323 \$0.07610	\$0.41001 \$0.11519 \$0.07739	\$0.43886 \$0.12304 \$0.08255
		OII-peak	<b>Ф</b> 0.07010	ф0.07 <i>ТЗ</i> 9	\$0.06255
Winter	Energy (\$/kWh)	Mid-peak	\$0.13647	\$0.13885	\$0.14839
		Off-peak Super-off-peak	\$0.10937 \$0.04186	\$0.11126 \$0.04253	\$0.11883 \$0.04520
TOU-P	A-3-PRI-E	- <b>5</b> TO8			
Summer	Energy (\$/kWh)	On-peak	\$0.58854	\$0.59912	\$0.64144
		Mid-peak	\$0.21154	\$0.21528	\$0.23026
		Off-peak	\$0.07595	\$0.07724	\$0.08238
Winter	Energy (\$/kWh)	Mid-peak	\$0.14256	\$0.14505	\$0.15503
		Off-peak	\$0.11422	\$0.11620	\$0.12412
		on poun	Ψ0	ψ0 <b>σ</b> =σ	Ψ0.12112



## **Electric Vehicle Charging Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-E	V-7				
Summer	Energy (\$/kWh)	On-peak	\$0.40358	\$0.41177	\$0.44453
Gaimmoi	Σποιθή (ψ/πττπή	Mid-peak	\$0.14645	\$0.14936	\$0.16098
		Off-peak	\$0.12121	\$0.12360	\$0.13315
Winter	Energy (\$/kWh)	Mid-peak	\$0.21970	\$0.22411	\$0.24175
	<b>37</b> (* ,	Off-peak	\$0.14174	\$0.14455	\$0.15579
		Super-off-peak	\$0.06757	\$0.06885	\$0.07400
TOU-E	V-8				
Summer	Energy (\$/kWh)	On-peak	\$0.44500	\$0.45434	\$0.49171
	<b>37</b> (* ,	Mid-peak	\$0.13004	\$0.13269	\$0.14330
		Off-peak	\$0.10178	\$0.10383	\$0.11203
Winter	Energy (\$/kWh)	Mid-peak	\$0.18504	\$0.18886	\$0.20414
		Off-peak	\$0.11871	\$0.12112	\$0.13077
		Super-off-peak	\$0.05401	\$0.05505	\$0.05920
TOU-E	V-PRI-9				
Summer	Energy (\$/kWh)	On-peak	\$0.31563	\$0.32133	\$0.34415
	,	Mid-peak	\$0.11496	\$0.11698	\$0.12507
		Off-peak	\$0.08912	\$0.09067	\$0.09686
Winter	Energy (\$/kWh)	Mid-peak	\$0.17140	\$0.17446	\$0.18669
		Off-peak	\$0.10129	\$0.10306	\$0.11015
		Super-off-peak	\$0.05039	\$0.05122	\$0.05457



## **Electric Vehicle Charging Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-E	V-SEC-9				
Summer	Energy (\$/kWh)	On-peak	\$0.34317	\$0.34965	\$0.37557
		Mid-peak	\$0.11954	\$0.12173	\$0.13052
		Off-peak	\$0.09393	\$0.09564	\$0.10246
Winter	Energy (\$/kWh)	Mid-peak	\$0.17174	\$0.17493	\$0.18772
		Off-peak	\$0.10710	\$0.10906	\$0.11689
		Super-off-peak	\$0.05225	\$0.05315	\$0.05678
TOU-E	V-SUB-9				
Summer	Energy (\$/kWh)	On-peak	\$0.30977	\$0.31425	\$0.33218
		Mid-peak	\$0.10897	\$0.11050	\$0.11663
		Off-peak	\$0.08372	\$0.08489	\$0.08954
Winter	Energy (\$/kWh)	Mid-peak	\$0.15337	\$0.15555	\$0.16429
		Off-peak	\$0.09469	\$0.09601	\$0.10130
		Super-off-peak	\$0.04766	\$0.04829	\$0.05082



## **Lighting and Traffic Control Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
LS-1					
All Year	Energy (\$/kWh)	All year	\$0.08359	\$0.08558	\$0.09357
LS-3					
All Year	Energy (\$/kWh)	All year	\$0.08372	\$0.08572	\$0.09372
AL-2-F					
All Year	Energy (\$/kWh)	All year	\$0.08372	\$0.08572	\$0.09372
AL-2-G	F				
Time periods	for this rate are define On-Peak: 8:00 a.m.		ar, everyday		
•	Off-Peak: All other h	ours, all year, ever	yday		
Summer	Energy (\$/kWh)	On-peak	0.19373	0.19861	0.21814
		Off-peak	0.08372	0.08572	0.09372
Winter	Energy (\$/kWh)	On-peak	0.13024	0.13348	0.14644
		Off-peak	0.08372	0.08572	0.09372
TC-1					
All Year	Energy (\$/kWh)	All year	\$0.11790	\$0.12100	\$0.13340



### Wireless Technology Rate (WTR)

Effective as of November 1, 2023. WTR accounts are assigned a usage tier by Southern California Edison, and are billed a fixed amount each month based on the WTR energy rate and the maximum usage for that tier. Delivery charges and PCIA not included.

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
WTR					
All Year	Energy (\$/kWh)	All year	\$0.12086	\$0.12332	\$0.13314

#### **WTR Usage Tiers**

Tier	Maximum Usage (kWh/month)			
1	25			
1.5	50			
2	100			
3	150			
4	200			
5	250			
6	300			
7	350			
8	400			
9	450			
10	500			
11	900			
12	1350			
13	1800			
14	2250			
15	2700			
AMI	29			



-1-A nergy (\$/kWh) nergy (\$/kWh)	On-peak Mid-peak Off-peak Mid-peak	\$0.19566 \$0.18333 \$0.17659	\$0.19958 \$0.18699 \$0.18011	\$0.21525 \$0.20165 \$0.19422
	Mid-peak  Mid-peak	\$0.18333 \$0.17659	\$0.18699	\$0.20165
nergy (\$/kWh)	Off-peak Mid-peak	\$0.17659		
nergy (\$/kWh)	•	<b>¢</b> በ 121E2		
	Off-peak	\$0.13152 \$0.11886	\$0.13412 \$0.12120	\$0.14452 \$0.13056
-1-B				
emand (\$/kW)	On-peak Mid-peak	\$14.74 \$4.80	\$15.04 \$4.89	\$16.25 \$5.29
nergy (\$/kWh)	On-peak Mid-peak	\$0.10895 \$0.10222	\$0.11108 \$0.10422	\$0.11963 \$0.11221
	Off-peak			\$0.10816
nergy (\$/kWh)	Mid-peak Off-peak	\$0.13152 \$0.11886	\$0.13412 \$0.12120	\$0.14452 \$0.13056
-1-PRI-A				
nergy (\$/kWh)	On-peak Mid-peak	\$0.19405 \$0.18172 \$0.17408	\$0.19794 \$0.18535 \$0.17847	\$0.21347 \$0.19987 \$0.19244
nergy (\$/kWh)	Mid-peak	\$0.12991	\$0.13248	\$0.14274 \$0.12879
	emand (\$/kW) nergy (\$/kWh) nergy (\$/kWh) -1-PRI-A nergy (\$/kWh)	emand (\$/kW)  On-peak Mid-peak  On-peak Mid-peak Off-peak  Mid-peak Off-peak  Off-peak  Off-peak  Off-peak  Off-peak	emand (\$/kW) On-peak \$14.74 Mid-peak \$4.80  nergy (\$/kWh) On-peak \$0.10895 Mid-peak \$0.10222 Off-peak \$0.09854  nergy (\$/kWh) Mid-peak \$0.13152 Off-peak \$0.11886  -1-PRI-A  nergy (\$/kWh) On-peak \$0.19405 Mid-peak \$0.18172 Off-peak \$0.17498  nergy (\$/kWh) Mid-peak \$0.12991	emand (\$/kW) On-peak \$14.74 \$15.04 \$4.89  nergy (\$/kWh) On-peak \$0.10895 \$0.11108 Mid-peak \$0.10222 \$0.10422 Off-peak \$0.09854 \$0.10047  nergy (\$/kWh) Mid-peak \$0.13152 \$0.13412 Off-peak \$0.11886 \$0.12120  -1-PRI-A  nergy (\$/kWh) On-peak \$0.19405 \$0.12120  Mid-peak \$0.18172 \$0.18535 Off-peak \$0.17498 \$0.17847  nergy (\$/kWh) Mid-peak \$0.17498 \$0.17847



Season	Туре	Period	Lean Power	Clean Power	100% Green Powe
OU-C	SS-1-PRI-B	}			
Summer	Demand (\$/kW)	On-peak	\$14.48	\$14.78	\$15.97
		Mid-peak	\$4.54	\$4.63	\$5.01
	Energy (\$/kWh)	On-peak	\$0.10837	\$0.11050	\$0.11900
		Mid-peak	\$0.10165	\$0.10363	\$0.11158
		Off-peak	\$0.09797	\$0.09988	\$0.10753
Winter	Energy (\$/kWh)	Mid-peak	\$0.13095	\$0.13354	\$0.14389
		Off-peak	\$0.11829	\$0.12062	\$0.12993
Winter	Energy (\$/kWh)	Mid-peak Off-peak Mid-peak Off-peak	\$0.17982 \$0.17309 \$0.12802 \$0.11536	\$0.18342 \$0.17654 \$0.13054 \$0.11763	\$0.19779 \$0.19036 \$0.14066 \$0.12670
	SS-1-SUB-	 R			
Summer	Demand (\$/kW)	On-peak	\$14.15	\$14.44	\$15.60
			\$14.15 \$4.21	\$14.44 \$4.29	\$15.60 \$4.64
		On-peak Mid-peak On-peak	\$4.21 \$0.10783	\$4.29 \$0.10995	\$4.64 \$0.11840
	Demand (\$/kW)	On-peak Mid-peak On-peak Mid-peak	\$4.21 \$0.10783 \$0.10110	\$4.29 \$0.10995 \$0.10308	\$4.64 \$0.11840 \$0.11098
	Demand (\$/kW)	On-peak Mid-peak On-peak	\$4.21 \$0.10783	\$4.29 \$0.10995	\$4.64 \$0.11840
	Demand (\$/kW)	On-peak Mid-peak On-peak Mid-peak	\$4.21 \$0.10783 \$0.10110	\$4.29 \$0.10995 \$0.10308	\$4.64 \$0.11840 \$0.11098



Season	Туре	Period	Lean Power	Clean Power	100% Green Powe
rou-e	SS-2-B				
Summer	Demand (\$/kW)	On-peak	\$17.63	\$18.00	\$19.50
	(, ,	Mid-peak	\$5.92	\$6.05	\$6.55
	Energy (\$/kWh)	On-peak	\$0.10429	\$0.10640	\$0.11482
		Mid-peak	\$0.09790	\$0.09987	\$0.10774
		Off-peak	\$0.09439	\$0.09629	\$0.10387
Winter	Energy (\$/kWh)	Mid-peak	\$0.12560	\$0.12816	\$0.13839
		Off-peak	\$0.07633	\$0.07785	\$0.08389
Summer	Demand (\$/kW)	On-peak Mid-peak	\$16.93 \$5.22	\$17.29 \$5.33	\$18.72 \$5.77
	Energy (\$/kWh)	On-peak	\$0.10315	\$0.10523	\$0.11356
	Energy (\$/kWh)	On-peak Mid-peak	\$0.10315 \$0.09676	\$0.10523 \$0.09870	\$0.11356 \$0.10648
	Energy (\$/kWh)	On-peak Mid-peak Off-peak			
Winter	Energy (\$/kWh) Energy (\$/kWh)	Mid-peak	\$0.09676	\$0.09870	\$0.10648
Winter		Mid-peak Off-peak	\$0.09676 \$0.09325	\$0.09870 \$0.09512	\$0.10648 \$0.10260
		Mid-peak Off-peak Mid-peak Off-peak	\$0.09676 \$0.09325 \$0.12446	\$0.09870 \$0.09512 \$0.12699	\$0.10648 \$0.10260 \$0.13713
Winter  FOU-G  Summer	Energy (\$/kWh)	Mid-peak Off-peak Mid-peak Off-peak	\$0.09676 \$0.09325 \$0.12446	\$0.09870 \$0.09512 \$0.12699	\$0.10648 \$0.10260 \$0.13713
ΓΟU-G	Energy (\$/kWh)	Mid-peak Off-peak Mid-peak Off-peak	\$0.09676 \$0.09325 \$0.12446 \$0.07519	\$0.09870 \$0.09512 \$0.12699 \$0.07668	\$0.10648 \$0.10260 \$0.13713 \$0.08263
ΓΟU-G	Energy (\$/kWh)	Mid-peak Off-peak Mid-peak Off-peak Off-peak	\$0.09676 \$0.09325 \$0.12446 \$0.07519	\$0.09870 \$0.09512 \$0.12699 \$0.07668	\$0.10648 \$0.10260 \$0.13713 \$0.08263
ΓΟU-G	Energy (\$/kWh)	Mid-peak Off-peak Mid-peak Off-peak Off-peak  On-peak Mid-peak	\$0.09676 \$0.09325 \$0.12446 \$0.07519 \$0.33421 \$0.16002	\$0.09870 \$0.09512 \$0.12699 \$0.07668 \$0.34119 \$0.16331	\$0.10648 \$0.10260 \$0.13713 \$0.08263 \$0.36915 \$0.17647



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
rou-e	SS-2-R				
Summer	Energy (\$/kWh)	On-peak	\$0.33708	\$0.34413	\$0.37233
		Mid-peak	\$0.16289	\$0.16624	\$0.17964
		Off-peak	\$0.09439	\$0.09629	\$0.10387
Winter	Energy (\$/kWh)	Mid-peak	\$0.12560	\$0.12816	\$0.13839
	,	Off-peak	\$0.07633	\$0.07785	\$0.08389
TOU-G	SS-2-SUB-	В			
Summer	Demand (\$/kW)	On-peak	\$15.99	\$16.33	\$17.69
	(, ,	Mid-peak	\$4.29	\$4.38	\$4.74
	Energy (\$/kWh)	On-peak	\$0.10180	\$0.10386	\$0.11207
		Mid-peak	\$0.09541	\$0.09732	\$0.10499
		Off-peak	\$0.09190	\$0.09374	\$0.10111
Winter	Energy (\$/kWh)	Mid-peak	\$0.12311	\$0.12562	\$0.13564
		Off-peak	\$0.07384	\$0.07530	\$0.08114
TOU-G	SS-3-B				
Summer	Demand (\$/kW)	On-peak	\$14.80	\$15.11	\$16.38
		Mid-peak	\$4.94	\$5.05	\$5.47
	Energy (\$/kWh)	On-peak	\$0.10072	\$0.10275	\$0.11094
		Mid-peak	\$0.09438	\$0.09628	\$0.10392
		Off-peak	\$0.09115	\$0.09298	\$0.10035
Winter	Energy (\$/kWh)	Mid-peak	\$0.14860	\$0.15170	\$0.16407
	· · /	Off-peak	\$0.08868	\$0.09048	\$0.09769



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	S-3-PRI-B				
Summer	Demand (\$/kW)	On-peak	\$14.18	\$14.49	\$15.70
		Mid-peak	\$4.33	\$4.42	\$4.79
	Energy (\$/kWh)	On-peak	\$0.09956	\$0.10157	\$0.10966
	,	Mid-peak	\$0.09322	\$0.09510	\$0.10264
		Off-peak	\$0.08999	\$0.09180	\$0.09907
Winter	Energy (\$/kWh)	Mid-peak	\$0.14724	\$0.15031	\$0.16256
		Off-peak	\$0.08731	\$0.08909	\$0.09618
TOU-G	S-3-PRI-R				
Summer	Energy (\$/kWh)	On-peak	\$0.28048	\$0.28634	\$0.30990
		Mid-peak	\$0.13960	\$0.14246	\$0.15397
		Off-peak	\$0.08869	\$0.09046	\$0.09762
Winter	Energy (\$/kWh)	Mid-peak	\$0.14569	\$0.14873	\$0.16085
		Off-peak	\$0.08577	\$0.08751	\$0.09447
TOU-G	SS-3-R				
Summer	Energy (\$/kWh)	On-peak	\$0.28294	\$0.28885	\$0.31263
		Mid-peak	\$0.14206	\$0.14497	\$0.15669
		Off-peak	\$0.09115	\$0.09298	\$0.10035
Winter	Energy (\$/kWh)	Mid-peak	\$0.14860	\$0.15170	\$0.16407
		Off-peak	\$0.08868	\$0.09048	\$0.09769



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-8	-PRI-B				
Summer	Demand (\$/kW)	On-peak	\$15.38	\$15.70	\$17.02
		Mid-peak	\$4.94	\$5.05	\$5.47
	Energy (\$/kWh)	On-peak	\$0.09444	\$0.09636	\$0.10403
	<b>3</b> 7 (* )	Mid-peak	\$0.08783	\$0.08960	\$0.09671
		Off-peak	\$0.08547	\$0.08719	\$0.09410
Winter	Energy (\$/kWh)	Mid-peak	\$0.14640	\$0.14949	\$0.16168
	33 (** )	Off-peak	\$0.08743	\$0.08924	\$0.09635
TOU-8	-PRI-R				
Summer	Energy (\$/kWh)	On-peak	\$0.26836	\$0.27399	\$0.29656
		Mid-peak	\$0.12722	\$0.12983	\$0.14032
		Off-peak	\$0.08547	\$0.08719	\$0.09410
Winter	Energy (\$/kWh)	Mid-peak	\$0.14640	\$0.14949	\$0.16168
	<b>5</b> 7 (, /	Off-peak	\$0.08743	\$0.08924	\$0.09635



Season	Туре	Period	Lean Power	Clean Power	100% Green Power			
TOU-8-SEC-B								
Summer	Demand (\$/kW)	On-peak	\$15.63	\$15.97	\$17.31			
	(, ,	Mid-peak	\$5.13	\$5.24	\$5.68			
	Energy (\$/kWh)	On-peak	\$0.09822	\$0.10021	\$0.10820			
	,	Mid-peak	\$0.09174	\$0.09359	\$0.10103			
		Off-peak	\$0.08889	\$0.09068	\$0.09787			
Winter	Energy (\$/kWh)	Mid-peak	\$0.14117	\$0.14415	\$0.15587			
		Off-peak	\$0.08894	\$0.09078	\$0.09801			
TOU-8	-SEC-R							
Summer	Energy (\$/kWh)	On-peak	\$0.27775	\$0.28357	\$0.30694			
		Mid-peak	\$0.13545	\$0.13823	\$0.14941			
		Off-peak	\$0.08889	\$0.09068	\$0.09787			
Winter	Energy (\$/kWh)	Mid-peak	\$0.14117	\$0.14415	\$0.15587			
	<b>32</b> (* )	Off-peak	\$0.08894	\$0.09078	\$0.09801			



Season	Туре	Period	Lean Power	Clean Power	100% Green Power		
TOU-8-SUB-B							
Summer	Demand (\$/kW)	On-peak	\$17.57	\$17.95	\$19.45		
Cummer	Demand (ψ/κνν)	Mid-peak	\$5.69	\$5.81	\$6.30		
	Energy (\$/kWh)	On-peak	\$0.08851	\$0.09030	\$0.09749		
	Energy (w/kwii)	Mid-peak	\$0.08206	\$0.08371	\$0.09035		
		Off-peak	\$0.08011	\$0.08172	\$0.08819		
Winter	Energy (\$/kWh)	Mid-peak	\$0.13535	\$0.13820	\$0.14946		
		Off-peak	\$0.08289	\$0.08460	\$0.09134		
TOU-8	TOU-8-SUB-R						
Summer	Energy (\$/kWh)	On-peak	\$0.26614	\$0.27173	\$0.29413		
		Mid-peak	\$0.12110	\$0.12358	\$0.13357		
		Off-peak	\$0.08011	\$0.08172	\$0.08819		
Winter	Energy (\$/kWh)	Mid-peak	\$0.13535	\$0.13820	\$0.14946		
		Off-peak	\$0.08289	\$0.08460	\$0.09134		
TOU-PA-2-A							
Summer	Energy (\$/kWh)	On-peak	\$0.29965	\$0.30501	\$0.32647		
		Mid-peak	\$0.13965	\$0.14211	\$0.15191		
		Off-peak	\$0.09627	\$0.09793	\$0.10457		
Winter	Energy (\$/kWh)	Mid-peak	\$0.12975	\$0.13202	\$0.14110		
		Off-peak	\$0.08750	\$0.08900	\$0.09500		



# **Legacy Rates for Solar and Super Off Peak (SOP) Agricuture and Pumping**

Effective as of July 1, 2023. Delivery charges and PCIA not included.

Season	Туре	Period	Lean Power	Clean Power	100% Green Powe
ΓOU-P	A-2-B				
Summer	Demand (\$/kW)	On-peak	\$9.97	\$10.15	\$10.88
	(, ,	Mid-peak	\$3.06	\$3.11	\$3.34
	Energy (\$/kWh)	On-peak	\$0.10640	\$0.10824	\$0.11562
		Mid-peak	\$0.09872	\$0.10043	\$0.10725
		Off-peak	\$0.09627	\$0.09793	\$0.10457
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12975 \$0.08750	\$0.13202 \$0.08900	\$0.14110 \$0.09500
ΓΟU-P	A-2-PRI-A				
Summer	Energy (\$/kWh)	On-peak	\$0.29775	\$0.30308	\$0.32441
Julilliei	Lifeigy (φ/κνντι)	Mid-peak	\$0.13776	\$0.14018	\$0.14984
		Off-peak	\$0.09437	\$0.09600	\$0.10250
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12786 \$0.08561	\$0.13009 \$0.08707	\$0.13904 \$0.09294
ΓΟU-P	A-2-PRI-B				
Summer	Demand (\$/kW)	On-peak	\$9.75	\$9.93	\$10.64
		Mid-peak	\$2.84	\$2.89	\$3.10
	Energy (\$/kWh)	On-peak	\$0.10523	\$0.10706	\$0.11435
		Mid-peak	\$0.09756	\$0.09924	\$0.10598
		Off-peak	\$0.09510	\$0.09674	\$0.10330
Winter	Energy (\$/kWh)	Mid-peak	\$0.12858	\$0.13083	\$0.13983
		Off-peak	\$0.08633	\$0.08781	\$0.09373



# **Legacy Rates for Solar and Super Off Peak (SOP) Agricuture and Pumping**

Effective as of July 1, 2023. Delivery charges and PCIA not included.

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-P	A-3-A				
Summer	Energy (\$/kWh)	On-peak	\$0.26094	\$0.26558	\$0.28414
Guillino	Energy (w/ktviii)	Mid-peak	\$0.12049	\$0.12259	\$0.13096
		Off-peak	\$0.08426	\$0.08570	\$0.09144
Winter	Energy (\$/kWh)	Mid-peak	\$0.11250	\$0.11445	\$0.12225
	<b>.</b>	Off-peak	\$0.07985	\$0.08121	\$0.08664
TOU-P	A-3-B				
Summer	Demand (\$/kW)	On-peak	\$10.56	\$10.75	\$11.51
	, ,	Mid-peak	\$3.09	\$3.14	\$3.37
	Energy (\$/kWh)	On-peak	\$0.09306	\$0.09466	\$0.10105
		Mid-peak	\$0.08628	\$0.08775	\$0.09364
		Off-peak	\$0.08426	\$0.08570	\$0.09144
Winter	Energy (\$/kWh)	Mid-peak	\$0.11250	\$0.11445	\$0.12225
		Off-peak	\$0.07985	\$0.08121	\$0.08664
TOU-P	A-3-PRI-A				
Summer	Energy (\$/kWh)	On-peak	\$0.25914	\$0.26375	\$0.28218
		Mid-peak	\$0.11870	\$0.12076	\$0.12900
		Off-peak	\$0.08246	\$0.08387	\$0.08948
Winter	Energy (\$/kWh)	Mid-peak	\$0.11070	\$0.11262	\$0.12028
		Off-peak	\$0.07805	\$0.07938	\$0.08468



# **Legacy Rates for Solar and Super Off Peak (SOP) Agricuture and Pumping**

Effective as of July 1, 2023. Delivery charges and PCIA not included.

Туре	Period	Lean Power	Clean Power	100% Green Power
A-3-PRI-B				
Demand (\$/kW)	On-peak	\$10.28	\$10.46	\$11.21
	Mid-peak	\$2.81	\$2.86	\$3.07
Energy (\$/kWh)	On-peak	\$0.09191	\$0.09348	\$0.09978
,	Mid-peak	\$0.08512	\$0.08657	\$0.09238
	Off-peak	\$0.08310	\$0.08452	\$0.09018
Energy (\$/kWh)	Mid-peak	\$0.11134	\$0.11327	\$0.12098
3, (, ,	Off-peak	\$0.07869	\$0.08003	\$0.08537
	PA-3-PRI-B Demand (\$/kW)	Demand (\$/kW) On-peak Mid-peak  Energy (\$/kWh) On-peak Mid-peak Off-peak  Energy (\$/kWh) Mid-peak	PA-3-PRI-B  Demand (\$/kW)  On-peak  Mid-peak  Energy (\$/kWh)  On-peak  Mid-peak  Off-peak  S0.09191  Mid-peak  \$0.08512  Off-peak  \$0.08310  Energy (\$/kWh)  Mid-peak  \$0.11134	PA-3-PRI-B  Demand (\$/kW)  On-peak  Mid-peak  Energy (\$/kWh)  On-peak  Mid-peak  S0.09191  S0.09348  Mid-peak  Mid-peak  S0.08512  Off-peak  S0.08452  Energy (\$/kWh)  Mid-peak  S0.11134  S0.11327



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default
TOU-0	GS-1-A					
Summer	Energy (\$/kWh)	On-peak	\$0.19566	\$0.19958	\$0.21525	\$0.19958
		Mid-peak	\$0.18333	\$0.18699	\$0.20165	\$0.18699
		Off-peak	\$0.17659	\$0.18011	\$0.19422	\$0.18011
Winter	Energy (\$/kWh)	Mid-peak	\$0.13152	\$0.13412	\$0.14452	\$0.13412
	<b>37</b> (. , ,	Off-peak	\$0.11886	\$0.12120	\$0.13056	\$0.12120
TOU-(	GS-1-B					
Summer	Demand (\$/kW)	On-peak	\$14.74	\$15.04	\$16.25	\$15.04
	(4. /	Mid-peak	\$4.80	\$4.89	\$5.29	\$4.89
	Energy (\$/kWh)	On-peak	\$0.10895	\$0.11108	\$0.11963	\$0.11108
	,	Mid-peak	\$0.10222	\$0.10422	\$0.11221	\$0.10422
		Off-peak	\$0.09854	\$0.10047	\$0.10816	\$0.10047
Winter	Energy (\$/kWh)	Mid-peak	\$0.13152	\$0.13412	\$0.14452	\$0.13412
		Off-peak	\$0.11886	\$0.12120	\$0.13056	\$0.12120
TOU-(	GS-1-D					
Summer	Demand (\$/kW)	On-peak	\$20.08	\$20.49	\$22.14	\$20.49
	Energy (\$/kWh)	On-peak	\$0.14745	\$0.15038	\$0.16209	\$0.15038
	<b>33</b> (. )	Mid-peak	\$0.13362	\$0.13626	\$0.14684	\$0.13626
		Off-peak	\$0.08928	\$0.09102	\$0.09795	\$0.09102
Winter	Demand (\$/kW)	Mid-peak	\$6.17	\$6.29	\$6.80	\$6.29
	Energy (\$/kWh)	Mid-peak	\$0.13911	\$0.14187	\$0.15289	\$0.14187
	'	Off-peak	\$0.09967	\$0.10161	\$0.10940	\$0.10161
		Super-off-peak	\$0.07581	\$0.07726	\$0.08309	\$0.07726



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-	GS-1-E					
Summer	Energy (\$/kWh)	On-peak	\$0.53646	\$0.54738	\$0.59105	\$0.54738
	,	Mid-peak	\$0.14645	\$0.14936	\$0.16098	\$0.14936
		Off-peak	\$0.10610	\$0.10818	\$0.11649	\$0.10818
Winter	Energy (\$/kWh)	Mid-peak	\$0.21970	\$0.22411	\$0.24175	\$0.22411
	,	Off-peak	\$0.12424	\$0.12669	\$0.13649	\$0.12669
		Super-off-peak	\$0.06757	\$0.06885	\$0.07400	\$0.06885
TOU-0	GS-1-ES					
Summer	Energy (\$/kWh)	On-peak	\$0.57911	\$0.59091	\$0.63809	\$0.59091
		Mid-peak	\$0.15797	\$0.16112	\$0.17369	\$0.16112
		Off-peak	\$0.11425	\$0.11649	\$0.12547	\$0.11649
Winter	Energy (\$/kWh)	Mid-peak	\$0.20540	\$0.20952	\$0.22599	\$0.20952
		Off-peak	\$0.11642	\$0.11871	\$0.12786	\$0.11871
		Super-off-peak	\$0.06333	\$0.06453	\$0.06933	\$0.06453
TOU-0	GS-1-PRI-	A				
Summer	Energy (\$/kWh)	On-peak	\$0.19405	\$0.19794	\$0.21347	\$0.19794
		Mid-peak	\$0.18172	\$0.18535	\$0.19987	\$0.18535
		Off-peak	\$0.17498	\$0.17847	\$0.19244	\$0.17847
Winter	Energy (\$/kWh)	Mid-peak	\$0.12991	\$0.13248	\$0.14274	\$0.13248
		Off-peak	\$0.11725	\$0.11956	\$0.12879	\$0.11956



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-C	SS-1-PRI-	В				
Summer	Demand (\$/kW)	On-peak Mid-peak	\$14.48 \$4.54	\$14.78 \$4.63	\$15.97 \$5.01	\$14.78 \$4.63
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.10837 \$0.10165 \$0.09797	\$0.11050 \$0.10363 \$0.09988	\$0.11900 \$0.11158 \$0.10753	\$0.11050 \$0.10363 \$0.09988
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.13095 \$0.11829	\$0.13354 \$0.12062	\$0.14389 \$0.12993	\$0.13354 \$0.12062
TOU-C	SS-1-PRI-	D				
Summer	Demand (\$/kW)	On-peak	\$19.89	\$20.30	\$21.93	\$20.30
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.14688 \$0.13305 \$0.08871	\$0.14979 \$0.13568 \$0.09043	\$0.16146 \$0.14621 \$0.09732	\$0.14979 \$0.13568 \$0.09043
Winter	Demand (\$/kW)	Mid-peak	\$5.98	\$6.10	\$6.59	\$6.10
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.13854 \$0.09910 \$0.07524	\$0.14129 \$0.10103 \$0.07668	\$0.15226 \$0.10877 \$0.08246	\$0.14129 \$0.10103 \$0.07668



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-G	SS-1-PRI-	E				
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.53485 \$0.14484 \$0.10449	\$0.54574 \$0.14771 \$0.10654	\$0.58928 \$0.15921 \$0.11472	\$0.54574 \$0.14771 \$0.10654
Winter	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.21809 \$0.12263 \$0.06596	\$0.22247 \$0.12505 \$0.06721	\$0.23998 \$0.13472 \$0.07223	\$0.22247 \$0.12505 \$0.06721
TOU-G	SS-1-PRI-	ES				
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.57750 \$0.15637 \$0.11264	\$0.58927 \$0.15948 \$0.11485	\$0.63631 \$0.17192 \$0.12370	\$0.58927 \$0.15948 \$0.11485
Winter	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.20380 \$0.11481 \$0.06172	\$0.20788 \$0.11706 \$0.06289	\$0.22422 \$0.12609 \$0.06756	\$0.20788 \$0.11706 \$0.06289
TOU-G	SS-1-SUB	<b>5-A</b>				
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.19216 \$0.17982 \$0.17309	\$0.19600 \$0.18342 \$0.17654	\$0.21139 \$0.19779 \$0.19036	\$0.19600 \$0.18342 \$0.17654
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12802 \$0.11536	\$0.13054 \$0.11763	\$0.14066 \$0.12670	\$0.13054 \$0.11763



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-C	SS-1-SUB	<b>-B</b>				
Summer	Demand (\$/kW)	On-peak	\$14.15	\$14.44	\$15.60	\$14.44
Cummon	Domaila (\$\pi\tt)	Mid-peak	\$4.21	\$4.29	\$4.64	\$4.29
	Energy (\$/kWh)	On-peak	\$0.10783	\$0.10995	\$0.11840	\$0.10995
	<b>37</b> (1 )	Mid-peak	\$0.10110	\$0.10308	\$0.11098	\$0.10308
		Off-peak	\$0.09743	\$0.09933	\$0.10693	\$0.09933
Winter	Energy (\$/kWh)	Mid-peak	\$0.13040	\$0.13298	\$0.14329	\$0.13298
	<b>3</b> (* ,	Off-peak	\$0.11775	\$0.12007	\$0.12933	\$0.12007
TOU-C	SS-1-SUB	-D				
Summer	Demand (\$/kW)	On-peak	\$19.63	\$20.04	\$21.65	\$20.04
	Energy (\$/kWh)	On-peak	\$0.14634	\$0.14924	\$0.16086	\$0.14924
		Mid-peak	\$0.13251	\$0.13513	\$0.14561	\$0.13513
		Off-peak	\$0.08817	\$0.08988	\$0.09672	\$0.08988
Winter	Demand (\$/kW)	Mid-peak	\$5.72	\$5.84	\$6.31	\$5.84
	Energy (\$/kWh)	Mid-peak	\$0.13800	\$0.14073	\$0.15166	\$0.14073
		Off-peak	\$0.09855	\$0.10048	\$0.10817	\$0.10048
		Super-off-peak	\$0.07470	\$0.07613	\$0.08186	\$0.07613
TOU-C	SS-1-SUB	-E				
Summer	Energy (\$/kWh)	On-peak	\$0.53296	\$0.54380	\$0.58719	\$0.54380
		Mid-peak	\$0.14295	\$0.14578	\$0.15712	\$0.14578
		Off-peak	\$0.10260	\$0.10460	\$0.11263	\$0.10460
Winter	Energy (\$/kWh)	Mid-peak	\$0.21620	\$0.22053	\$0.23789	\$0.22053
		Off-peak	\$0.12074	\$0.12311	\$0.13263	\$0.12311
		Super-off-peak	\$0.06407	\$0.06528	\$0.07014	\$0.06528



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-C	SS-2-B					
Summer	Demand (\$/kW)	On-peak Mid-peak	\$17.63 \$5.92	\$18.00 \$6.05	\$19.50 \$6.55	\$18.00 \$6.05
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.10429 \$0.09790 \$0.09439	\$0.10640 \$0.09987 \$0.09629	\$0.11482 \$0.10774 \$0.10387	\$0.10640 \$0.09987 \$0.09629
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12560 \$0.07633	\$0.12816 \$0.07785	\$0.13839 \$0.08389	\$0.12816 \$0.07785
TOU-C	SS-2-D					
Summer	Demand (\$/kW)	On-peak	\$25.42	\$25.96	\$28.12	\$25.96
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.14213 \$0.13004 \$0.08530	\$0.14504 \$0.13269 \$0.08700	\$0.15667 \$0.14330 \$0.09380	\$0.14504 \$0.13269 \$0.08700
Winter	Demand (\$/kW)	Mid-peak	\$6.67	\$6.81	\$7.38	\$6.81
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.09762 \$0.09818 \$0.05401	\$0.09959 \$0.10016 \$0.05505	\$0.10744 \$0.10806 \$0.05920	\$0.09959 \$0.10016 \$0.05505



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-C	SS-2-E					
Summer	Demand (\$/kW)	On-peak	\$7.15	\$7.30	\$7.91	\$7.30
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.46526 \$0.13004 \$0.08530	\$0.47503 \$0.13269 \$0.08700	\$0.51413 \$0.14330 \$0.09380	\$0.47503 \$0.13269 \$0.08700
Winter	Demand (\$/kW)	Mid-peak	\$2.77	\$2.82	\$3.06	\$2.82
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.14885 \$0.09818 \$0.05401	\$0.15190 \$0.10016 \$0.05505	\$0.16410 \$0.10806 \$0.05920	\$0.15190 \$0.10016 \$0.05505
TOU-C	SS-2-PRI-	В				
Summer	Demand (\$/kW)	On-peak Mid-peak	\$16.93 \$5.22	\$17.29 \$5.33	\$18.72 \$5.77	\$17.29 \$5.33
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.10315 \$0.09676 \$0.09325	\$0.10523 \$0.09870 \$0.09512	\$0.11356 \$0.10648 \$0.10260	\$0.10523 \$0.09870 \$0.09512
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12446 \$0.07519	\$0.12699 \$0.07668	\$0.13713 \$0.08263	\$0.12699 \$0.07668



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-0	GS-2-PRI-	D				
Summer	Demand (\$/kW)	On-peak	\$24.84	\$25.37	\$27.48	\$25.37
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.14099 \$0.12890 \$0.08416	\$0.14387 \$0.13153 \$0.08583	\$0.15541 \$0.14204 \$0.09254	\$0.14387 \$0.13153 \$0.08583
Winter	Demand (\$/kW)	Mid-peak	\$6.52	\$6.66	\$7.21	\$6.66
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.09648 \$0.09704 \$0.05287	\$0.09842 \$0.09899 \$0.05388	\$0.10618 \$0.10680 \$0.05793	\$0.09842 \$0.09899 \$0.05388
TOU-0	GS-2-PRI-	E				
Summer	Demand (\$/kW)	On-peak	\$6.91	\$7.06	\$7.64	\$7.06
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.46357 \$0.12835 \$0.08360	\$0.47331 \$0.13096 \$0.08527	\$0.51225 \$0.14143 \$0.09193	\$0.47331 \$0.13096 \$0.08527
Winter	Demand (\$/kW)	Mid-peak	\$2.70	\$2.76	\$2.99	\$2.76
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.14716 \$0.09649 \$0.05232	\$0.15017 \$0.09843 \$0.05332	\$0.16223 \$0.10619 \$0.05732	\$0.15017 \$0.09843 \$0.05332
TOU-0	GS-2-PRI-	R				
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.33421 \$0.16002 \$0.09152	\$0.34119 \$0.16331 \$0.09335	\$0.36915 \$0.17647 \$0.10069	\$0.34119 \$0.16331 \$0.09335
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12273 \$0.07346	\$0.12523 \$0.07491	\$0.13522 \$0.08072	\$0.12523 \$0.07491



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default
TOU-0	SS-2-R					
Summer	Energy (\$/kWh)	On-peak	\$0.33708	\$0.34413	\$0.37233	\$0.34413
		Mid-peak	\$0.16289	\$0.16624	\$0.17964	\$0.16624
		Off-peak	\$0.09439	\$0.09629	\$0.10387	\$0.09629
Winter	Energy (\$/kWh)	Mid-peak	\$0.12560	\$0.12816	\$0.13839	\$0.12816
		Off-peak	\$0.07633	\$0.07785	\$0.08389	\$0.07785
TOU-0	SS-2-SUB	8-B				
Summer	Demand (\$/kW)	On-peak	\$15.99	\$16.33	\$17.69	\$16.33
	Σοιιιατία (ψ/πττ)	Mid-peak	\$4.29	\$4.38	\$4.74	\$4.38
	Energy (\$/kWh)	On-peak	\$0.10180	\$0.10386	\$0.11207	\$0.10386
	,	Mid-peak	\$0.09541	\$0.09732	\$0.10499	\$0.09732
		Off-peak	\$0.09190	\$0.09374	\$0.10111	\$0.09374
Winter	Energy (\$/kWh)	Mid-peak	\$0.12311	\$0.12562	\$0.13564	\$0.12562
	<b>37</b> (. , ,	Off-peak	\$0.07384	\$0.07530	\$0.08114	\$0.07530
TOU-0	SS-2-SUB	S-D				
Summer	Demand (\$/kW)	On-peak	\$24.08	\$24.59	\$26.64	\$24.59
	Energy (\$/kWh)	On-peak	\$0.13964	\$0.14249	\$0.15392	\$0.14249
	<b>37</b> (* )	Mid-peak	\$0.12755	\$0.13015	\$0.14055	\$0.13015
		Off-peak	\$0.08281	\$0.08445	\$0.09105	\$0.08445
Winter	Demand (\$/kW)	Mid-peak	\$6.32	\$6.45	\$6.99	\$6.45
	Energy (\$/kWh)	Mid-peak	\$0.09513	\$0.09704	\$0.10469	\$0.09704
		Off-peak	\$0.09569	\$0.09762	\$0.10531	\$0.09762
		Super-off-peak	\$0.05152	\$0.05250	\$0.05644	\$0.05250



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-G	SS-3-B					
Summer	Demand (\$/kW)	On-peak Mid-peak	\$14.67 \$4.90	\$14.96 \$5.00	\$16.12 \$5.38	\$14.96 \$5.00
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.09986 \$0.09358 \$0.09038	\$0.10174 \$0.09533 \$0.09207	\$0.10922 \$0.10232 \$0.09880	\$0.10174 \$0.09533 \$0.09207
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12540 \$0.07516	\$0.12777 \$0.07654	\$0.13728 \$0.08208	\$0.12777 \$0.07654
TOU-G	SS-3-D					
Summer	Demand (\$/kW)	On-peak	\$21.89	\$22.33	\$24.05	\$22.33
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.13249 \$0.12126 \$0.08353	\$0.13501 \$0.12356 \$0.08508	\$0.14507 \$0.13273 \$0.09128	\$0.13501 \$0.12356 \$0.08508
Winter	Demand (\$/kW)	Mid-peak	\$7.92	\$8.08	\$8.70	\$8.08
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.09561 \$0.09617 \$0.05291	\$0.09740 \$0.09797 \$0.05385	\$0.10455 \$0.10516 \$0.05763	\$0.09740 \$0.09797 \$0.05385



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-C	GS-3-E					
Summer	Demand (\$/kW)	On-peak	\$6.16	\$6.28	\$6.76	\$6.28
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.38152 \$0.12126 \$0.08353	\$0.38895 \$0.12356 \$0.08508	\$0.41868 \$0.13273 \$0.09128	\$0.38895 \$0.12356 \$0.08508
Winter	Demand (\$/kW)	Mid-peak	\$3.28	\$3.34	\$3.60	\$3.34
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.15084 \$0.09617 \$0.05291	\$0.15372 \$0.09797 \$0.05385	\$0.16523 \$0.10516 \$0.05763	\$0.15372 \$0.09797 \$0.05385
TOU-C	GS-3-PRI-	В				
Summer	Demand (\$/kW)	On-peak Mid-peak	\$14.06 \$4.29	\$14.34 \$4.37	\$15.45 \$4.71	\$14.34 \$4.37
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.09872 \$0.09244 \$0.08924	\$0.10057 \$0.09417 \$0.09090	\$0.10797 \$0.10107 \$0.09755	\$0.10057 \$0.09417 \$0.09090
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12425 \$0.07402	\$0.12661 \$0.07538	\$0.13602 \$0.08082	\$0.12661 \$0.07538



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)		
TOU-C	TOU-GS-3-PRI-D							
Summer	Demand (\$/kW)	On-peak	\$21.39	\$21.81	\$23.50	\$21.81		
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.13135 \$0.12012 \$0.08238	\$0.13384 \$0.12239 \$0.08391	\$0.14381 \$0.13148 \$0.09002	\$0.13384 \$0.12239 \$0.08391		
Winter	Demand (\$/kW)	Mid-peak	\$7.73	\$7.88	\$8.49	\$7.88		
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.09447 \$0.09502 \$0.05176	\$0.09624 \$0.09680 \$0.05268	\$0.10330 \$0.10390 \$0.05637	\$0.09624 \$0.09680 \$0.05268		
TOU-C	SS-3-PRI-	E						
Summer	Demand (\$/kW)	On-peak	\$5.95	\$6.06	\$6.53	\$6.06		
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.37943 \$0.11917 \$0.08144	\$0.38682 \$0.12143 \$0.08295	\$0.41638 \$0.13044 \$0.08898	\$0.38682 \$0.12143 \$0.08295		
Winter	Demand (\$/kW)	Mid-peak	\$3.20	\$3.27	\$3.52	\$3.27		
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.14875 \$0.09408 \$0.05082	\$0.15159 \$0.09584 \$0.05172	\$0.16293 \$0.10287 \$0.05534	\$0.15159 \$0.09584 \$0.05172		
TOU-C	SS-3-PRI-	R						
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.27803 \$0.13840 \$0.08794	\$0.28342 \$0.14103 \$0.08958	\$0.30497 \$0.15156 \$0.09612	\$0.28342 \$0.14103 \$0.08958		
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12296 \$0.07272	\$0.12529 \$0.07406	\$0.13460 \$0.07940	\$0.12529 \$0.07406		



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-0	GS-3-R					
Summer	Energy (\$/kWh)	On-peak	\$0.28047	\$0.28591	\$0.30765	\$0.28591
		Mid-peak	\$0.14084	\$0.14352	\$0.15424	\$0.14352
		Off-peak	\$0.09038	\$0.09207	\$0.09880	\$0.09207
Winter	Energy (\$/kWh)	Mid-peak	\$0.12540	\$0.12777	\$0.13728	\$0.12777
		Off-peak	\$0.07516	\$0.07654	\$0.08208	\$0.07654
Summer	Demand (\$/kW)	On-peak	\$20.72	\$21.13	\$22.77	\$21.13
	Energy (\$/kWh)	On-peak	\$0.13000	\$0.13247	\$0.14234	\$0.13247
	,	Mid-peak	\$0.11877	\$0.12102	\$0.13000	\$0.12102
		Off-peak	\$0.08104	\$0.08254	\$0.08854	\$0.08254
Winter	Demand (\$/kW)	Mid-peak	\$7.49	\$7.64	\$8.23	\$7.64
	Energy (\$/kWh)	Mid-peak	\$0.09313	\$0.09487	\$0.10182	\$0.09487
	,	Off-peak	\$0.09368	\$0.09543	\$0.10243	\$0.09543
		Super-off-peak	\$0.05042	\$0.05131	\$0.05490	\$0.05131



## **Peak Management Pricing (PMP) Rates**

Effective as of July 1, 2023, surcharge and credit rates for the PMP program are shown in the table below. Surcharge rates are added to any energy consumed during on-peak hours (4 p.m. to 9 p.m.) on PMP Event Days. Credit rates apply on non-event days as a credit to your normal rate during on-peak hours in the summer months of the program (June-September).

Rate Schedule	Surcharge Amount (Applied to all energy consumed during PMP events)	Summer Incentive Credits*
TOU-GS-1-E TOU-GS-1-ES	\$1.00/kWh	\$0.17054/kWh
TOU-GS-2-D	\$1.00/kWh	\$8.56/kW
TOU-GS-3-D	\$1.00/kWh	\$9.44/kW
TOU-8-SEC-D TOU-8-PRI-D TOU-8-SUB-D	\$1.00/kWh	\$10.28/kW \$10.65/kW \$10.55/kW
TOU-PA-2-D TOU-PA-2-D5	\$1.00/kWh	\$7.10/kW
TOU-PA-3-D TOU-PA-3-D5	\$1.00/kWh	\$7.73/kW

<sup>\*</sup>Incentive credit is applied to the maximum monthly on-peak demand in kW, except for TOU-GS-1-E/TOU-GS-1-ES, for which it is applied to the monthly on-peak energy usage in kWh.



## Wind Machine Credit (WMC) Rates

Agricultural customers served under a PA-2 rate schedule who incur energy usage during the Winter Season solely for wind machine operations, that have already been determined eligible by SCE, will receive a monthly Demand credit based on highest recorded monthly kW demand registered during non-peak periods. Applicable only to customers whose monthly maximum demand registers below 200 kW and that previously received this credit from SCE.

Rate Schedule	Wind Machine Credit*	
TOU-PA-2	\$6.33/kW	

<sup>\*</sup>Wind machine credit is applied based on the highest recorded monthly kW demand registered during non-peak periods in kW.