

## Clean Power Alliance Non-residential Rates

## Effective July 1, 2024

Applicable to all non-residential customers in all Clean Power Alliance jurisdictions <u>except for accounts</u> <u>receiving service in Hermosa Beach, unincorporated Los Angeles County, Monrovia, Rolling Hills Estates, Santa Paula, and South Pasadena.</u>

Rates shown do not include SCE delivery charges, Generation Municipal Surcharge (GMS) or the CCA Customer Responsibility Surcharge (CCA-CRS). Rate information for SCE delivery charges, GMS, and the CCA-CRS, including the Power Charge Indifference Adjustment (PCIA), can be found at www.sce.com.

### **Table of Contents**

(Hover and click to jump to section)	Page Number
Introduction	2
Rate Key	4
Small General Service	8
Medium & Large General Service	11
Industrial	16
Agriculture and Pumping	19
Electric Vehicle Charging	25
Lighting and Traffic Control	27
Wireless Technology Rate (WTR)	28
Legacy Rates for Solar and Super Off Peak (SOP) Agriculture and Pumping	29
General Service - CARE	40
Peak Management Pricing (PMP)	53
Wind Machine Credit (WMC)	54

https://cleanpoweralliance.org/commercial-rate/

<sup>\*</sup>Non-Residential rates for Hermosa Beach, unincorporated Los Angeles County, Monrovia, Rolling Hills Estates, Santa Paula, and South Pasadena can be found at:



### Introduction

#### **About Our Rates**

Clean Power Alliance's rates are established by its Board of Directors. Any changes to Clean Power Alliance rates will be adopted at duly noticed public meetings of the Board of Directors.

The rates shown in this document are for electric generation/supply only. Please visit SCE.com for delivery rates and schedules.

# 100% Green Power for CARE Customers in Default Jurisdictions

Some Clean Power Alliance jurisdictions have selected 100% Green Power as their default CPA rate product. <sup>1</sup> Customers in these jurisdictions that participate in California Alternate Rates for Energy (CARE) receive 100% renewable power at a reduced cost.

Clean Power Alliance is committed to giving every customer the opportunity to be a champion for clean energy, as well as ensuring our customers have choices when it comes to their energy needs. At any time, any 100% Green customer can choose to move to our **Clean Power** option, which provides 50% clean energy content at cost-competitive rates, or our **Lean Power** option, which provides 40% clean energy content and offers a rate savings compared to SCE base rates. Customers can change their rate product option by contacting our Customer Service Center at 888-585-3788, or visiting our website at www.cleanpoweralliance.org/rate-options.

-

<sup>&</sup>lt;sup>1</sup>Jurisdictions that have selected 100% Green Power default are Agoura Hills, Alhambra, Beverly Hills, Calabasas, Camarillo, Claremont, Culver City, Hawthorne, Malibu, Manhattan Beach, Ojai, Oxnard, Redondo Beach, Santa Monica, Sierra Madre, Thousand Oaks, unincorporated Ventura County, Ventura, and West Hollywood.



#### **Rate Definitions**

#### Seasons

For all rate schedules, seasons are defined as follows:

- Summer: season shall commence at 12:00 a.m. on June 1 and continue until 12:00 a.m. on October 1 of each
- Winter: season shall commence at 12:00 a.m. on October 1 of each year and continue until 12:00 a.m. on June 1 of the following year.

#### Time Periods

For all standard non-residential rate schedules, time periods are defined as follows:

#### Summer

- Mid-Peak: 4:00 p.m. to 9:00 p.m., weekends and holidays
- Off-Peak: All other hours
- Time-related Demand Charges: 4:00 p.m. to 9:00 p.m., weekdays except holidays

#### Winter

- Mid-Peak: 4:00 p.m. to 9:00 p.m., everyday
- Super Off-Peak: 8:00 a.m. to 4:00 p.m., everyday
- Off-Peak: All other hours
- Time-related Demand Charges: 4:00 p.m. to 9:00 p.m. weekdays

For optional agricultural/pumping rate schedules TOU-PA-2-PRI-E-5TO8, TOU-PA-2-PRI-D-5TO8, TOU-PA-3-PRI-E-5TO8, TOU-PA-3-PRI-D-5TO8, time periods are defined as follows:

#### Summer

- On-Peak: 5:00 p.m. to 8:00 p.m., weekdays except holidays
- Mid-Peak: 5:00 p.m. to 8:00 p.m., weekends and holidays
- Off-Peak: All other hours, everyday
- Time-related Demand Charges: 5:00 p.m. to 8:00 p.m., weekdays except holidays

#### Winter

- Mid-Peak: 5:00 p.m. to 8:00 p.m., everyday
- Super Off-Peak: 8:00 a.m. to 5:00 p.m., everyday
- Off-Peak: All other hours, everyday
- Time-related Demand Charges: 5:00 p.m. to 8:00 p.m. weekdays

For eligible legacy solar and/or agriculture and pumping rate schedules, 2 time periods are defined as follows:

- On-Peak: 12:00 p.m. to 6:00 p.m., summer weekdays except holidays
- **Mid-Peak:** 8:00 a.m. to 12:00 p.m. and 6:00 p.m. to 11:00 p.m., summer weekdays except holidays. 8:00 a.m. to 9:00 p.m., winter weekdays except holidays.
- Off-Peak: All other hours

#### **Holidays**

Applicable holidays for rate time periods are as follows: New Year's Day (January 1), Presidents' Day (third Monday in February), Memorial Day (last Monday in May), Independence Day (July 4), Labor Day (first Monday in September), Veterans Day (November 11), Thanksgiving Day (fourth Thursday in November), and Christmas Day (December 25). When any holiday listed above falls on Sunday, the following Monday will be recognized as a holiday. No change will be made for holidays falling on Saturday.

<sup>&</sup>lt;sup>2</sup>Legacy eligibility determined by SCE. If you are unsure if you are eligible for legacy rates, contact SCE at (800) 974-2356.



## **Rate Key**

The name of your Clean Power Alliance rate schedule may not exactly match your SCE rate, as Clean Power Alliance offers simplified, consolidated rate options. This will not impact service, billing, or CARE/FERA status.

#### **General Service - Small**

CPA Rate	SCE Rate	Voltage
TOU-GS-1-E	TOU-GS1E, TOU-GS1E-AE, TOU-GS1E-AEC, TOU-GS1E-C	Secondary
TOU-GS-1-PRI-E	TOU-GS1E, TOU-GS1E-AE, TOU-GS1E-AEC, TOU-GS1E-C	Primary
TOU-GS-1-SUB-E	TOU-GS1E, TOU-GS1E-AE, TOU-GS1E-AEC, TOU-GS1E-C	Subtransmission
TOU-GS-1-ES	TOU-GS-1-ES	Secondary
TOU-GS-1-PRI-ES	TOU-GS-1-ES	Primary
TOU-GS-1-D	TOU-GS1D, TOU-GS1D-AE, TOU-GS1D-AEC, TOU-GS1D-C	Secondary
TOU-GS-1-PRI-D	TOU-GS1D, TOU-GS1D-AE, TOU-GS1D-AEC, TOU-GS1D-C	Primary
TOU-GS-1-SUB-D	TOU-GS1D, TOU-GS1D-AE, TOU-GS1D-AEC, TOU-GS1D-C	Subtransmission

#### **General Service - Medium & Large**

CPA Rate	SCE Rate	Voltage
TOU-GS-2-E	TOU-GS2E, TOU-GS2E-AE, TOU-GS2E-AEC, TOU-GS2E-C	Secondary
TOU-GS-2-PRI-E	TOU-GS2E, TOU-GS2E-AE, TOU-GS2E-AEC, TOU-GS2E-C	Primary
TOU-GS-2-D	TOU-GS2D, TOU-GS2D-AE, TOU-GS2D-AEC, TOU-GS2D-C, TOU-GS2D-SAE	Secondary
TOU-GS-2-PRI-D	TOU-GS2D, TOU-GS2D-AE, TOU-GS2D-AEC, TOU-GS2D-C, TOU-GS2D-SAE	Primary
TOU-GS-2-SUB-D	TOU-GS2D, TOU-GS2D-AE, TOU-GS2D-AEC, TOU-GS2D-C, TOU-GS2D-SAE	Subtransmission
TOU-GS-3-E	TOU-GS3E, TOU-GS3E-AE	Secondary
TOU-GS-3-PRI-E	TOU-GS3E, TOU-GS3E-AE	Primary
TOU-GS-3-D	TOU-GS3-D, TOU-GS3-D-C, TOU-GS3-DAES, TOU-GS3D-AE	Secondary
TOU-GS-3-PRI-D	TOU-GS3-D, TOU-GS3-D-C, TOU-GS3-DAES, TOU-GS3D-AE	Primary
TOU-GS-3-SUB-D	TOU-GS3-D, TOU-GS3-D-C, TOU-GS3-DAES, TOU-GS3D-AE	Subtransmission

#### Industrial

CPA Rate	SCE Rate	Voltage
TOU-8-PRI-D	TOU-8-D, TOU-8-D-APSE	Primary
TOU-8-PRI-E	TOU-8-E	Primary
TOU-8-SEC-D	TOU-8-D, TOU-8-D-APSE	Secondary
TOU-8-SEC-E	TOU-8-E	Secondary
TOU-8-SUB-D	TOU-8-D, TOU-8-D-APSE	Subtransmission
TOU-8-SUB-E	TOU-8-E	Subtransmission



#### **Agriculture and Pumping**

CPA Rate	SCE Rate	Voltage
TOU-PA-2-E	TOU-PA2E	Secondary
TOU-PA-2-PRI-E	TOU-PA2E	Primary
TOU-PA-2-D	TOU-PA2D	Secondary
TOU-PA-2-PRI-D	TOU-PA2D	Primary
TOU-PA-3-E	TOU-PA3E	Secondary
TOU-PA-3-PRI-E	TOU-PA3E	Primary
TOU-PA-3-D	TOU-PA3D	Secondary
TOU-PA-3-PRI-D	TOU-PA3D	Primary
TOU-PA-2-E-5TO8	TOU-PA-2E-5TO8	Secondary
TOU-PA-2-D-5TO8	TOU-PA-2D-5TO8	Secondary
TOU-PA-3-E-5TO8	TOU-PA-3E-5TO8	Secondary
TOU-PA-3-D-5TO8	TOU-PA-3D-5TO8	Secondary
TOU-PA-2-PRI-E-5TO8	TOU-PA-2E-5TO8	Primary
TOU-PA-2-PRI-D-5TO8	TOU-PA-2D-5TO8	Primary
TOU-PA-3-PRI-E-5TO8	TOU-PA-3E-5TO8	Primary
TOU-PA-3-PRI-D-5TO8	TOU-PA-3D-5TO8	Primary

#### **Electric Vehicle Charging**

CPA Rate	SCE Rate	Voltage
TOU-EV-7	TOU-EV-7-E, TOU-EV-7-D	Secondary
TOU-EV-8	TOU-EV-8	Secondary
TOU-EV-SEC-9	TOU-EV-9	Secondary
TOU-EV-PRI-9	TOU-EV-9	Primary
TOU-EV-SUB-9	TOU-EV-9	Subtransmission

#### **Lighting and Traffic Control**

CPA Rate	SCE Rate	Voltage
LS-1	OL-1, OL-1-ALLNITE, DWL, DWL-A, DWL-B, LS-1-ALLNITE, LS-2, LS-2-4, LS-2-B	N/A
LS-3	LS-3, LS-3-B	N/A
AL-2-GF	AL-2 (Grandfathered)	N/A
AL-2-F	AL-2-F	N/A
TC-1	TC-1	N/A



#### Wireless Technology Rate

CPA Rate	SCE Rate	Voltage
WTR	WTR	N/A

### Legacy Rates for Solar and Super Off Peak (SOP) Agriculture and Pumping<sup>3</sup>

CPA Rate	SCE Rate	Voltage
TOU-GS-1-A	TOU-GS1A, TOU-GS1A-AE, TOU-GS1A-AEC, TOU-GS1A-C	Secondary
TOU-GS-1-PRI-A	TOU-GS1A, TOU-GS1A-AE, TOU-GS1A-AEC, TOU-GS1A-C	Primary
TOU-GS-1-SUB-A	TOU-GS1A, TOU-GS1A-AE, TOU-GS1A-AEC, TOU-GS1A-C	Subtransmission
TOU-GS-1-B	TOU-GS1B, TOU-GS1B-AE, TOU-GS1B-AEC, TOU-GS1B-C	Secondary
TOU-GS-1-PRI-B	TOU-GS1B, TOU-GS1B-AE, TOU-GS1B-AEC, TOU-GS1B-C	Primary
TOU-GS-1-SUB-B	TOU-GS1B, TOU-GS1B-AE, TOU-GS1B-AEC, TOU-GS1B-C	Subtransmission
TOU-GS-2-B	TOU-GS2B, TOU-GS2B-AE, TOU-GS2B-AEC, TOU-GS2B-C, TOU-GS2B-SAE	Secondary
TOU-GS-2-PRI-B	TOU-GS2B, TOU-GS2B-AE, TOU-GS2B-AEC, TOU-GS2B-C, TOU-GS2B-SAE	Primary
TOU-GS-2-SUB-B	TOU-GS2B, TOU-GS2B-AE, TOU-GS2B-AEC, TOU-GS2B-C, TOU-GS2B-SAE	Subtransmission
TOU-GS-2-R	TOU-GS2R, TOU-GS2R-AE, TOU-GS2R-AEC, TOU-GS2R-C	Secondary
TOU-GS-2-PRI-R	TOU-GS2R, TOU-GS2R-AE, TOU-GS2R-AEC, TOU-GS2R-C	Primary
TOU-GS-3-B	TOU-GS3-B, TOU-GS3-B-C, TOU-GS3-BAES, TOU-GS3B-AE	Secondary
TOU-GS-3-PRI-B	TOU-GS3-B, TOU-GS3-B-C, TOU-GS3-BAES, TOU-GS3B-AE	Primary
TOU-GS-3-R	TOU-GS3-R	Secondary
TOU-GS-3-PRI-R	TOU-GS3-R	Primary
TOU-8-SEC-B	TOU-8-B, TOU-8-B-APSE	Secondary
TOU-8-PRI-B	TOU-8-B, TOU-8-B-APSE	Primary
TOU-8-SUB-B	TOU-8-B, TOU-8-B-APSE	Subtransmission
TOU-8-SEC-R	TOU-8-R	Secondary
TOU-8-PRI-R	TOU-8-R	Primary
TOU-8-SUB-R	TOU-8-R	Subtransmission
TOU-PA-2-A	TOU-PA-2-A	Secondary
TOU-PA-2-PRI-A	TOU-PA-2-A	Primary
TOU-PA-2-B	TOU-PA-2-B	Secondary
TOU-PA-2-PRI-B	TOU-PA-2-B	Primary
TOU-PA-3-A	TOU-PA3-A	Secondary
TOU-PA-3-PRI-A	TOU-PA3-A	Primary
TOU-PA-3-B	TOU-PA3-B	Secondary
TOU-PA-3-PRI-B	TOU-PA3-B	Primary

<sup>&</sup>lt;sup>3</sup>Legacy eligibility determined by SCE. If you are unsure if you are eligible for legacy rates, contact SCE at (800) 974-2356.



#### **Peak Management Pricing (PMP)**

Customers enrolled in CPA's PMP program will see your normal CPA rate schedule follwed by PMP on bills (e.g., customers on TOU-GS-3-D enrolled in CPA's PMP program would see TOU-GS-3-D PMP on their bills). Please see page 53 for more details.



### **Small General Service Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	SS-1-D				
Summer	Demand (\$/kW)	On-peak	\$18.36	\$18.79	\$20.95
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.14013 \$0.12749 \$0.08693	\$0.14319 \$0.13025 \$0.08874	\$0.15849 \$0.14407 \$0.09779
Winter	Demand (\$/kW)	Mid-peak	\$5.64	\$5.78	\$6.44
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.13248 \$0.09640 \$0.07459	\$0.13536 \$0.09843 \$0.07611	\$0.14975 \$0.10859 \$0.08371
TOU-G	SS-1-E				
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.49585 \$0.13919 \$0.10229	\$0.50726 \$0.14223 \$0.10447	\$0.56430 \$0.15742 \$0.11532
Winter	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.20618 \$0.11889 \$0.06706	\$0.21079 \$0.12145 \$0.06840	\$0.23384 \$0.13425 \$0.07512
TOU-G	SS-1-ES				
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.53505 \$0.15373 \$0.10932	\$0.54737 \$0.15711 \$0.11166	\$0.60901 \$0.17400 \$0.12334
Winter	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.19569 \$0.11044 \$0.06301	\$0.20005 \$0.11280 \$0.06426	\$0.22187 \$0.12461 \$0.07051



### **Small General Service Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	SS-1-PRI-D				
Summer	Demand (\$/kW)	On-peak	\$18.17	\$18.60	\$20.73
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.13961 \$0.12697 \$0.08641	\$0.14266 \$0.12972 \$0.08821	\$0.15789 \$0.14347 \$0.09720
Winter	Demand (\$/kW)	Mid-peak	\$5.45	\$5.58	\$6.22
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.13195 \$0.09588 \$0.07407	\$0.13482 \$0.09790 \$0.07558	\$0.14916 \$0.10800 \$0.08312
TOU-G	SS-1-PRI-E				
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.49439 \$0.13773 \$0.10083	\$0.50576 \$0.14074 \$0.10297	\$0.56263 \$0.15575 \$0.11365
Winter	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.20472 \$0.11742 \$0.06560	\$0.20930 \$0.11995 \$0.06691	\$0.23217 \$0.13258 \$0.07345
TOU-G	SS-1-PRI-E	S			
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.53359 \$0.15227 \$0.10786	\$0.54588 \$0.15562 \$0.11016	\$0.60734 \$0.17234 \$0.12167
Winter	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.19423 \$0.10897 \$0.06155	\$0.19856 \$0.11130 \$0.06276	\$0.22020 \$0.12294 \$0.06884



### **Small General Service Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
	SS-1-SUB-			,	
100-0	33-1-3UD-	U			
Summer	Demand (\$/kW)	On-peak	\$17.91	\$18.33	\$20.43
	Energy (\$/kWh)	On-peak	\$0.13912	\$0.14215	\$0.15733
	<b>37</b> (* ,	Mid-peak	\$0.12648	\$0.12921	\$0.14291
		Off-peak	\$0.08592	\$0.08770	\$0.09663
Winter	Demand (\$/kW)	Mid-peak	\$5.19	\$5.31	\$5.92
	Energy (\$/kWh)	Mid-peak	\$0.13146	\$0.13432	\$0.14859
		Off-peak	\$0.09538	\$0.09739	\$0.10744
		Super-off-peak	\$0.07357	\$0.07507	\$0.08255
	20.4.0110	_			
IOU-C	SS-1-SUB-	E			
Summer	Energy (\$/kWh)	On-peak	\$0.49266	\$0.50399	\$0.56065
		Mid-peak	\$0.13600	\$0.13896	\$0.15377
		Off-peak	\$0.09910	\$0.10120	\$0.11168
Winter	Energy (\$/kWh)	Mid-peak	\$0.20299	\$0.20752	\$0.23019
vviiitei		•		40 44040	
willer	<b>57</b> \ ,	Off-peak	\$0.11569	\$0.11818	\$0.13060



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	SS-2-D				
Summer	Demand (\$/kW)	On-peak	\$23.26	\$23.84	\$26.70
	Energy (\$/kWh)	On-peak	\$0.13564	\$0.13873	\$0.15417
		Mid-peak	\$0.12458	\$0.12740	\$0.14147
		Off-peak	\$0.08361	\$0.08542	\$0.09445
Winter	Demand (\$/kW)	Mid-peak	\$6.11	\$6.26	\$7.01
	Energy (\$/kWh)	Mid-peak	\$0.09490	\$0.09698	\$0.10740
		Off-peak	\$0.09541	\$0.09750	\$0.10799
		Super-off-peak	\$0.05496	\$0.05606	\$0.06157
TOU-G	SS-2-E				
Summer	Demand (\$/kW)	On-peak	\$6.53	\$6.69	\$7.49
	Energy (\$/kWh)	On-peak	\$0.43150	\$0.44188	\$0.49374
		Mid-peak	\$0.12458	\$0.12740	\$0.14147
		Off-peak	\$0.08361	\$0.08542	\$0.09445
Winter	Demand (\$/kW)	Mid-peak	\$2.52	\$2.59	\$2.90
	Energy (\$/kWh)	Mid-peak	\$0.14185	\$0.14509	\$0.16129
	Energy (\$/kWh)	Mid-peak Off-peak	\$0.14185 \$0.09541	\$0.14509 \$0.09750	\$0.16129 \$0.10799



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	SS-2-PRI-D	)			
Summer	Demand (\$/kW)	On-peak	\$22.73	\$23.29	\$26.09
	Energy (\$/kWh)	On-peak	\$0.13461	\$0.13767	\$0.15298
		Mid-peak	\$0.12355	\$0.12633	\$0.14028
		Off-peak	\$0.08258	\$0.08436	\$0.09326
Winter	Demand (\$/kW)	Mid-peak	\$5.98	\$6.12	\$6.86
	Energy (\$/kWh)	Mid-peak	\$0.09386	\$0.09592	\$0.10621
		Off-peak	\$0.09437	\$0.09644	\$0.10680
		Super-off-peak	\$0.05393	\$0.05500	\$0.06038
TOU-G	SS-2-PRI-E				
Summer	Demand (\$/kW)	On-peak	\$6.30	\$6.46	\$7.24
	Energy (\$/kWh)	On-peak	\$0.42996	\$0.44030	\$0.49198
		Mid-peak	\$0.12304	\$0.12582	\$0.13971
		Off-peak	\$0.08207	\$0.08384	\$0.09268
Winter	Demand (\$/kW)	Mid-peak	\$2.47	\$2.53	\$2.83
	Energy (\$/kWh)	Mid-peak	\$0.14031	\$0.14351	\$0.15953
		Off-peak	\$0.09387	\$0.09593	\$0.10622
		Super-off-peak	\$0.05342	\$0.05449	\$0.05980



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-0	SS-2-SUB-	D			
Summer	Demand (\$/kW)	On-peak	\$22.05	\$22.59	\$25.30
	Energy (\$/kWh)	On-peak	\$0.13337	\$0.13640	\$0.15156
		Mid-peak	\$0.12231	\$0.12507	\$0.13886
		Off-peak	\$0.08134	\$0.08309	\$0.09184
Winter	Demand (\$/kW)	Mid-peak	\$5.79	\$5.93	\$6.65
	Energy (\$/kWh)	Mid-peak	\$0.09262	\$0.09465	\$0.10479
		Off-peak	\$0.09314	\$0.09518	\$0.10538
		Super-off-peak	\$0.05269	\$0.05373	\$0.05896
TOU-G	SS-3-D				
Summer	Demand (\$/kW)	On-peak	\$17.46	\$17.85	\$19.79
	Energy (\$/kWh)	On-peak	\$0.11165	\$0.11390	\$0.12517
		Mid-peak	\$0.10269	\$0.10475	\$0.11502
		Off-peak	\$0.07259	\$0.07398	\$0.08092
Winter	Demand (\$/kW)	Mid-peak	\$8.99	\$9.19	\$10.19
	Energy (\$/kWh)	Mid-peak	\$0.11280	\$0.11509	\$0.12648
		Off-peak	\$0.11343	\$0.11573	\$0.12719
		Super-off-peak	\$0.06430	\$0.06551	\$0.07152
		Super on pour	ψο.σο 1σο	ψ0.0000 i	Ψ3.07 102



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	SS-3-E				
Summer	Demand (\$/kW)	On-peak	\$4.91	\$5.01	\$5.56
	Energy (\$/kWh)	On-peak	\$0.31041	\$0.31709	\$0.35037
		Mid-peak Off-peak	\$0.10269 \$0.07259	\$0.10475 \$0.07398	\$0.11502 \$0.08092
Winter	Demand (\$/kW)	Mid-peak	\$3.72	\$3.80	\$4.21
	Energy (\$/kWh)	Mid-peak	\$0.17553	\$0.17921	\$0.19755
		Off-peak Super-off-peak	\$0.11343 \$0.06430	\$0.11573 \$0.06551	\$0.12719 \$0.07152
TOU-G	SS-3-PRI-D	)			
Summer	Demand (\$/kW)	On-peak	\$17.06	\$17.44	\$19.33
	Energy (\$/kWh)	On-peak	\$0.11074	\$0.11298	\$0.12414
		Mid-peak Off-peak	\$0.10178 \$0.07168	\$0.10382 \$0.07306	\$0.11399 \$0.07989
Winter	Demand (\$/kW)	Mid-peak	\$8.77	\$8.97	\$9.94
	Energy (\$/kWh)	Mid-peak	\$0.11152	\$0.11377	\$0.12502
		Off-peak Super-off-peak	\$0.11214 \$0.06301	\$0.11441 \$0.06419	\$0.12573 \$0.07007



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
rou-e	SS-3-PRI-E				
Summer	Demand (\$/kW)	On-peak	\$4.74	\$4.84	\$5.37
	Energy (\$/kWh)	On-peak	\$0.30876	\$0.31539	\$0.34849
		Mid-peak	\$0.10103	\$0.10305	\$0.11314
		Off-peak	\$0.07093	\$0.07229	\$0.07904
Winter	Demand (\$/kW)	Mid-peak	\$3.63	\$3.72	\$4.12
	Energy (\$/kWh)	Mid-peak	\$0.17317	\$0.17680	\$0.19488
		Off-peak	\$0.11107	\$0.11332	\$0.12452
		Super-off-peak	\$0.06194	\$0.06309	\$0.06885
rou-d	SS-3-SUB-	D			
	Demand (\$/kW)	On-peak	\$16.53	\$16.90	\$18.73
				\$16.90 \$0.11188	\$18.73 \$0.12292
	Demand (\$/kW)	On-peak	\$16.53		
	Demand (\$/kW)	On-peak On-peak	\$16.53 \$0.10967	\$0.11188	\$0.12292
Summer	Demand (\$/kW)	On-peak On-peak Mid-peak	\$16.53 \$0.10967 \$0.10071	\$0.11188 \$0.10273	\$0.12292 \$0.11278
FOU-G Summer Winter	Demand (\$/kW) Energy (\$/kWh)	On-peak On-peak Mid-peak Off-peak	\$16.53 \$0.10967 \$0.10071 \$0.07061	\$0.11188 \$0.10273 \$0.07196	\$0.12292 \$0.11278 \$0.07867
Summer	Demand (\$/kW) Energy (\$/kWh)  Demand (\$/kW)	On-peak On-peak Mid-peak Off-peak Mid-peak	\$16.53 \$0.10967 \$0.10071 \$0.07061 \$8.51	\$0.11188 \$0.10273 \$0.07196 \$8.70	\$0.12292 \$0.11278 \$0.07867 \$9.64



## **Industrial Service Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
<b>ΓΟU-</b> 8	-PRI-D				
Summer	Demand (\$/kW)	On-peak	\$17.88	\$18.28	\$20.26
	Energy (\$/kWh)	On-peak	\$0.10768	\$0.10986	\$0.12074
	Lileigy (\$/KVVII)	Mid-peak	\$0.09922	\$0.10121	\$0.11115
		Off-peak	\$0.07016	\$0.07151	\$0.07823
Winter	Demand (\$/kW)	Mid-peak	\$9.14	\$9.34	\$10.35
	Energy (\$/kWh)	Mid-peak	\$0.10532	\$0.10745	\$0.11805
		Off-peak	\$0.10612	\$0.10827	\$0.11896
		Super-off-peak	\$0.06020	\$0.06133	\$0.06694
FOU-8	-PRI-E	Super-off-peak	\$0.06020	\$0.06133	\$0.06694
	B-PRI-E  Demand (\$/kW)	Super-off-peak On-peak	\$0.06020 \$4.38	\$0.06133 \$4.48	\$0.06694 \$4.97
	Demand (\$/kW)	On-peak	\$4.38	\$4.48	\$4.97
	Demand (\$/kW)	On-peak On-peak	\$4.38 \$0.28829	\$4.48 \$0.29447	\$4.97 \$0.32536
FOU-8 Summer Winter	Demand (\$/kW)	On-peak On-peak Mid-peak	\$4.38 \$0.28829 \$0.09922	\$4.48 \$0.29447 \$0.10121	\$4.97 \$0.32536 \$0.11115
Summer	Demand (\$/kW) Energy (\$/kWh)	On-peak On-peak Mid-peak Off-peak	\$4.38 \$0.28829 \$0.09922 \$0.07016	\$4.48 \$0.29447 \$0.10121 \$0.07151	\$4.97 \$0.32536 \$0.11115 \$0.07823
Summer	Demand (\$/kW) Energy (\$/kWh) Demand (\$/kW)	On-peak On-peak Mid-peak Off-peak Mid-peak	\$4.38 \$0.28829 \$0.09922 \$0.07016 \$1.04	\$4.48 \$0.29447 \$0.10121 \$0.07151 \$1.06	\$4.97 \$0.32536 \$0.11115 \$0.07823 \$1.18



## **Industrial Service Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-8	-SEC-D				
Summer	Demand (\$/kW)	On-peak	\$18.59	\$19.00	\$21.06
	Energy (\$/kWh)	On-peak	\$0.11222	\$0.11450	\$0.12586
		Mid-peak	\$0.10319	\$0.10527	\$0.11562
		Off-peak	\$0.07304	\$0.07445	\$0.08146
Winter	Demand (\$/kW)	Mid-peak	\$7.78	\$7.95	\$8.82
	Energy (\$/kWh)	Mid-peak	\$0.10953	\$0.11175	\$0.12280
		Off-peak	\$0.11016	\$0.11239	\$0.12351
		Super-off-peak	\$0.06243	\$0.06360	\$0.06944
TOU-8	-SEC-E				
Summer	Demand (\$/kW)	On-peak	\$5.22		
	(, ,	on poun	\$5.22	\$5.34	\$5.92
	Energy (\$/kWh)	On-peak	\$0.30304	\$5.34 \$0.30955	\$5.92 \$0.34204
	, ,	·			
	, ,	On-peak	\$0.30304	\$0.30955	\$0.34204
Winter	, ,	On-peak Mid-peak	\$0.30304 \$0.10319	\$0.30955 \$0.10527	\$0.34204 \$0.11562
Winter	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.30304 \$0.10319 \$0.07304	\$0.30955 \$0.10527 \$0.07445	\$0.34204 \$0.11562 \$0.08146
Winter	Energy (\$/kWh)  Demand (\$/kW)	On-peak Mid-peak Off-peak Mid-peak	\$0.30304 \$0.10319 \$0.07304 \$3.22	\$0.30955 \$0.10527 \$0.07445 \$3.30	\$0.34204 \$0.11562 \$0.08146 \$3.65



## **Industrial Service Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-8	-SUB-D				
Summer	Demand (\$/kW)	On-peak	\$19.73	\$20.17	\$22.35
	Energy (\$/kWh)	On-peak	\$0.10101	\$0.10305	\$0.11324
		Mid-peak	\$0.09332	\$0.09519	\$0.10454
		Off-peak	\$0.06568	\$0.06694	\$0.07322
Winter	Demand (\$/kW)	Mid-peak	\$8.71	\$8.91	\$9.87
	Energy (\$/kWh)	Mid-peak	\$0.09861	\$0.10060	\$0.11052
		Off-peak	\$0.09970	\$0.10171	\$0.11175
		Super-off-peak	\$0.05655	\$0.05761	\$0.06287
TOU-8	-SUB-E				
Summer	Demand (\$/kW)	On-peak	\$1.87	\$1.91	\$2.12
	Energy (\$/kWh)	On-peak	\$0.31526	\$0.32206	\$0.35599
		Mid-peak	\$0.09332	\$0.09519	\$0.10454
		Off-peak	\$0.06568	\$0.06694	\$0.07322
Winter	Demand (\$/kW)	Mid-peak	\$1.24	\$1.27	\$1.40
	Energy (\$/kWh)	Mid-peak	\$0.16252	\$0.16594	\$0.18293
		Off-peak	\$0.09970	\$0.10171	\$0.11175



Season	Туре	Period	Lean Power	Clean Power	100% Green Powe
ΓOU-F	PA-2-D				
Summer	Demand (\$/kW)	On-peak	\$11.44	\$11.69	\$12.96
	Energy (\$/kWh)	On-peak	\$0.12298	\$0.12551	\$0.13806
		Mid-peak	\$0.11302	\$0.11533	\$0.12677
		Off-peak	\$0.07820	\$0.07972	\$0.08730
Winter	Demand (\$/kW)	Mid-peak	\$3.43	\$3.50	\$3.88
	Energy (\$/kWh)	Mid-peak	\$0.12722	\$0.12984	\$0.14286
		Off-peak	\$0.10329	\$0.10538	\$0.11574
		Super-off-peak	\$0.08968	\$0.09147	\$0.10032
			• • • • • • • • • • • • • • • • • • • •	·	
ΓΟU-F	PA-2-D-5TC				
	PA-2-D-5TO  Demand (\$/kW)		\$10.94	\$11.19	\$12.41
		08			
	Demand (\$/kW)	On-peak	\$10.94	\$11.19	\$12.41
	Demand (\$/kW)	On-peak On-peak	\$10.94 \$0.23500	\$11.19 \$0.24004	\$12.41 \$0.26504
Summer	Demand (\$/kW)	On-peak On-peak Mid-peak	\$10.94 \$0.23500 \$0.22224	\$11.19 \$0.24004 \$0.22699	\$12.41 \$0.26504 \$0.25057
FOU-F Summer Winter	Demand (\$/kW) Energy (\$/kWh)	On-peak On-peak Mid-peak Off-peak	\$10.94 \$0.23500 \$0.22224 \$0.07392	\$11.19 \$0.24004 \$0.22699 \$0.07535	\$12.41 \$0.26504 \$0.25057 \$0.08245
Summer	Demand (\$/kW) Energy (\$/kWh) Demand (\$/kW)	On-peak On-peak Mid-peak Off-peak Mid-peak	\$10.94 \$0.23500 \$0.22224 \$0.07392 \$2.56	\$11.19 \$0.24004 \$0.22699 \$0.07535 \$2.61	\$12.41 \$0.26504 \$0.25057 \$0.08245 \$2.90



Season	Туре	Period	Lean Power	Clean Power	100% Green Powe
OU-F	PA-2-E				
	<i></i>				
Summer	Energy (\$/kWh)	On-peak	\$0.39013	\$0.39865	\$0.44088
		Mid-peak	\$0.11302	\$0.11533	\$0.12677
		Off-peak	\$0.07820	\$0.07972	\$0.08730
Winter	Energy (\$/kWh)	Mid-peak	\$0.14571	\$0.14875	\$0.16382
		Off-peak	\$0.11800	\$0.12042	\$0.13242
		Super-off-peak	\$0.10224	\$0.10431	\$0.11455
ΓΟU-F	PA-2-E-5TC	08			
Summer	Energy (\$/kWh)	On-peak	\$0.64251	\$0.65669	\$0.72697
	,	Mid-peak	\$0.22224	\$0.22699	\$0.25057
		Off-peak	\$0.07392	\$0.07535	\$0.08245
Winter	Energy (\$/kWh)	Mid-peak	\$0.14631	\$0.14937	\$0.16451
		Off-peak	\$0.11849	\$0.12091	\$0.13296
		Super-off-peak	\$0.10265	\$0.10472	\$0.11501
ΓOU-F	PA-2-PRI-D				
Summer	Demand (\$/kW)	On-peak	\$11.28	\$11.53	\$12.79
	Energy (\$/kWh)	On-peak	\$0.12204	\$0.12455	\$0.13699
		Mid-peak	\$0.11207	\$0.11436	\$0.12570
		Off-peak	\$0.07725	\$0.07876	\$0.08623
Winter	Demand (\$/kW)	Mid-peak	\$3.22	\$3.29	\$3.65
			\$0.12597	\$0.12857	\$0.14145
	Energy (\$/kWh)	Mid-peak	Ψ0.12391	ψσ <b>=</b> σσ.	******
	Energy (\$/kWh)	Mid-peak Off-peak	\$0.10204	\$0.10410	\$0.11432



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-F	A-2-PRI-D	-5TO8			
Summer	Demand (\$/kW)	On-peak	\$10.80	\$11.04	\$12.24
	Energy (\$/kWh)	On-peak	\$0.23400	\$0.23902	\$0.26391
		Mid-peak	\$0.22124	\$0.22598	\$0.24944
		Off-peak	\$0.07293	\$0.07434	\$0.08132
Winter	Demand (\$/kW)	Mid-peak	\$2.36	\$2.41	\$2.68
	Energy (\$/kWh)	Mid-peak	\$0.13192	\$0.13465	\$0.14819
	,	Off-peak	\$0.10676	\$0.10893	\$0.11967
		Super-off-peak	\$0.09245	\$0.09429	\$0.10345
TOU-F	A-2-PRI-E				
Summer	Energy (\$/kWh)	On-peak	\$0.38860	\$0.39709	\$0.43915
		Mid-peak	\$0.11149	\$0.11376	\$0.12503
		Off-peak	\$0.07666	\$0.07816	\$0.08556
Winter	Energy (\$/kWh)	Mid-peak	\$0.14368	\$0.14667	\$0.16152
		Off-peak	\$0.11598	\$0.11835	\$0.13012
		Super-off-peak	\$0.10022	\$0.10224	\$0.11226
TOU-F	A-2-PRI-E	- <b>5</b> TO8			
Summer	Energy (\$/kWh)	On-peak	\$0.64098	\$0.65512	\$0.72523
	27 (* )	Mid-peak	\$0.22071	\$0.22543	\$0.24884
		Off-peak	\$0.07239	\$0.07379	\$0.08072
Winter	Energy (\$/kWh)	Mid-peak	\$0.14429	\$0.14729	\$0.16221
	' '	Off-peak	\$0.11646	\$0.11884	\$0.13066
		Super-off-peak	\$0.10062	\$0.10265	\$0.11271



Season	Туре	Period	Lean Power	Clean Power	100% Green Powe
OU-F	PA-3-D				
Summer	Demand (\$/kW)	On-peak	\$12.21	\$12.48	\$13.84
	Energy (\$/kWh)	On-peak	\$0.10804	\$0.11024	\$0.12114
		Mid-peak	\$0.09944	\$0.10144	\$0.11139
		Off-peak	\$0.06923	\$0.07056	\$0.07715
Winter	Demand (\$/kW)	Mid-peak	\$3.48	\$3.56	\$3.95
	Energy (\$/kWh)	Mid-peak	\$0.11047	\$0.11272	\$0.12389
		Off-peak	\$0.11111	\$0.11338	\$0.12462
		Super-off-peak	\$0.06314	\$0.06434	\$0.07025
		cupor on pour	ψ0.00014	ψο.σο το τ	ψο.σ. σ2σ
TOU-F	PA-3-D-5TC		φσ.σσσ14		ψο:δ:σΞσ
	PA-3-D-5TO Demand (\$/kW)		\$11.70	\$11.96	\$13.26
		<b>)</b> 8			
	Demand (\$/kW)	On-peak	\$11.70	\$11.96	\$13.26
	Demand (\$/kW)	On-peak On-peak	\$11.70 \$0.20118	\$11.96 \$0.20547	\$13.26 \$0.22672
Summer	Demand (\$/kW)	On-peak On-peak Mid-peak	\$11.70 \$0.20118 \$0.19033	\$11.96 \$0.20547 \$0.19438	\$13.26 \$0.22672 \$0.21442
FOU-F Summer Winter	Demand (\$/kW) Energy (\$/kWh)	On-peak On-peak Mid-peak Off-peak	\$11.70 \$0.20118 \$0.19033 \$0.06572	\$11.96 \$0.20547 \$0.19438 \$0.06697	\$13.26 \$0.22672 \$0.21442 \$0.07317
Summer	Demand (\$/kW) Energy (\$/kWh) Demand (\$/kW)	On-peak On-peak Mid-peak Off-peak Mid-peak	\$11.70 \$0.20118 \$0.19033 \$0.06572 \$3.42	\$11.96 \$0.20547 \$0.19438 \$0.06697 \$3.49	\$13.26 \$0.22672 \$0.21442 \$0.07317 \$3.87



Season	Туре	Period	Lean Power	Clean Power	100% Green Powe
	PA-3-E				
100-1	A-0-L				
Summer	Energy (\$/kWh)	On-peak	\$0.33521	\$0.34251	\$0.37865
	<b>3</b> 5 (* ,	Mid-peak	\$0.09944	\$0.10144	\$0.11139
		Off-peak	\$0.06923	\$0.07056	\$0.07715
Winter	Energy (\$/kWh)	Mid-peak	\$0.15350	\$0.15671	\$0.17267
	,	Off-peak	\$0.12429	\$0.12685	\$0.13956
		Super-off-peak	\$0.05157	\$0.05250	\$0.05713
ΓΟU-F	PA-3-E-5TC	)8			
Summer	Energy (\$/kWh)	On-peak	\$0.54348	\$0.55544	\$0.61473
	37 (** )	Mid-peak	\$0.19033	\$0.19438	\$0.21442
		Off-peak	\$0.06572	\$0.06697	\$0.07317
Winter	Energy (\$/kWh)	Mid-peak	\$0.16011	\$0.16347	\$0.18016
		Off-peak	\$0.12956	\$0.13224	\$0.14554
		Super-off-peak	\$0.05348	\$0.05446	\$0.05930
ΓOU-F	A-3-PRI-D				
Summer	Demand (\$/kW)	On-peak	\$12.03	\$12.29	\$13.63
	Energy (\$/kWh)	On-peak	\$0.10711	\$0.10929	\$0.12009
		Mid-peak	\$0.09850	\$0.10049	\$0.11033
		Off-peak	\$0.06830	\$0.06961	\$0.07609
Winter	Demand (\$/kW)	Mid-peak	\$3.24	\$3.32	\$3.68
	Energy (\$/kWh)	Mid-peak	\$0.10923	\$0.11146	\$0.12249
		Off-peak	\$0.10987	\$0.11211	\$0.12322



Season	Туре	Period	Lean Power	Clean Power	100% Green Powe
ΓΟU-P	A-3-PRI-D	-5TO8			
Summer	Demand (\$/kW)	On-peak	\$11.52	\$11.78	\$13.06
Julilliei	Demand (\$7KVV)	оп-реак	Ψ11.02	Ψ11.70	ψ10.00
	Energy (\$/kWh)	On-peak	\$0.20023	\$0.20450	\$0.22564
		Mid-peak	\$0.18938	\$0.19340	\$0.21334
		Off-peak	\$0.06477	\$0.06600	\$0.07209
Winter	Demand (\$/kW)	Mid-peak	\$3.19	\$3.26	\$3.61
	Energy (\$/kWh)	Mid-peak	\$0.11123	\$0.11349	\$0.12475
		Off-peak	\$0.11188	\$0.11416	\$0.12549
		Super-off-peak	\$0.06285	\$0.06403	\$0.06991
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.33378 \$0.09800 \$0.06780	\$0.34104 \$0.09997 \$0.06910	\$0.37702 \$0.10976 \$0.07553
Winter	Energy (\$/kWh)	Mid-peak	\$0.15159	\$0.15477	\$0.17051
		Off-peak	\$0.12239	\$0.12491	\$0.13740
		Super-off-peak	\$0.04967	\$0.05056	\$0.05497
ΓOU-P	A-3-PRI-E	- <b>5</b> TO8			
Summer	Energy (\$/kWh)	On-peak	\$0.54204	\$0.55397	\$0.61310
Summer		Mid-peak	\$0.18890	\$0.19291	\$0.21280
Summer					
Summer		Off-peak	\$0.06429	\$0.06550	\$0.07154
Winter	Energy (\$/kWh)	•	\$0.06429 \$0.15821	\$0.06550 \$0.16153	\$0.07154 \$0.17800
	Energy (\$/kWh)	Off-peak			



## **Electric Vehicle Charging Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Powe
ΓOU-E	V-7				
0		On mark	Φ0 27424	<b>#0.20200</b>	<b>#0.40507</b>
Summer	Energy (\$/kWh)	On-peak Mid-peak	\$0.37434 \$0.13919	\$0.38289 \$0.14223	\$0.42567 \$0.15742
		Off-peak	\$0.13919	\$0.14223	\$0.13109
<b>NAP</b> . 4	(Φ/I-λΛ/I-)	Mid I-	<b>#0.0004.0</b>	<b>#0.04070</b>	<b>#0.00004</b>
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.20618 \$0.13490	\$0.21079 \$0.13783	\$0.23384 \$0.15251
		Super-off-peak	\$0.13490 \$0.06706	\$0.13763 \$0.06840	\$0.15251 \$0.07512
ΓΟU-E	EV-8				
Summer	Energy (\$/kWh)	On-peak	\$0.41278	\$0.42269	\$0.47226
	<b>37</b> (* )	Mid-peak	\$0.12458	\$0.12740	\$0.14147
		Off-peak	\$0.09870	\$0.10087	\$0.11176
Winter	Energy (\$/kWh)	Mid-peak	\$0.17497	\$0.17902	\$0.19930
		Off-peak	\$0.11420	\$0.11675	\$0.12955
		Super-off-peak	\$0.05496	\$0.05606	\$0.06157
ΓOU-E	V-PRI-9				
Summer	Energy (\$/kWh)	On-peak	\$0.29361	\$0.29952	\$0.32907
	<b>33</b> (. , ,	Mid-peak	\$0.11021	\$0.11231	\$0.12279
		Off-peak	\$0.08658	\$0.08818	\$0.09620
Winter	Energy (\$/kWh)	Mid-peak	\$0.16178	\$0.16495	\$0.18079
		Off-peak	\$0.09771	\$0.09955	\$0.10872
		On poun	ψ0.00771	ψ0.0000	Ψ0.10012



## **Electric Vehicle Charging Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-E	EV-SEC-9				
Summer	Energy (\$/kWh)	On-peak	\$0.31904	\$0.32581	\$0.35962
Summer	Lileigy (\$/KVVII)	Mid-peak	\$0.11454	\$0.11683	\$0.12829
		•	\$0.11454	\$0.09289	
		Off-peak	\$0.09111	\$0.09289	\$0.10179
Winter	Energy (\$/kWh)	Mid-peak	\$0.16229	\$0.16562	\$0.18230
	y	Off-peak	\$0.10316	\$0.10521	\$0.11542
		Super-off-peak	\$0.05300	\$0.05395	\$0.05868
TOU-E	V-SUB-9				
Summer	Energy (\$/kWh)	On-peak	\$0.28703	\$0.29149	\$0.31377
		Mid-peak	\$0.10410	\$0.10563	\$0.11325
		Off-peak	\$0.08110	\$0.08226	\$0.08803
Winter	Energy (\$/kWh)	Mid-peak	\$0.14454	\$0.14671	\$0.15757
Winter					
Winter	Elicigy (#/KVVII)	Off-peak	\$0.09109	\$0.09241	\$0.09899



## **Lighting and Traffic Control Rates**

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
LS-1					
All Year	Energy (\$/kWh)	All year	\$0.12395	\$0.12648	\$0.13909
LS-3					
All Year	Energy (\$/kWh)	All year	\$0.12413	\$0.12667	\$0.13930
AL-2-F	•				
All Year	Energy (\$/kWh)	All year	\$0.12413	\$0.12667	\$0.13930
AL-2-G	F .				
Time periods	s for this rate are defi On-Peak: 8:00 a.m Off-Peak: All other	. to 4:00 p.m., all ye			
Summer	Energy (\$/kWh)	On-peak	\$0.28209	\$0.28828	\$0.31910
		Off-peak	\$0.12413	\$0.12667	\$0.13930
Winter	Energy (\$/kWh)	On-peak Off-peak	\$0.19052 \$0.12413	\$0.19462 \$0.12667	\$0.21508 \$0.13930
TC-1					
All Year	Energy (\$/kWh)	All year	\$0.11384	\$0.11724	\$0.13425



## Wireless Technology Rate (WTR)

Effective as of July 1, 2024. WTR accounts are assigned a usage tier by Southern California Edison, and are billed a fixed amount each month based on the WTR energy rate and the maximum usage for that tier. Delivery charges and PCIA not included.

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
WTR					
All Year	Energy (\$/kWh)	All year	\$0.11452	\$0.11725	\$0.13090

### **WTR Usage Tiers**

Tier	Maximum Usage (kWh/month)		
1	25		
1.5	50		
2	100		
3	150		
4	200		
5	250 300		
6			
7	350		
8	400		
9	450		
10	500		
11	900		
12	1350		
13	1800		
14	2250		
15	2700		
AMI	29		



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	SS-1-A				
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.18420 \$0.17291 \$0.16675	\$0.18829 \$0.17674 \$0.17044	\$0.20876 \$0.19588 \$0.18886
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12555 \$0.11397	\$0.12826 \$0.11641	\$0.14185 \$0.12864
TOU-G	SS-1-B				
Summer	Demand (\$/kW)	On-peak Mid-peak	\$13.47 \$4.39	\$13.79 \$4.49	\$15.37 \$5.00
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.10492 \$0.09877 \$0.09541	\$0.10715 \$0.10086 \$0.09742	\$0.11831 \$0.11130 \$0.10747
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12555 \$0.11397	\$0.12826 \$0.11641	\$0.14185 \$0.12864
TOU-G	S-1-PRI-A	1			
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.18274 \$0.17145 \$0.16529	\$0.18680 \$0.17524 \$0.16894	\$0.20709 \$0.19421 \$0.18719
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12408 \$0.11251	\$0.12677 \$0.11492	\$0.14018 \$0.12697



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	S-1-PRI-B	}			
Summer	Demand (\$/kW)	On-peak Mid-peak	\$13.21 \$4.12	\$13.52 \$4.22	\$15.07 \$4.70
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.10439 \$0.09825 \$0.09489	\$0.10661 \$0.10032 \$0.09689	\$0.11772 \$0.11070 \$0.10687
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12502 \$0.11345	\$0.12773 \$0.11588	\$0.14125 \$0.12804
TOU-G	S-1-SUB-	A			
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.18100 \$0.16972 \$0.16356	\$0.18502 \$0.17347 \$0.16717	\$0.20511 \$0.19224 \$0.18521
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12235 \$0.11077	\$0.12499 \$0.11314	\$0.13820 \$0.12499
TOU-G	S-1-SUB-	В			
Summer	Demand (\$/kW)	On-peak Mid-peak	\$12.87 \$3.78	\$13.18 \$3.87	\$14.69 \$4.32
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.10390 \$0.09775 \$0.09439	\$0.10611 \$0.09982 \$0.09638	\$0.11715 \$0.11014 \$0.10631
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12453 \$0.11295	\$0.12722 \$0.11537	\$0.14069 \$0.12748



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	S-2-B				
Cumamaan	Domand (\$/kW)	On nook	¢16 12	¢16 52	¢10 51
Summer	Demand (\$/kW)	On-peak Mid-peak	\$16.13 \$5.42	\$16.53 \$5.56	\$18.51 \$6.23
		wiid pour	ψ0.12	ψ0.00	ψ0.20
	Energy (\$/kWh)	On-peak	\$0.10101	\$0.10324	\$0.11441
		Mid-peak	\$0.09515	\$0.09724	\$0.10769
		Off-peak	\$0.09194	\$0.09395	\$0.10400
Winter	Energy (\$/kWh)	Mid-peak	\$0.12053	\$0.12324	\$0.13682
	gy (+//	Off-peak	\$0.07540	\$0.07701	\$0.08503
TOU-G	S-2-PRI-B	}			
Summer	Demand (\$/kW)	On-peak	\$15.48	\$15.86	\$17.77
		Mid-peak	\$4.78	\$4.89	\$5.48
	Energy (\$/kWh)	On-peak	\$0.09997	\$0.10218	\$0.11323
		Mid-peak	\$0.09411	\$0.09618	\$0.10650
		Off-peak	\$0.09090	\$0.09289	\$0.10282
Winter	Energy (\$/kWh)	Mid-peak	\$0.11949	\$0.12218	\$0.13563
		Off-peak	\$0.07437	\$0.07595	\$0.08384
TOU-G	S-2-PRI-R				
Summer	Energy (\$/kWh)	On-peak	\$0.31140	\$0.31882	\$0.35589
		Mid-peak	\$0.15200	\$0.15549	\$0.17294
		Off-peak	\$0.08931	\$0.09125	\$0.10099
Winter	Energy (\$/kWh)	Mid-peak	\$0.11790	\$0.12055	\$0.13380
-	<b>53</b> (. )	Off-peak	\$0.07277	\$0.07431	\$0.08201



Season	Туре	Period	Lean Power	Clean Power	100% Green Powe
rou-e	SS-2-R				
			00.04400	<b>*</b> 0.00454	<b>#</b> 2.25024
Summer	Energy (\$/kWh)	On-peak	\$0.31403	\$0.32151	\$0.35891
		Mid-peak	\$0.15463	\$0.15819	\$0.17596
		Off-peak	\$0.09194	\$0.09395	\$0.10400
Winter	Energy (\$/kWh)	Mid-peak	\$0.12053	\$0.12324	\$0.13682
	,	Off-peak	\$0.07540	\$0.07701	\$0.08503
ΓΟU-G	SS-2-SUB-	В			
Summer	Demand (\$/kW)	On-peak	\$14.64	\$15.00	\$16.80
<b>-</b>	Σοιιιαιία (ψ/ιττή	Mid-peak	\$3.94	\$4.03	\$4.52
		Р	****	*	****
	Energy (\$/kWh)	On-peak	\$0.09873	\$0.10091	\$0.11181
	<b>33</b> (* ,	Mid-peak	\$0.09287	\$0.09491	\$0.10508
		Off-peak	\$0.08966	\$0.09162	\$0.10140
Minton		Mid pook	\$0.11826	\$0.12092	\$0.13421
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.11826 \$0.07313	\$0.12092 \$0.07468	\$0.13421 \$0.08242
	NC 2 D	Оп-реак	ψ0.07313	φυ.υτ+υυ	ψ0.00242
100-6	SS-3-B				
Summer	Demand (\$/kW)	On-peak	\$11.71	\$11.97	\$13.26
		Mid-peak	\$3.91	\$3.99	\$4.43
	Energy (\$/kWh)	On-peak	\$0.08562	\$0.08730	\$0.09568
		Mid-peak	\$0.08061	\$0.08218	\$0.09000
		Off-peak	\$0.07805	\$0.07957	\$0.08711
Winter	Energy (\$/kWh)	Mid-peak	\$0.14660	\$0.14963	\$0.16477



Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-G	SS-3-PRI-B	}			
Summer	Demand (\$/kW)	On-peak	\$11.21	\$11.46	\$12.71
- Cannon	Σοιιια (ψ/ιττ)	Mid-peak	\$3.42	\$3.49	\$3.87
	Energy (\$/kWh)	On-peak	\$0.08472	\$0.08638	\$0.09466
	Energy ( $\phi$ /KVVII)	Mid-peak	\$0.07970	\$0.08125	\$0.08898
		Off-peak	\$0.07715	\$0.07864	\$0.08608
Winter	Energy (\$/kWh)	Mid-peak	\$0.14531	\$0.14832	\$0.16331
-	33 (* ,	Off-peak	\$0.08829	\$0.09003	\$0.09870
TOU-G	S-3-PRI-R Energy (\$/kWh)	On-peak	\$0.22775	\$0.23259	\$0.25671
		Mid-peak Off-peak	\$0.11636 \$0.07611	\$0.11872 \$0.07758	\$0.13050 \$0.08490
		•			
Winter	Energy (\$/kWh)	Mid-peak	\$0.14383	\$0.14680	\$0.16163
		Off-peak	\$0.08681	\$0.08851	\$0.09702
TOU-G	SS-3-R				
Summer	Energy (\$/kWh)	On-peak	\$0.22970	\$0.23458	\$0.25892
		Mid-peak	\$0.11830	\$0.12071	\$0.13271
		Off-peak	\$0.07805	\$0.07957	\$0.08711
Winter	Energy (\$/kWh)	Mid-peak	\$0.14660	\$0.14963	\$0.16477
		Off-peak	\$0.08957	\$0.09134	\$0.10016



Season	Туре	Period	Lean Power	Clean Power	100% Green Power			
TOU-8-PRI-B								
Summer	Demand (\$/kW)	On-peak	\$12.59	\$12.87	\$14.26			
		Mid-peak	\$4.05	\$4.14	\$4.58			
	Energy (\$/kWh)	On-peak	\$0.08291	\$0.08454	\$0.09267			
		Mid-peak	\$0.07750	\$0.07901	\$0.08654			
		Off-peak	\$0.07557	\$0.07704	\$0.08436			
Winter	Energy (\$/kWh)	Mid-peak	\$0.14190	\$0.14484	\$0.15949			
	<b>67</b> (* ,	Off-peak	\$0.08677	\$0.08849	\$0.09704			
TOU-8	-PRI-R							
Summer	Energy (\$/kWh)	On-peak	\$0.22531	\$0.23010	\$0.25401			
		Mid-peak	\$0.10975	\$0.11198	\$0.12308			
		Off-peak	\$0.07557	\$0.07704	\$0.08436			
Winter	Energy (\$/kWh)	Mid-peak	\$0.14190	\$0.14484	\$0.15949			
	, , , , , , , , , , , , , , , , , , ,	Off-peak	\$0.08677	\$0.08849	\$0.09704			



Season	Type	Period	Lean Power	Clean Power	100% Green Power
Season	туре	Periou	Lean Power	Clean Fower	100% Green Power
TOU 8	-SEC-B				
100-6	-3LC-B				
Summer	Demand (\$/kW)	On-peak	\$12.80	\$13.08	\$14.50
		Mid-peak	\$4.20	\$4.30	\$4.76
	Energy (\$/kWh)	On-peak	\$0.08611	\$0.08780	\$0.09626
		Mid-peak	\$0.08081	\$0.08238	\$0.09026
		Off-peak	\$0.07847	\$0.08000	\$0.08761
Winter	Energy (\$/kWh)	Mid-peak	\$0.13711	\$0.13995	\$0.15405
		Off-peak	\$0.08828	\$0.09002	\$0.09872
<b>TO</b> !! 0	050.5				
1 <b>OU-</b> 8	-SEC-R				
Summer	Energy (\$/kWh)	On-peak	\$0.23309	\$0.23805	\$0.26280
		Mid-peak	\$0.11658	\$0.11895	\$0.13079
		Off-peak	\$0.07847	\$0.08000	\$0.08761
Winter	Energy (\$/kWh)	Mid-peak	\$0.13711	\$0.13995	\$0.15405
		Off-peak	\$0.08828	\$0.09002	\$0.09872



Season	Туре	Period	Lean Power	Clean Power	100% Green Power		
TOU-8-SUB-B							
Summer	Demand (\$/kW)	On-peak	\$14.37	\$14.69	\$16.28		
	Σ σαα (φ/)	Mid-peak	\$4.65	\$4.75	\$5.27		
	Energy (\$/kWh)	On-peak	\$0.07766	\$0.07918	\$0.08679		
	9, (+)	Mid-peak	\$0.07238	\$0.07379	\$0.08081		
		Off-peak	\$0.07079	\$0.07216	\$0.07901		
Winter	Energy (\$/kWh)	Mid-peak	\$0.13115	\$0.13387	\$0.14739		
	<b>37</b> (. , ,	Off-peak	\$0.08216	\$0.08379	\$0.09189		
TOU-8-SUB-R							
Summer	Energy (\$/kWh)	On-peak	\$0.22297	\$0.22772	\$0.25142		
		Mid-peak	\$0.10432	\$0.10644	\$0.11700		
		Off-peak	\$0.07079	\$0.07216	\$0.07901		
Winter	Energy (\$/kWh)	Mid-peak	\$0.13115	\$0.13387	\$0.14739		
		Off-peak	\$0.08216	\$0.08379	\$0.09189		
TOU-PA-2-A							
Summer	Energy (\$/kWh)	On-peak	\$0.24966	\$0.25503	\$0.28166		
		Mid-peak	\$0.11954	\$0.12199	\$0.13416		
		Off-peak	\$0.08425	\$0.08592	\$0.09416		
Winter	Energy (\$/kWh)	Mid-peak	\$0.14450	\$0.14752	\$0.16246		
	,	Off-peak	\$0.09890	\$0.10089	\$0.11076		



## **Legacy Rates for Solar and Super Off Peak (SOP) Agricuture and Pumping**

Effective as of July 1, 2024. Delivery charges and PCIA not included.

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-P	A-2-B				
Summer	Demand (\$/kW)	On-peak	\$8.11	\$8.30	\$9.20
		Mid-peak	\$2.48	\$2.54	\$2.81
	Energy (\$/kWh)	On-peak	\$0.09249	\$0.09434	\$0.10350
	,	Mid-peak	\$0.08624	\$0.08795	\$0.09642
		Off-peak	\$0.08425	\$0.08592	\$0.09416
Winter	Energy (\$/kWh)	Mid-peak	\$0.14450	\$0.14752	\$0.16246
		Off-peak	\$0.09890	\$0.10089	\$0.11076
TOU-P	A-2-PRI-A				
Summer	Energy (\$/kWh)	On-peak	\$0.24813	\$0.25347	\$0.27992
		Mid-peak	\$0.11801	\$0.12043	\$0.13242
		Off-peak	\$0.08272	\$0.08435	\$0.09242
Winter	Energy (\$/kWh)	Mid-peak	\$0.14247	\$0.14544	\$0.16016
	<b>53</b> ( , , ,	Off-peak	\$0.09687	\$0.09881	\$0.10846



## **Legacy Rates for Solar and Super Off Peak (SOP) Agricuture and Pumping**

Effective as of July 1, 2024. Delivery charges and PCIA not included.

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-P	A-2-PRI-B				
Summer	Demand (\$/kW)	On-peak	\$7.93	\$8.11	\$8.99
		Mid-peak	\$2.30	\$2.35	\$2.61
	Energy (\$/kWh)	On-peak	\$0.09154	\$0.09337	\$0.10243
	,	Mid-peak	\$0.08530	\$0.08699	\$0.09535
		Off-peak	\$0.08331	\$0.08495	\$0.09309
Winter	Energy (\$/kWh)	Mid-peak	\$0.14325	\$0.14624	\$0.16104
		Off-peak	\$0.09765	\$0.09961	\$0.10935
TOU-P	A-3-A				
Summer	Energy (\$/kWh)	On-peak	\$0.21827	\$0.22294	\$0.24609
		Mid-peak	\$0.10391	\$0.10602	\$0.11646
		Off-peak	\$0.07441	\$0.07585	\$0.08302
Winter	Energy (\$/kWh)	Mid-peak	\$0.12570	\$0.12829	\$0.14116
	<b>37</b> ( /	Off-peak	\$0.09058	\$0.09239	\$0.10135



# **Legacy Rates for Solar and Super Off Peak (SOP) Agricuture and Pumping**

Effective as of July 1, 2024. Delivery charges and PCIA not included.

Season	Туре	Period	Lean Power	Clean Power	100% Green Power
TOU-P	A-3-B				
Summer	Demand (\$/kW)	On-peak	\$8.59	\$8.78	\$9.74
Guillilei	Demand (ψ/κνν)	Mid-peak	\$2.52	\$2.57	\$2.85
	Energy (\$/kWh)	On-peak	\$0.08157	\$0.08318	\$0.09114
	<b>33</b> (* ,	Mid-peak	\$0.07605	\$0.07753	\$0.08488
		Off-peak	\$0.07441	\$0.07585	\$0.08302
Winter	Energy (\$/kWh)	Mid-peak	\$0.12570	\$0.12829	\$0.14116
		Off-peak	\$0.09058	\$0.09239	\$0.10135
TOU-P	A-3-PRI-A				
Summer	Energy (\$/kWh)	On-peak	\$0.21683	\$0.22147	\$0.24446
		Mid-peak	\$0.10247	\$0.10455	\$0.11483
		Off-peak	\$0.07297	\$0.07439	\$0.08139
Winter	Energy (\$/kWh)	Mid-peak	\$0.12380	\$0.12635	\$0.13900
		Off-peak	\$0.08868	\$0.09044	\$0.09920
TOU-P	A-3-PRI-B				
Summer	Demand (\$/kW)	On-peak	\$8.37	\$8.56	\$9.49
		Mid-peak	\$2.30	\$2.35	\$2.61
	Energy (\$/kWh)	On-peak	\$0.08064	\$0.08222	\$0.09008
		Mid-peak	\$0.07512	\$0.07658	\$0.08382
		Off-peak	\$0.07347	\$0.07490	\$0.08196
Winter	Energy (\$/kWh)	Mid-peak	\$0.12446	\$0.12703	\$0.13976
		Off-peak	\$0.08935	\$0.09112	\$0.09995



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default
TOU-0	GS-1-A					
_						
Summer I	Energy (\$/kWh)	On-peak	\$0.18420	\$0.18829	\$0.20876	\$0.18829
		Mid-peak	\$0.17291	\$0.17674	\$0.19588	\$0.17674
		Off-peak	\$0.16675	\$0.17044	\$0.18886	\$0.17044
Winter	Energy (\$/kWh)	Mid-peak	\$0.12555	\$0.12826	\$0.14185	\$0.12826
		Off-peak	\$0.11397	\$0.11641	\$0.12864	\$0.11641
rou-c	GS-1-B					
Summer	Demand (\$/kW)	On-peak	\$13.47	\$13.79	\$15.37	\$13.79
	,	Mid-peak	\$4.39	\$4.49	\$5.00	\$4.49
	Energy (\$/kWh)	On-peak	\$0.10492	\$0.10715	\$0.11831	\$0.10715
		Mid-peak	\$0.09877	\$0.10086	\$0.11130	\$0.10086
		Off-peak	\$0.09541	\$0.09742	\$0.10747	\$0.09742
Winter	Energy (\$/kWh)	Mid-peak	\$0.12555	\$0.12826	\$0.14185	\$0.12826
	<b>5.</b>	Off-peak	\$0.11397	\$0.11641	\$0.12864	\$0.11641
TOU-0	GS-1-D					
Summer	Demand (\$/kW)	On-peak	\$18.36	\$18.79	\$20.95	\$18.79
	Energy (\$/kWh)	On-peak	\$0.14013	\$0.14319	\$0.15849	\$0.14319
		Mid-peak	\$0.12749	\$0.13025	\$0.14407	\$0.13025
		Off-peak	\$0.08693	\$0.08874	\$0.09779	\$0.08874
Winter	Demand (\$/kW)	Mid-peak	\$5.64	\$5.78	\$6.44	\$5.78
	Energy (\$/kWh)	Mid-peak	\$0.13248	\$0.13536	\$0.14975	\$0.13536
	<b>37</b> (* )	Off-peak	\$0.09640	\$0.09843	\$0.10859	\$0.09843
		Super-off-peak	\$0.07459	\$0.07611	\$0.08371	\$0.07611



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-	GS-1-E					
Summer	Energy (\$/kWh)	On-peak	\$0.49585	\$0.50726	\$0.56430	\$0.50726
		Mid-peak	\$0.13919	\$0.14223	\$0.15742	\$0.14223
		Off-peak	\$0.10229	\$0.10447	\$0.11532	\$0.10447
Winter	Energy (\$/kWh)	Mid-peak	\$0.20618	\$0.21079	\$0.23384	\$0.21079
	,	Off-peak	\$0.11889	\$0.12145	\$0.13425	\$0.12145
		Super-off-peak	\$0.06706	\$0.06840	\$0.07512	\$0.06840
TOU-	GS-1-ES					
Summer	Energy (\$/kWh)	On-peak	\$0.00476	\$0.00476	\$0.00476	\$0.00476
		Mid-peak	\$0.00841	\$0.00841	\$0.00841	\$0.00841
		Off-peak	\$0.00884	\$0.00884	\$0.00884	\$0.00884
Winter	Energy (\$/kWh)	Mid-peak	\$0.00801	\$0.00801	\$0.00801	\$0.00801
		Off-peak	\$0.00883	\$0.00883	\$0.00883	\$0.00883
		Super-off-peak	\$0.00928	\$0.00928	\$0.00928	\$0.00928
TOU-	GS-1-PRI-	A				
Summer	Energy (\$/kWh)	On-peak	\$0.18274	\$0.18680	\$0.20709	\$0.18680
		Mid-peak	\$0.17145	\$0.17524	\$0.19421	\$0.17524
		Off-peak	\$0.16529	\$0.16894	\$0.18719	\$0.16894
Winter	Energy (\$/kWh)	Mid-peak	\$0.12408	\$0.12677	\$0.14018	\$0.12677
	33 (1	Off-peak	\$0.11251	\$0.11492	\$0.12697	\$0.11492



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-C	SS-1-PRI-	В				
Summer	Demand (\$/kW)	On-peak Mid-peak	\$13.21 \$4.12	\$13.52 \$4.22	\$15.07 \$4.70	\$13.52 \$4.22
	Energy (\$/kWh)	On-peak	\$0.10439	\$0.10661	\$0.11772	\$0.10661
	<b>37</b> ( , , ,	Mid-peak	\$0.09825	\$0.10032	\$0.11070	\$0.10032
		Off-peak	\$0.09489	\$0.09689	\$0.10687	\$0.09689
Winter	Energy (\$/kWh)	Mid-peak	\$0.12502	\$0.12773	\$0.14125	\$0.12773
	<b>.</b> ,	Off-peak	\$0.11345	\$0.11588	\$0.12804	\$0.11588
	SS-1-PRI-					
Summer	Demand (\$/kW)	On-peak	\$18.17	\$18.60	\$20.73	\$18.60
	Energy (\$/kWh)	On-peak	\$0.13961	\$0.14266	\$0.15789	\$0.14266
		Mid-peak	\$0.12697	\$0.12972	\$0.14347	\$0.12972
		Off-peak	\$0.08641	\$0.08821	\$0.09720	\$0.08821
Winter	Demand (\$/kW)	Mid-peak	\$5.45	\$5.58	\$6.22	\$5.58
	Energy (\$/kWh)	Mid-peak	\$0.13195	\$0.13482	\$0.14916	\$0.13482
	,	Off-peak	\$0.09588	\$0.09790	\$0.10800	\$0.09790
		Super-off-peak	\$0.07407	\$0.07558	\$0.08312	\$0.07558
TOU-C	SS-1-PRI-	E				
Summer	Energy (\$/kWh)	On-peak	\$0.49439	\$0.50576	\$0.56263	\$0.50576
		Mid-peak	\$0.13773	\$0.14074	\$0.15575	\$0.14074
		Off-peak	\$0.10083	\$0.10297	\$0.11365	\$0.10297
Winter	Energy (\$/kWh)	Mid-peak	\$0.20472	\$0.20930	\$0.23217	\$0.20930
	,	Off-peak	\$0.11742	\$0.11995	\$0.13258	\$0.11995
		Super-off-peak	\$0.06560	\$0.06691	\$0.07345	\$0.06691



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-G	SS-1-PRI-	ES				
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.00478 \$0.00843 \$0.00885	\$0.00478 \$0.00843 \$0.00885	\$0.00478 \$0.00843 \$0.00885	\$0.00478 \$0.00843 \$0.00885
Winter	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.00803 \$0.00884 \$0.00929	\$0.00803 \$0.00884 \$0.00929	\$0.00803 \$0.00884 \$0.00929	\$0.00803 \$0.00884 \$0.00929
TOU-G	SS-1-SUB	<b>-A</b>				
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.18100 \$0.16972 \$0.16356	\$0.18502 \$0.17347 \$0.16717	\$0.20511 \$0.19224 \$0.18521	\$0.18502 \$0.17347 \$0.16717
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12235 \$0.11077	\$0.12499 \$0.11314	\$0.13820 \$0.12499	\$0.12499 \$0.11314
TOU-G	SS-1-SUB	<b>-B</b>				
Summer	Demand (\$/kW)	On-peak Mid-peak	\$12.87 \$3.78	\$13.18 \$3.87	\$14.69 \$4.32	\$13.18 \$3.87
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.10390 \$0.09775 \$0.09439	\$0.10611 \$0.09982 \$0.09638	\$0.11715 \$0.11014 \$0.10631	\$0.10611 \$0.09982 \$0.09638
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12453 \$0.11295	\$0.12722 \$0.11537	\$0.14069 \$0.12748	\$0.12722 \$0.11537



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-0	GS-1-SUB	B-D				
Summer	Demand (\$/kW)	On-peak	\$17.91	\$18.33	\$20.43	\$18.33
	Energy (\$/kWh)	On-peak	\$0.13912	\$0.14215	\$0.15733	\$0.14215
	33 (1. )	Mid-peak	\$0.12648	\$0.12921	\$0.14291	\$0.12921
		Off-peak	\$0.08592	\$0.08770	\$0.09663	\$0.08770
Winter	Demand (\$/kW)	Mid-peak	\$5.19	\$5.31	\$5.92	\$5.31
	, , ,		¥31.75	****	70.00	****
	Energy (\$/kWh)	Mid-peak	\$0.13146	\$0.13432	\$0.14859	\$0.13432
		Off-peak	\$0.09538	\$0.09739	\$0.10744	\$0.09739
		Super-off-peak	\$0.07357	\$0.07507	\$0.08255	\$0.07507
Summer	Energy (\$/kWh)  Energy (\$/kWh)	On-peak Mid-peak Off-peak Mid-peak Off-peak Super-off-peak	\$0.49266 \$0.13600 \$0.09910 \$0.20299 \$0.11569 \$0.06386	\$0.50399 \$0.13896 \$0.10120 \$0.20752 \$0.11818 \$0.06513	\$0.56065 \$0.15377 \$0.11168 \$0.23019 \$0.13060 \$0.07148	\$0.50399 \$0.13896 \$0.10120 \$0.20752 \$0.11818 \$0.06513
TOU-0	GS-2-B					
Summer	Demand (\$/kW)	On-peak Mid-peak	\$16.13 \$5.42	\$16.53 \$5.56	\$18.51 \$6.23	\$16.53 \$5.56
	Energy (\$/kWh)	On-peak	\$0.10101	\$0.10324	\$0.11441	\$0.10324
	JJ (+·····/)	Mid-peak	\$0.09515	\$0.09724	\$0.10769	\$0.09724
		Off-peak	\$0.09194	\$0.09395	\$0.10400	\$0.09395
Winter	Energy (\$/kWh)	Mid-peak	\$0.12053	\$0.12324	\$0.13682	\$0.12324
7711101	_11019j (ψ/KVV11)	Off-peak	\$0.07540	\$0.07701	\$0.08503	\$0.07701



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-G	SS-2-D					
Summer	Demand (\$/kW)	On-peak	\$23.26	\$23.84	\$26.70	\$23.84
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.13564 \$0.12458 \$0.08361	\$0.13873 \$0.12740 \$0.08542	\$0.15417 \$0.14147 \$0.09445	\$0.13873 \$0.12740 \$0.08542
Winter	Demand (\$/kW)	Mid-peak	\$6.11	\$6.26	\$7.01	\$6.26
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.09490 \$0.09541 \$0.05496	\$0.09698 \$0.09750 \$0.05606	\$0.10740 \$0.10799 \$0.06157	\$0.09698 \$0.09750 \$0.05606
TOU-G	SS-2-E					
Summer	Demand (\$/kW)	On-peak	\$6.53	\$6.69	\$7.49	\$6.69
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.43150 \$0.12458 \$0.08361	\$0.44188 \$0.12740 \$0.08542	\$0.49374 \$0.14147 \$0.09445	\$0.44188 \$0.12740 \$0.08542
Winter	Demand (\$/kW)	Mid-peak	\$2.52	\$2.59	\$2.90	\$2.59
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.14185 \$0.09541 \$0.05496	\$0.14509 \$0.09750 \$0.05606	\$0.16129 \$0.10799 \$0.06157	\$0.14509 \$0.09750 \$0.05606



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-G	SS-2-PRI-	В				
Summer	Demand (\$/kW)	On-peak Mid-peak	\$15.48 \$4.78	\$15.86 \$4.89	\$17.77 \$5.48	\$15.86 \$4.89
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.09997 \$0.09411 \$0.09090	\$0.10218 \$0.09618 \$0.09289	\$0.11323 \$0.10650 \$0.10282	\$0.10218 \$0.09618 \$0.09289
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.11949 \$0.07437	\$0.12218 \$0.07595	\$0.13563 \$0.08384	\$0.12218 \$0.07595
TOU-C	SS-2-PRI-	D				
Summer	Demand (\$/kW)	On-peak	\$22.73	\$23.29	\$26.09	\$23.29
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.13461 \$0.12355 \$0.08258	\$0.13767 \$0.12633 \$0.08436	\$0.15298 \$0.14028 \$0.09326	\$0.13767 \$0.12633 \$0.08436
Winter	Demand (\$/kW)	Mid-peak	\$5.98	\$6.12	\$6.86	\$6.12
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.09386 \$0.09437 \$0.05393	\$0.09592 \$0.09644 \$0.05500	\$0.10621 \$0.10680 \$0.06038	\$0.09592 \$0.09644 \$0.05500



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-C	SS-2-PRI-	E				
Summer	Demand (\$/kW)	On-peak	\$6.30	\$6.46	\$7.24	\$6.46
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.42996 \$0.12304 \$0.08207	\$0.44030 \$0.12582 \$0.08384	\$0.49198 \$0.13971 \$0.09268	\$0.44030 \$0.12582 \$0.08384
Winter	Demand (\$/kW)	Mid-peak	\$2.47	\$2.53	\$2.83	\$2.53
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.14031 \$0.09387 \$0.05342	\$0.14351 \$0.09593 \$0.05449	\$0.15953 \$0.10622 \$0.05980	\$0.14351 \$0.09593 \$0.05449
TOU-C	SS-2-PRI-	R				
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.31140 \$0.15200 \$0.08931	\$0.31882 \$0.15549 \$0.09125	\$0.35589 \$0.17294 \$0.10099	\$0.31882 \$0.15549 \$0.09125
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.11790 \$0.07277	\$0.12055 \$0.07431	\$0.13380 \$0.08201	\$0.12055 \$0.07431
TOU-C	SS-2-R					
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.31403 \$0.15463 \$0.09194	\$0.32151 \$0.15819 \$0.09395	\$0.35891 \$0.17596 \$0.10400	\$0.32151 \$0.15819 \$0.09395
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.12053 \$0.07540	\$0.12324 \$0.07701	\$0.13682 \$0.08503	\$0.12324 \$0.07701



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-0	GS-2-SUE	8-B				
Summer	Demand (\$/kW)	On-peak	\$14.64	\$15.00	\$16.80	\$15.00
Summer	Demand (\$/KW)	Mid-peak	\$3.94	\$4.03	\$4.52	\$4.03
	Energy (\$/kWh)	On-peak	\$0.09873	\$0.10091	\$0.11181	\$0.10091
	<b>55</b>	Mid-peak	\$0.09287	\$0.09491	\$0.10508	\$0.09491
		Off-peak	\$0.08966	\$0.09162	\$0.10140	\$0.09162
Winter	Energy (\$/kWh)	Mid-peak	\$0.11826	\$0.12092	\$0.13421	\$0.12092
		Off-peak	\$0.07313	\$0.07468	\$0.08242	\$0.07468
TOU-0	GS-2-SUE	B-D				
Summer	Demand (\$/kW)	On-peak	\$22.05	\$22.59	\$25.30	\$22.59
	Energy (\$/kWh)	On-peak	\$0.13337	\$0.13640	\$0.15156	\$0.13640
		Mid-peak	\$0.12231	\$0.12507	\$0.13886	\$0.12507
		Off-peak	\$0.08134	\$0.08309	\$0.09184	\$0.08309
Winter	Demand (\$/kW)	Mid-peak	\$5.79	\$5.93	\$6.65	\$5.93
	Energy (\$/kWh)	Mid-peak	\$0.09262	\$0.09465	\$0.10479	\$0.09465
		Off-peak	\$0.09314	\$0.09518	\$0.10538	\$0.09518
		Super-off-peak	\$0.05269	\$0.05373	\$0.05896	\$0.05373
TOU-	GS-3-B					
Summer	Demand (\$/kW)	On-peak	\$13.41	\$13.71	\$15.22	\$13.71
		Mid-peak	\$4.48	\$4.58	\$5.08	\$4.58
	Energy (\$/kWh)	On-peak	\$0.09664	\$0.09859	\$0.10834	\$0.09859
		Mid-peak	\$0.09090	\$0.09272	\$0.10182	\$0.09272
		Off-peak	\$0.08797	\$0.08972	\$0.09850	\$0.08972
Winter	Energy (\$/kWh)	Mid-peak	\$0.11996	\$0.12244	\$0.13481	\$0.12244
	'	Off-peak	\$0.07406	\$0.07550	\$0.08271	\$0.07550



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-C	SS-3-D					
Summer	Demand (\$/kW)	On-peak	\$20.01	\$20.46	\$22.71	\$20.46
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.12646 \$0.11619 \$0.08171	\$0.12908 \$0.11858 \$0.08332	\$0.14218 \$0.13053 \$0.09139	\$0.12908 \$0.11858 \$0.08332
Winter	Demand (\$/kW)	Mid-peak	\$7.24	\$7.40	\$8.22	\$7.40
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.09276 \$0.09326 \$0.05371	\$0.09462 \$0.09513 \$0.05469	\$0.10393 \$0.10450 \$0.05961	\$0.09462 \$0.09513 \$0.05469
TOU-C	3S-3-E					
Summer	Demand (\$/kW)	On-peak	\$5.62	\$5.75	\$6.38	\$5.75
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.35418 \$0.11619 \$0.08171	\$0.36192 \$0.11858 \$0.08332	\$0.40064 \$0.13053 \$0.09139	\$0.36192 \$0.11858 \$0.08332
Winter	Demand (\$/kW)	Mid-peak	\$2.99	\$3.06	\$3.40	\$3.06
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.14326 \$0.09326 \$0.05371	\$0.14626 \$0.09513 \$0.05469	\$0.16125 \$0.10450 \$0.05961	\$0.14626 \$0.09513 \$0.05469



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-C	SS-3-PRI-	В				
Summer	Demand (\$/kW)	On-peak Mid-peak	\$12.85 \$3.91	\$13.14 \$4.00	\$14.58 \$4.44	\$13.14 \$4.00
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.09560 \$0.08986 \$0.08693	\$0.09753 \$0.09166 \$0.08866	\$0.10716 \$0.10064 \$0.09732	\$0.09753 \$0.09166 \$0.08866
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.11893 \$0.07302	\$0.12138 \$0.07444	\$0.13364 \$0.08153	\$0.12138 \$0.07444
TOU-C	S-3-PRI-	D				
Summer	Demand (\$/kW)	On-peak	\$19.54	\$19.98	\$22.18	\$19.98
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.12542 \$0.11516 \$0.08067	\$0.12802 \$0.11752 \$0.08226	\$0.14100 \$0.12936 \$0.09022	\$0.12802 \$0.11752 \$0.08226
Winter	Demand (\$/kW)	Mid-peak	\$7.06	\$7.22	\$8.02	\$7.22
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.09172 \$0.09222 \$0.05267	\$0.09356 \$0.09407 \$0.05363	\$0.10275 \$0.10333 \$0.05844	\$0.09356 \$0.09407 \$0.05363



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-C	SS-3-PRI-	E				
Summer	Demand (\$/kW)	On-peak	\$5.43	\$5.55	\$6.16	\$5.55
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.35228 \$0.11430 \$0.07981	\$0.35998 \$0.11664 \$0.08138	\$0.39848 \$0.12838 \$0.08924	\$0.35998 \$0.11664 \$0.08138
Winter	Demand (\$/kW)	Mid-peak	\$2.93	\$2.99	\$3.32	\$2.99
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.14136 \$0.09136 \$0.05181	\$0.14431 \$0.09319 \$0.05275	\$0.15909 \$0.10235 \$0.05746	\$0.14431 \$0.09319 \$0.05275
TOU-C	GS-3-PRI-	R				
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.25947 \$0.13185 \$0.08574	\$0.26509 \$0.13460 \$0.08745	\$0.29315 \$0.14831 \$0.09597	\$0.26509 \$0.13460 \$0.08745
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.11774 \$0.07183	\$0.12016 \$0.07322	\$0.13228 \$0.08018	\$0.12016 \$0.07322
TOU-C	GS-3-R					
Summer	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.26170 \$0.13408 \$0.08797	\$0.26736 \$0.13687 \$0.08972	\$0.29568 \$0.15084 \$0.09850	\$0.26736 \$0.13687 \$0.08972
Winter	Energy (\$/kWh)	Mid-peak Off-peak	\$0.11996 \$0.07406	\$0.12244 \$0.07550	\$0.13481 \$0.08271	\$0.12244 \$0.07550



Season	Туре	Period	Lean Power	Clean Power	100% Green Power	100% Green Power (Default)
TOU-GS-3-SUB-D						
Summer	Demand (\$/kW)	On-peak	\$18.94	\$19.37	\$21.50	\$19.37
	Energy (\$/kWh)	On-peak Mid-peak Off-peak	\$0.12419 \$0.11393 \$0.07944	\$0.12676 \$0.11627 \$0.08101	\$0.13961 \$0.12796 \$0.08882	\$0.12676 \$0.11627 \$0.08101
Winter	Demand (\$/kW)	Mid-peak	\$6.85	\$7.00	\$7.78	\$7.00
	Energy (\$/kWh)	Mid-peak Off-peak Super-off-peak	\$0.09049 \$0.09099 \$0.05144	\$0.09230 \$0.09282 \$0.05237	\$0.10136 \$0.10193 \$0.05704	\$0.09230 \$0.09282 \$0.05237



#### **Peak Management Pricing (PMP) Rates**

Effective as of July 1, 2024, surcharge and credit rates for the PMP program are shown in the table below. Surcharge rates are added to any energy consumed during on-peak hours (4 p.m. to 9 p.m.) on PMP Event Days. Credit rates apply on non-event days as a credit to your normal rate during on-peak hours in the summer months of the program (June-September).

Rate Schedule	Surcharge Amount (Applied to all energy consumed during PMP events)	Summer Incentive Credits*
TOU-GS-1-E TOU-GS-1-ES	\$1.00/kWh	\$0.17054/kWh
TOU-GS-2-D	\$1.00/kWh	\$8.56/kW
TOU-GS-3-D	\$1.00/kWh	\$9.44/kW
TOU-8-SEC-D TOU-8-PRI-D TOU-8-SUB-D	\$1.00/kWh	\$10.28/kW \$10.65/kW \$10.55/kW
TOU-PA-2-D TOU-PA-2-D5	\$1.00/kWh	\$7.10/kW
TOU-PA-3-D TOU-PA-3-D5	\$1.00/kWh	\$7.73/kW

<sup>\*</sup>Incentive credit is applied to the maximum monthly on-peak demand in kW, except for TOU-GS-1-E/TOU-GS-1-ES, for which it is applied to the monthly on-peak energy usage in kWh.



### Wind Machine Credit (WMC) Rates

Agricultural customers served under a PA-2 rate schedule who incur energy usage during the Winter Season solely for wind machine operations, that have already been determined eligible by SCE, will receive a monthly Demand credit based on highest recorded monthly kW demand registered during non-peak periods. Applicable only to customers whose monthly maximum demand registers below 200 kW and that previously received this credit from SCE.

Rate Schedule	Wind Machine Credit*
TOU-PA-2	\$6.33/kW

<sup>\*</sup>Wind machine credit is applied based on the highest recorded monthly kW demand registered during non-peak periods in kW.