

RESOLUTION NO. 25-06-086

**A RESOLUTION OF THE BOARD OF DIRECTORS OF THE
CLEAN POWER ALLIANCE OF SOUTHERN CALIFORNIA
TO APPROVE FISCAL YEAR 2025-26 RATES FOR
PHASES 4 & 5 NON-RESIDENTIAL CUSTOMERS**

THE BOARD OF DIRECTORS OF THE CLEAN POWER ALLIANCE OF SOUTHERN CALIFORNIA DOES HEREBY FIND, RESOLVE, AND ORDER AS FOLLOWS:

WHEREAS, the Clean Power Alliance of Southern California (formerly known as Los Angeles Community Choice Energy Authority) ("Clean Power Alliance" or "CPA") was formed on June 27, 2017;

WHEREAS, on May 1, 2019, Phase 4 commenced with the enrollment of all non-residential accounts in CPA territory at that time with the exception of unincorporated Los Angeles County, South Pasadena, and Rolling Hills Estates, necessitating the adoption of Phase 4 non-residential rates;

WHEREAS, on June 6, 2019, the Board authorized the Wind Machine Credit for eligible TOU-PA-2 customers that utilize wind machines to prevent crop freezing;

WHEREAS, on May 11, 2020, Phase 5 commenced with the enrollment of all customers in Westlake Village, necessitating the adoption of Phase 5 non-residential rates;

WHEREAS, on May 1, 2025, the Board considered the staff report and its accompanying exhibits at its publicly-noticed meeting, including a consideration of CPA's reserve goals based on the Board-approved Reserve Policy, CPA's competitiveness across customer classes mitigating opt out risk, and the potential impact of changes to the Power Charge Indifference Adjustment. Based on these considerations and based on representative customer load profiles and customer usage, the Board approved a FY 2025-2026 rate setting approach that:

- a. Directs staff to develop rates based on CPA's projected FY 2025-2026 cost of service (COS) and a reserve percentage target of 48-52% such that for residential and small and medium business customers¹ the 100% Green rate product targets a 6% total bill premium compared to Southern California Edison ("SCE") base rates as of June 1, 2025, Clean Power at a 0% total bill discount target compared to SCE base rates as of June 1, 2025, and Lean Power at a 2% total bill discount target compared to SCE base rates as of June 1, 2025, for customers in member agencies that began service in 2018-2024,

¹ Small and medium business customers are on TOU-GS-1, TOU-GS-2, TOU-EV, TC, and WTR rate schedules in Phase 4 and 5 service areas.

- b. Updates rates for large commercial, pumping and agriculture, and street and area lighting customer rate classes ("Subset Customers")² in communities that began service in 2018-2024 to reflect CPA's projected FY 2025-2026 COS and the selected reserve target, and,
- c. Sets subset rates for customers in the cities of La Cañada Flintridge, Lynwood, and Port Hueneme to reflect CPA's projected COS and the selected reserve target, provided that total bill comparisons for each rate class do not exceed the Board-approved levels as of July 2024.

(subsections (a)-(c) are collectively referred to as "FY 2025-2026 Rate Setting Approach")

WHEREAS, on May 1, 2025, the Board received information supporting staff's recommendation for FY 2025-2026 to authorize the existing Wind Credits for eligible agricultural customers.

NOW THEREFORE, BE IT DETERMINED, ORDERED, AND RESOLVED, BY THE BOARD OF DIRECTORS OF THE CLEAN POWER ALLIANCE OF SOUTHERN CALIFORNIA THAT:

- 1. The FY 2025-2026 Rate Setting Approach will apply to all rates for Phases 4 and 5 customers.
- 2. The proposed Phases 4 & 5 non-residential rate schedules as presented in Exhibit A, attached hereto and incorporated herein, are hereby approved effective July 1, 2025.
- 3. The proposed Phases 4 & 5 Wind Machine Credit rates as presented in Exhibit B, attached hereto and incorporated herein, are hereby approved effective July 1, 2025.

APPROVED AND ADOPTED this 5th day of June 2025.



Deborah Klein Lopez, Chair

ATTEST:



Gabriela Monzon, Secretary

² Subset Customers are on TOU-8, TOU-GS-3, TOU-PA, LS, and AL rate schedules in Phase 4 and 5 service areas.

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-1-A	Energy	Summer	ON-PEAK	\$ 0.14437	\$ 0.15203	\$ 0.17503
TOU-GS-1-A	Energy	Summer	MID-PEAK	\$ 0.13562	\$ 0.14279	\$ 0.16430
TOU-GS-1-A	Energy	Summer	OFF-PEAK	\$ 0.13085	\$ 0.13775	\$ 0.15845
TOU-GS-1-A	Energy	Winter	MID-PEAK	\$ 0.09890	\$ 0.10398	\$ 0.11925
TOU-GS-1-A	Energy	Winter	OFF-PEAK	\$ 0.08992	\$ 0.09450	\$ 0.10824
TOU-GS-1-B	Energy	Summer	ON-PEAK	\$ 0.08358	\$ 0.08708	\$ 0.09760
TOU-GS-1-B	Energy	Summer	MID-PEAK	\$ 0.07877	\$ 0.08205	\$ 0.09188
TOU-GS-1-B	Energy	Summer	OFF-PEAK	\$ 0.07614	\$ 0.07929	\$ 0.08876
TOU-GS-1-B	Energy	Winter	MID-PEAK	\$ 0.09972	\$ 0.10398	\$ 0.11678
TOU-GS-1-B	Energy	Winter	OFF-PEAK	\$ 0.09066	\$ 0.09450	\$ 0.10602
TOU-GS-1-B	Demand	Summer	ON-PEAK	\$ 10.54	\$ 11.04	\$ 12.53
TOU-GS-1-B	Demand	Summer	MID-PEAK	\$ 3.43	\$ 3.59	\$ 4.07
TOU-GS-1-D	Energy	Summer	ON-PEAK	\$ 0.11060	\$ 0.11592	\$ 0.13189
TOU-GS-1-D	Energy	Summer	MID-PEAK	\$ 0.10077	\$ 0.10558	\$ 0.12000
TOU-GS-1-D	Energy	Summer	OFF-PEAK	\$ 0.06920	\$ 0.07235	\$ 0.08180
TOU-GS-1-D	Energy	Winter	MID-PEAK	\$ 0.10464	\$ 0.10965	\$ 0.12468
TOU-GS-1-D	Energy	Winter	OFF-PEAK	\$ 0.07658	\$ 0.08012	\$ 0.09073
TOU-GS-1-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05961	\$ 0.06225	\$ 0.07019
TOU-GS-1-D	Demand	Summer	ON-PEAK	\$ 14.29	\$ 15.04	\$ 17.29
TOU-GS-1-D	Demand	Winter	MID-PEAK	\$ 4.39	\$ 4.62	\$ 5.31
TOU-GS-1-E	Energy	Summer	ON-PEAK	\$ 0.38557	\$ 0.40729	\$ 0.47245
TOU-GS-1-E	Energy	Summer	MID-PEAK	\$ 0.10939	\$ 0.11517	\$ 0.13252
TOU-GS-1-E	Energy	Summer	OFF-PEAK	\$ 0.08082	\$ 0.08495	\$ 0.09735
TOU-GS-1-E	Energy	Winter	MID-PEAK	\$ 0.16126	\$ 0.17004	\$ 0.19636
TOU-GS-1-E	Energy	Winter	OFF-PEAK	\$ 0.09366	\$ 0.09853	\$ 0.11316
TOU-GS-1-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05352	\$ 0.05608	\$ 0.06376
TOU-GS-1-ES	Energy	Summer	ON-PEAK	\$ 0.41031	\$ 0.43336	\$ 0.50252
TOU-GS-1-ES	Energy	Summer	MID-PEAK	\$ 0.11894	\$ 0.12525	\$ 0.14417
TOU-GS-1-ES	Energy	Summer	OFF-PEAK	\$ 0.08516	\$ 0.08953	\$ 0.10263
TOU-GS-1-ES	Energy	Winter	MID-PEAK	\$ 0.15490	\$ 0.16327	\$ 0.18839
TOU-GS-1-ES	Energy	Winter	OFF-PEAK	\$ 0.08808	\$ 0.09261	\$ 0.10621
TOU-GS-1-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05091	\$ 0.05331	\$ 0.06050
TOU-GS-1-PRI-A	Energy	Summer	ON-PEAK	\$ 0.14322	\$ 0.15084	\$ 0.17368
TOU-GS-1-PRI-A	Energy	Summer	MID-PEAK	\$ 0.13448	\$ 0.14159	\$ 0.16294
TOU-GS-1-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.12970	\$ 0.13655	\$ 0.15709
TOU-GS-1-PRI-A	Energy	Winter	MID-PEAK	\$ 0.09775	\$ 0.10279	\$ 0.11788
TOU-GS-1-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.08878	\$ 0.09330	\$ 0.10687
TOU-GS-1-PRI-B	Energy	Summer	ON-PEAK	\$ 0.08315	\$ 0.08665	\$ 0.09712
TOU-GS-1-PRI-B	Energy	Summer	MID-PEAK	\$ 0.07835	\$ 0.08161	\$ 0.09141
TOU-GS-1-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.07572	\$ 0.07886	\$ 0.08828
TOU-GS-1-PRI-B	Energy	Winter	MID-PEAK	\$ 0.09930	\$ 0.10355	\$ 0.11631
TOU-GS-1-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.09024	\$ 0.09407	\$ 0.10554
TOU-GS-1-PRI-B	Demand	Summer	ON-PEAK	\$ 10.28	\$ 10.77	\$ 12.23
TOU-GS-1-PRI-B	Demand	Summer	MID-PEAK	\$ 3.17	\$ 3.32	\$ 3.77

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-1-PRI-D	Energy	Summer	ON-PEAK	\$ 0.11018	\$ 0.11549	\$ 0.13141
TOU-GS-1-PRI-D	Energy	Summer	MID-PEAK	\$ 0.10035	\$ 0.10514	\$ 0.11952
TOU-GS-1-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.06878	\$ 0.07191	\$ 0.08131
TOU-GS-1-PRI-D	Energy	Winter	MID-PEAK	\$ 0.10422	\$ 0.10921	\$ 0.12420
TOU-GS-1-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.07616	\$ 0.07968	\$ 0.09024
TOU-GS-1-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05919	\$ 0.06182	\$ 0.06970
TOU-GS-1-PRI-D	Demand	Summer	ON-PEAK	\$ 14.10	\$ 14.84	\$ 17.06
TOU-GS-1-PRI-D	Demand	Winter	MID-PEAK	\$ 4.20	\$ 4.42	\$ 5.08
TOU-GS-1-PRI-E	Energy	Summer	ON-PEAK	\$ 0.38440	\$ 0.40609	\$ 0.47117
TOU-GS-1-PRI-E	Energy	Summer	MID-PEAK	\$ 0.10824	\$ 0.11397	\$ 0.13115
TOU-GS-1-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.07968	\$ 0.08375	\$ 0.09598
TOU-GS-1-PRI-E	Energy	Winter	MID-PEAK	\$ 0.16011	\$ 0.16884	\$ 0.19501
TOU-GS-1-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.09252	\$ 0.09734	\$ 0.11179
TOU-GS-1-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05239	\$ 0.05488	\$ 0.06238
TOU-GS-1-PRI-ES	Energy	Summer	ON-PEAK	\$ 0.40914	\$ 0.43217	\$ 0.50124
TOU-GS-1-PRI-ES	Energy	Summer	MID-PEAK	\$ 0.11779	\$ 0.12405	\$ 0.14281
TOU-GS-1-PRI-ES	Energy	Summer	OFF-PEAK	\$ 0.08402	\$ 0.08833	\$ 0.10126
TOU-GS-1-PRI-ES	Energy	Winter	MID-PEAK	\$ 0.15375	\$ 0.16207	\$ 0.18704
TOU-GS-1-PRI-ES	Energy	Winter	OFF-PEAK	\$ 0.08693	\$ 0.09141	\$ 0.10484
TOU-GS-1-PRI-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04977	\$ 0.05211	\$ 0.05912
TOU-GS-1-SUB-A	Energy	Summer	ON-PEAK	\$ 0.14264	\$ 0.14942	\$ 0.16975
TOU-GS-1-SUB-A	Energy	Summer	MID-PEAK	\$ 0.13384	\$ 0.14018	\$ 0.15917
TOU-GS-1-SUB-A	Energy	Summer	OFF-PEAK	\$ 0.12904	\$ 0.13513	\$ 0.15340
TOU-GS-1-SUB-A	Energy	Winter	MID-PEAK	\$ 0.09691	\$ 0.10137	\$ 0.11474
TOU-GS-1-SUB-A	Energy	Winter	OFF-PEAK	\$ 0.08789	\$ 0.09189	\$ 0.10388
TOU-GS-1-SUB-B	Energy	Summer	ON-PEAK	\$ 0.08301	\$ 0.08625	\$ 0.09598
TOU-GS-1-SUB-B	Energy	Summer	MID-PEAK	\$ 0.07819	\$ 0.08122	\$ 0.09031
TOU-GS-1-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.07555	\$ 0.07846	\$ 0.08721
TOU-GS-1-SUB-B	Energy	Winter	MID-PEAK	\$ 0.09920	\$ 0.10315	\$ 0.11501
TOU-GS-1-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.09012	\$ 0.09367	\$ 0.10433
TOU-GS-1-SUB-B	Demand	Summer	ON-PEAK	\$ 9.98	\$ 10.42	\$ 11.74
TOU-GS-1-SUB-B	Demand	Summer	MID-PEAK	\$ 2.85	\$ 2.97	\$ 3.35
TOU-GS-1-SUB-D	Energy	Summer	ON-PEAK	\$ 0.11019	\$ 0.11509	\$ 0.12979
TOU-GS-1-SUB-D	Energy	Summer	MID-PEAK	\$ 0.10032	\$ 0.10475	\$ 0.11801
TOU-GS-1-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.06863	\$ 0.07152	\$ 0.08017
TOU-GS-1-SUB-D	Energy	Winter	MID-PEAK	\$ 0.10421	\$ 0.10882	\$ 0.12265
TOU-GS-1-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.07604	\$ 0.07928	\$ 0.08902
TOU-GS-1-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05900	\$ 0.06142	\$ 0.06867
TOU-GS-1-SUB-D	Demand	Summer	ON-PEAK	\$ 13.90	\$ 14.57	\$ 16.60
TOU-GS-1-SUB-D	Demand	Winter	MID-PEAK	\$ 3.96	\$ 4.15	\$ 4.73
TOU-GS-1-SUB-E	Energy	Summer	ON-PEAK	\$ 0.38527	\$ 0.40467	\$ 0.46289
TOU-GS-1-SUB-E	Energy	Summer	MID-PEAK	\$ 0.10748	\$ 0.11255	\$ 0.12777
TOU-GS-1-SUB-E	Energy	Summer	OFF-PEAK	\$ 0.07875	\$ 0.08234	\$ 0.09311
TOU-GS-1-SUB-E	Energy	Winter	MID-PEAK	\$ 0.15966	\$ 0.16742	\$ 0.19072

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-1-SUB-E	Energy	Winter	OFF-PEAK	\$ 0.09166	\$ 0.09592	\$ 0.10869
TOU-GS-1-SUB-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05129	\$ 0.05347	\$ 0.05999
TOU-GS-2-B	Energy	Summer	ON-PEAK	\$ 0.08004	\$ 0.08402	\$ 0.09599
TOU-GS-2-B	Energy	Summer	MID-PEAK	\$ 0.07549	\$ 0.07922	\$ 0.09041
TOU-GS-2-B	Energy	Summer	OFF-PEAK	\$ 0.07299	\$ 0.07658	\$ 0.08735
TOU-GS-2-B	Energy	Winter	MID-PEAK	\$ 0.09520	\$ 0.10004	\$ 0.11459
TOU-GS-2-B	Energy	Winter	OFF-PEAK	\$ 0.06017	\$ 0.06303	\$ 0.07162
TOU-GS-2-B	Demand	Summer	ON-PEAK	\$ 12.52	\$ 13.23	\$ 15.35
TOU-GS-2-B	Demand	Summer	MID-PEAK	\$ 4.21	\$ 4.45	\$ 5.16
TOU-GS-2-D	Energy	Summer	ON-PEAK	\$ 0.10653	\$ 0.11242	\$ 0.13010
TOU-GS-2-D	Energy	Summer	MID-PEAK	\$ 0.09798	\$ 0.10335	\$ 0.11947
TOU-GS-2-D	Energy	Summer	OFF-PEAK	\$ 0.06631	\$ 0.06976	\$ 0.08010
TOU-GS-2-D	Energy	Winter	MID-PEAK	\$ 0.07503	\$ 0.07901	\$ 0.09094
TOU-GS-2-D	Energy	Winter	OFF-PEAK	\$ 0.07544	\$ 0.07944	\$ 0.09144
TOU-GS-2-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04418	\$ 0.04628	\$ 0.05258
TOU-GS-2-D	Demand	Summer	ON-PEAK	\$ 17.99	\$ 19.08	\$ 22.36
TOU-GS-2-D	Demand	Winter	MID-PEAK	\$ 4.73	\$ 5.01	\$ 5.88
TOU-GS-2-E	Energy	Summer	ON-PEAK	\$ 0.33565	\$ 0.35624	\$ 0.41800
TOU-GS-2-E	Energy	Summer	MID-PEAK	\$ 0.09779	\$ 0.10335	\$ 0.12006
TOU-GS-2-E	Energy	Summer	OFF-PEAK	\$ 0.06619	\$ 0.06976	\$ 0.08047
TOU-GS-2-E	Energy	Winter	MID-PEAK	\$ 0.11142	\$ 0.11785	\$ 0.13713
TOU-GS-2-E	Energy	Winter	OFF-PEAK	\$ 0.07529	\$ 0.07944	\$ 0.09188
TOU-GS-2-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04410	\$ 0.04628	\$ 0.05281
TOU-GS-2-E	Demand	Summer	ON-PEAK	\$ 4.98	\$ 5.29	\$ 6.23
TOU-GS-2-E	Demand	Winter	MID-PEAK	\$ 1.93	\$ 2.05	\$ 2.42
TOU-GS-2-PRI-B	Energy	Summer	ON-PEAK	\$ 0.07922	\$ 0.08318	\$ 0.09508
TOU-GS-2-PRI-B	Energy	Summer	MID-PEAK	\$ 0.07467	\$ 0.07838	\$ 0.08950
TOU-GS-2-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.07218	\$ 0.07574	\$ 0.08644
TOU-GS-2-PRI-B	Energy	Winter	MID-PEAK	\$ 0.09437	\$ 0.09920	\$ 0.11369
TOU-GS-2-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.05935	\$ 0.06219	\$ 0.07069
TOU-GS-2-PRI-B	Demand	Summer	ON-PEAK	\$ 12.01	\$ 12.69	\$ 14.74
TOU-GS-2-PRI-B	Demand	Summer	MID-PEAK	\$ 3.70	\$ 3.91	\$ 4.55
TOU-GS-2-PRI-D	Energy	Summer	ON-PEAK	\$ 0.10571	\$ 0.11158	\$ 0.12918
TOU-GS-2-PRI-D	Energy	Summer	MID-PEAK	\$ 0.09717	\$ 0.10251	\$ 0.11855
TOU-GS-2-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.06550	\$ 0.06892	\$ 0.07915
TOU-GS-2-PRI-D	Energy	Winter	MID-PEAK	\$ 0.07423	\$ 0.07817	\$ 0.09000
TOU-GS-2-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.07463	\$ 0.07860	\$ 0.09050
TOU-GS-2-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04337	\$ 0.04544	\$ 0.05162
TOU-GS-2-PRI-D	Demand	Summer	ON-PEAK	\$ 17.57	\$ 18.65	\$ 21.86
TOU-GS-2-PRI-D	Demand	Winter	MID-PEAK	\$ 4.62	\$ 4.90	\$ 5.75
TOU-GS-2-PRI-E	Energy	Summer	ON-PEAK	\$ 0.33440	\$ 0.35498	\$ 0.41673
TOU-GS-2-PRI-E	Energy	Summer	MID-PEAK	\$ 0.09658	\$ 0.10210	\$ 0.11863
TOU-GS-2-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.06499	\$ 0.06850	\$ 0.07903
TOU-GS-2-PRI-E	Energy	Winter	MID-PEAK	\$ 0.11022	\$ 0.11659	\$ 0.13571

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-2-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.07409	\$ 0.07818	\$ 0.09044
TOU-GS-2-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04291	\$ 0.04502	\$ 0.05135
TOU-GS-2-PRI-E	Demand	Summer	ON-PEAK	\$ 4.81	\$ 5.11	\$ 6.03
TOU-GS-2-PRI-E	Demand	Winter	MID-PEAK	\$ 1.89	\$ 2.01	\$ 2.37
TOU-GS-2-PRI-R	Energy	Summer	ON-PEAK	\$ 0.24274	\$ 0.25659	\$ 0.29814
TOU-GS-2-PRI-R	Energy	Summer	MID-PEAK	\$ 0.11934	\$ 0.12585	\$ 0.14541
TOU-GS-2-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.07080	\$ 0.07443	\$ 0.08534
TOU-GS-2-PRI-R	Energy	Winter	MID-PEAK	\$ 0.09294	\$ 0.09789	\$ 0.11275
TOU-GS-2-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.05801	\$ 0.06088	\$ 0.06950
TOU-GS-2-R	Energy	Summer	ON-PEAK	\$ 0.24486	\$ 0.25874	\$ 0.30038
TOU-GS-2-R	Energy	Summer	MID-PEAK	\$ 0.12141	\$ 0.12800	\$ 0.14779
TOU-GS-2-R	Energy	Summer	OFF-PEAK	\$ 0.07285	\$ 0.07658	\$ 0.08778
TOU-GS-2-R	Energy	Winter	MID-PEAK	\$ 0.09501	\$ 0.10004	\$ 0.11516
TOU-GS-2-R	Energy	Winter	OFF-PEAK	\$ 0.06005	\$ 0.06303	\$ 0.07196
TOU-GS-2-SUB-B	Energy	Summer	ON-PEAK	\$ 0.07876	\$ 0.08216	\$ 0.09238
TOU-GS-2-SUB-B	Energy	Summer	MID-PEAK	\$ 0.07418	\$ 0.07736	\$ 0.08690
TOU-GS-2-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.07166	\$ 0.07472	\$ 0.08389
TOU-GS-2-SUB-B	Energy	Winter	MID-PEAK	\$ 0.09402	\$ 0.09818	\$ 0.11066
TOU-GS-2-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.05875	\$ 0.06117	\$ 0.06843
TOU-GS-2-SUB-B	Demand	Summer	ON-PEAK	\$ 11.44	\$ 12.01	\$ 13.70
TOU-GS-2-SUB-B	Demand	Summer	MID-PEAK	\$ 3.08	\$ 3.23	\$ 3.68
TOU-GS-2-SUB-D	Energy	Summer	ON-PEAK	\$ 0.10542	\$ 0.11056	\$ 0.12596
TOU-GS-2-SUB-D	Energy	Summer	MID-PEAK	\$ 0.09682	\$ 0.10149	\$ 0.11551
TOU-GS-2-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.06493	\$ 0.06790	\$ 0.07679
TOU-GS-2-SUB-D	Energy	Winter	MID-PEAK	\$ 0.07371	\$ 0.07715	\$ 0.08745
TOU-GS-2-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.07412	\$ 0.07757	\$ 0.08794
TOU-GS-2-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04265	\$ 0.04441	\$ 0.04972
TOU-GS-2-SUB-D	Demand	Summer	ON-PEAK	\$ 17.16	\$ 18.08	\$ 20.84
TOU-GS-2-SUB-D	Demand	Winter	MID-PEAK	\$ 4.51	\$ 4.76	\$ 5.48
TOU-GS-3-B	Energy	Summer	ON-PEAK	\$ 0.06594	\$ 0.07017	\$ 0.08238
TOU-GS-3-B	Energy	Summer	MID-PEAK	\$ 0.06219	\$ 0.06614	\$ 0.07755
TOU-GS-3-B	Energy	Summer	OFF-PEAK	\$ 0.06028	\$ 0.06408	\$ 0.07508
TOU-GS-3-B	Energy	Winter	MID-PEAK	\$ 0.10705	\$ 0.11300	\$ 0.13752
TOU-GS-3-B	Energy	Winter	OFF-PEAK	\$ 0.06626	\$ 0.06973	\$ 0.08401
TOU-GS-3-B	Demand	Summer	ON-PEAK	\$ 8.75	\$ 9.41	\$ 11.30
TOU-GS-3-B	Demand	Summer	MID-PEAK	\$ 2.93	\$ 3.14	\$ 3.78
TOU-GS-3-D	Energy	Summer	ON-PEAK	\$ 0.08542	\$ 0.09110	\$ 0.10752
TOU-GS-3-D	Energy	Summer	MID-PEAK	\$ 0.07871	\$ 0.08389	\$ 0.09886
TOU-GS-3-D	Energy	Summer	OFF-PEAK	\$ 0.05619	\$ 0.05969	\$ 0.06980
TOU-GS-3-D	Energy	Winter	MID-PEAK	\$ 0.08288	\$ 0.08735	\$ 0.10581
TOU-GS-3-D	Energy	Winter	OFF-PEAK	\$ 0.08332	\$ 0.08782	\$ 0.10638
TOU-GS-3-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04818	\$ 0.05055	\$ 0.06030
TOU-GS-3-D	Demand	Summer	ON-PEAK	\$ 13.06	\$ 14.04	\$ 16.86
TOU-GS-3-D	Demand	Winter	MID-PEAK	\$ 6.43	\$ 6.82	\$ 8.44

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-3-E	Energy	Summer	ON-PEAK	\$ 0.23480	\$ 0.25163	\$ 0.30028
TOU-GS-3-E	Energy	Summer	MID-PEAK	\$ 0.07871	\$ 0.08389	\$ 0.09886
TOU-GS-3-E	Energy	Summer	OFF-PEAK	\$ 0.05619	\$ 0.05969	\$ 0.06980
TOU-GS-3-E	Energy	Winter	MID-PEAK	\$ 0.12812	\$ 0.13535	\$ 0.16516
TOU-GS-3-E	Energy	Winter	OFF-PEAK	\$ 0.08332	\$ 0.08782	\$ 0.10638
TOU-GS-3-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04818	\$ 0.05055	\$ 0.06030
TOU-GS-3-E	Demand	Summer	ON-PEAK	\$ 3.62	\$ 3.89	\$ 4.67
TOU-GS-3-E	Demand	Winter	MID-PEAK	\$ 2.62	\$ 2.78	\$ 3.44
TOU-GS-3-PRI-B	Energy	Summer	ON-PEAK	\$ 0.06527	\$ 0.06945	\$ 0.08151
TOU-GS-3-PRI-B	Energy	Summer	MID-PEAK	\$ 0.06152	\$ 0.06542	\$ 0.07668
TOU-GS-3-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.05961	\$ 0.06336	\$ 0.07421
TOU-GS-3-PRI-B	Energy	Winter	MID-PEAK	\$ 0.10614	\$ 0.11203	\$ 0.13632
TOU-GS-3-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.06535	\$ 0.06876	\$ 0.08281
TOU-GS-3-PRI-B	Demand	Summer	ON-PEAK	\$ 8.39	\$ 9.02	\$ 10.83
TOU-GS-3-PRI-B	Demand	Summer	MID-PEAK	\$ 2.56	\$ 2.75	\$ 3.31
TOU-GS-3-PRI-D	Energy	Summer	ON-PEAK	\$ 0.08475	\$ 0.09038	\$ 0.10665
TOU-GS-3-PRI-D	Energy	Summer	MID-PEAK	\$ 0.07804	\$ 0.08317	\$ 0.09799
TOU-GS-3-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.05552	\$ 0.05897	\$ 0.06893
TOU-GS-3-PRI-D	Energy	Winter	MID-PEAK	\$ 0.08196	\$ 0.08638	\$ 0.10461
TOU-GS-3-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.08240	\$ 0.08685	\$ 0.10519
TOU-GS-3-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04727	\$ 0.04958	\$ 0.05910
TOU-GS-3-PRI-D	Demand	Summer	ON-PEAK	\$ 12.76	\$ 13.72	\$ 16.47
TOU-GS-3-PRI-D	Demand	Winter	MID-PEAK	\$ 6.27	\$ 6.65	\$ 8.22
TOU-GS-3-PRI-E	Energy	Summer	ON-PEAK	\$ 0.23356	\$ 0.25030	\$ 0.29868
TOU-GS-3-PRI-E	Energy	Summer	MID-PEAK	\$ 0.07747	\$ 0.08256	\$ 0.09726
TOU-GS-3-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.05495	\$ 0.05836	\$ 0.06820
TOU-GS-3-PRI-E	Energy	Winter	MID-PEAK	\$ 0.12643	\$ 0.13356	\$ 0.16294
TOU-GS-3-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.08163	\$ 0.08603	\$ 0.10417
TOU-GS-3-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04650	\$ 0.04876	\$ 0.05808
TOU-GS-3-PRI-E	Demand	Summer	ON-PEAK	\$ 3.50	\$ 3.76	\$ 4.51
TOU-GS-3-PRI-E	Demand	Winter	MID-PEAK	\$ 2.56	\$ 2.72	\$ 3.36
TOU-GS-3-PRI-R	Energy	Summer	ON-PEAK	\$ 0.17226	\$ 0.18442	\$ 0.21958
TOU-GS-3-PRI-R	Energy	Summer	MID-PEAK	\$ 0.08894	\$ 0.09489	\$ 0.11207
TOU-GS-3-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.05883	\$ 0.06253	\$ 0.07321
TOU-GS-3-PRI-R	Energy	Winter	MID-PEAK	\$ 0.10509	\$ 0.11091	\$ 0.13494
TOU-GS-3-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.06429	\$ 0.06764	\$ 0.08143
TOU-GS-3-R	Energy	Summer	ON-PEAK	\$ 0.17371	\$ 0.18598	\$ 0.22145
TOU-GS-3-R	Energy	Summer	MID-PEAK	\$ 0.09039	\$ 0.09644	\$ 0.11393
TOU-GS-3-R	Energy	Summer	OFF-PEAK	\$ 0.06028	\$ 0.06408	\$ 0.07508
TOU-GS-3-R	Energy	Winter	MID-PEAK	\$ 0.10705	\$ 0.11300	\$ 0.13752
TOU-GS-3-R	Energy	Winter	OFF-PEAK	\$ 0.06626	\$ 0.06973	\$ 0.08401
TOU-GS-3-SUB-D	Energy	Summer	ON-PEAK	\$ 0.08394	\$ 0.08951	\$ 0.10561
TOU-GS-3-SUB-D	Energy	Summer	MID-PEAK	\$ 0.07723	\$ 0.08230	\$ 0.09695
TOU-GS-3-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.05471	\$ 0.05810	\$ 0.06789

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-3-SUB-D	Energy	Winter	MID-PEAK	\$ 0.08087	\$ 0.08522	\$ 0.10317
TOU-GS-3-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.08131	\$ 0.08569	\$ 0.10375
TOU-GS-3-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04617	\$ 0.04842	\$ 0.05766
TOU-GS-3-SUB-D	Demand	Summer	ON-PEAK	\$ 12.37	\$ 13.29	\$ 15.96
TOU-GS-3-SUB-D	Demand	Winter	MID-PEAK	\$ 6.09	\$ 6.46	\$ 7.98
TOU-8-PRI-B	Energy	Summer	ON-PEAK	\$ 0.05856	\$ 0.06032	\$ 0.07780
TOU-8-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05491	\$ 0.05654	\$ 0.07273
TOU-8-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.05360	\$ 0.05518	\$ 0.07091
TOU-8-PRI-B	Energy	Winter	MID-PEAK	\$ 0.09402	\$ 0.09718	\$ 0.12729
TOU-8-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.05856	\$ 0.06041	\$ 0.07797
TOU-8-PRI-B	Demand	Summer	ON-PEAK	\$ 8.51	\$ 8.81	\$ 11.81
TOU-8-PRI-B	Demand	Summer	MID-PEAK	\$ 2.74	\$ 2.83	\$ 3.80
TOU-8-PRI-D	Energy	Summer	ON-PEAK	\$ 0.07531	\$ 0.07767	\$ 0.10104
TOU-8-PRI-D	Energy	Summer	MID-PEAK	\$ 0.06959	\$ 0.07174	\$ 0.09310
TOU-8-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04994	\$ 0.05139	\$ 0.06584
TOU-8-PRI-D	Energy	Winter	MID-PEAK	\$ 0.07050	\$ 0.07278	\$ 0.09457
TOU-8-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.07101	\$ 0.07331	\$ 0.09528
TOU-8-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04149	\$ 0.04270	\$ 0.05422
TOU-8-PRI-D	Demand	Summer	ON-PEAK	\$ 12.10	\$ 12.53	\$ 16.78
TOU-8-PRI-D	Demand	Winter	MID-PEAK	\$ 5.88	\$ 6.09	\$ 8.17
TOU-8-PRI-E	Energy	Summer	ON-PEAK	\$ 0.19748	\$ 0.20416	\$ 0.27055
TOU-8-PRI-E	Energy	Summer	MID-PEAK	\$ 0.06959	\$ 0.07174	\$ 0.09310
TOU-8-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.04994	\$ 0.05139	\$ 0.06584
TOU-8-PRI-E	Energy	Winter	MID-PEAK	\$ 0.12145	\$ 0.12563	\$ 0.16544
TOU-8-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.07101	\$ 0.07331	\$ 0.09528
TOU-8-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04149	\$ 0.04270	\$ 0.05422
TOU-8-PRI-E	Demand	Summer	ON-PEAK	\$ 2.97	\$ 3.07	\$ 4.12
TOU-8-PRI-E	Demand	Winter	MID-PEAK	\$ 0.67	\$ 0.70	\$ 0.94
TOU-8-PRI-R	Energy	Summer	ON-PEAK	\$ 0.15490	\$ 0.16008	\$ 0.21148
TOU-8-PRI-R	Energy	Summer	MID-PEAK	\$ 0.07672	\$ 0.07913	\$ 0.10300
TOU-8-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.05360	\$ 0.05518	\$ 0.07091
TOU-8-PRI-R	Energy	Winter	MID-PEAK	\$ 0.09402	\$ 0.09718	\$ 0.12729
TOU-8-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.05856	\$ 0.06041	\$ 0.07797
TOU-8-SEC-B	Energy	Summer	ON-PEAK	\$ 0.06568	\$ 0.07042	\$ 0.08282
TOU-8-SEC-B	Energy	Summer	MID-PEAK	\$ 0.06175	\$ 0.06616	\$ 0.07770
TOU-8-SEC-B	Energy	Summer	OFF-PEAK	\$ 0.06002	\$ 0.06429	\$ 0.07545
TOU-8-SEC-B	Energy	Winter	MID-PEAK	\$ 0.10561	\$ 0.11410	\$ 0.13636
TOU-8-SEC-B	Energy	Winter	OFF-PEAK	\$ 0.06861	\$ 0.07385	\$ 0.08757
TOU-8-SEC-B	Demand	Summer	ON-PEAK	\$ 9.47	\$ 10.27	\$ 12.34
TOU-8-SEC-B	Demand	Summer	MID-PEAK	\$ 3.11	\$ 3.37	\$ 4.06
TOU-8-SEC-D	Energy	Summer	ON-PEAK	\$ 0.08502	\$ 0.09138	\$ 0.10802
TOU-8-SEC-D	Energy	Summer	MID-PEAK	\$ 0.07833	\$ 0.08413	\$ 0.09930
TOU-8-SEC-D	Energy	Summer	OFF-PEAK	\$ 0.05600	\$ 0.05993	\$ 0.07021
TOU-8-SEC-D	Energy	Winter	MID-PEAK	\$ 0.08471	\$ 0.09137	\$ 0.10881

June 5, 2025
Page 8 of 21

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-8-SEC-D	Energy	Winter	OFF-PEAK	\$ 0.08519	\$ 0.09188	\$ 0.10943
TOU-8-SEC-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04903	\$ 0.05254	\$ 0.06175
TOU-8-SEC-D	Demand	Summer	ON-PEAK	\$ 13.76	\$ 14.92	\$ 17.93
TOU-8-SEC-D	Demand	Winter	MID-PEAK	\$ 5.89	\$ 6.41	\$ 7.77
TOU-8-SEC-E	Energy	Summer	ON-PEAK	\$ 0.22696	\$ 0.24522	\$ 0.29298
TOU-8-SEC-E	Energy	Summer	MID-PEAK	\$ 0.07833	\$ 0.08413	\$ 0.09930
TOU-8-SEC-E	Energy	Summer	OFF-PEAK	\$ 0.05600	\$ 0.05993	\$ 0.07021
TOU-8-SEC-E	Energy	Winter	MID-PEAK	\$ 0.12323	\$ 0.13327	\$ 0.15960
TOU-8-SEC-E	Energy	Winter	OFF-PEAK	\$ 0.08519	\$ 0.09188	\$ 0.10943
TOU-8-SEC-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04903	\$ 0.05254	\$ 0.06175
TOU-8-SEC-E	Demand	Summer	ON-PEAK	\$ 3.82	\$ 4.14	\$ 4.97
TOU-8-SEC-E	Demand	Winter	MID-PEAK	\$ 2.41	\$ 2.62	\$ 3.17
TOU-8-SEC-R	Energy	Summer	ON-PEAK	\$ 0.17450	\$ 0.18836	\$ 0.22462
TOU-8-SEC-R	Energy	Summer	MID-PEAK	\$ 0.08824	\$ 0.09487	\$ 0.11222
TOU-8-SEC-R	Energy	Summer	OFF-PEAK	\$ 0.06002	\$ 0.06429	\$ 0.07545
TOU-8-SEC-R	Energy	Winter	MID-PEAK	\$ 0.10561	\$ 0.11410	\$ 0.13636
TOU-8-SEC-R	Energy	Winter	OFF-PEAK	\$ 0.06861	\$ 0.07385	\$ 0.08757
TOU-8-SUB-B	Energy	Summer	ON-PEAK	\$ 0.05902	\$ 0.06302	\$ 0.07214
TOU-8-SUB-B	Energy	Summer	MID-PEAK	\$ 0.05513	\$ 0.05883	\$ 0.06724
TOU-8-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.05396	\$ 0.05757	\$ 0.06577
TOU-8-SUB-B	Energy	Winter	MID-PEAK	\$ 0.09653	\$ 0.10432	\$ 0.12674
TOU-8-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.06121	\$ 0.06588	\$ 0.07932
TOU-8-SUB-B	Demand	Summer	ON-PEAK	\$ 10.60	\$ 11.43	\$ 13.34
TOU-8-SUB-B	Demand	Summer	MID-PEAK	\$ 3.43	\$ 3.70	\$ 4.32
TOU-8-SUB-D	Energy	Summer	ON-PEAK	\$ 0.07622	\$ 0.08159	\$ 0.09380
TOU-8-SUB-D	Energy	Summer	MID-PEAK	\$ 0.07055	\$ 0.07547	\$ 0.08666
TOU-8-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.05020	\$ 0.05351	\$ 0.06103
TOU-8-SUB-D	Energy	Winter	MID-PEAK	\$ 0.07308	\$ 0.07880	\$ 0.09526
TOU-8-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.07386	\$ 0.07965	\$ 0.09630
TOU-8-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04273	\$ 0.04577	\$ 0.05450
TOU-8-SUB-D	Demand	Summer	ON-PEAK	\$ 14.54	\$ 15.70	\$ 18.31
TOU-8-SUB-D	Demand	Winter	MID-PEAK	\$ 6.28	\$ 6.84	\$ 8.43
TOU-8-SUB-E	Energy	Summer	ON-PEAK	\$ 0.23416	\$ 0.25205	\$ 0.29271
TOU-8-SUB-E	Energy	Summer	MID-PEAK	\$ 0.07055	\$ 0.07547	\$ 0.08666
TOU-8-SUB-E	Energy	Summer	OFF-PEAK	\$ 0.05020	\$ 0.05351	\$ 0.06103
TOU-8-SUB-E	Energy	Winter	MID-PEAK	\$ 0.11915	\$ 0.12894	\$ 0.15712
TOU-8-SUB-E	Energy	Winter	OFF-PEAK	\$ 0.07386	\$ 0.07965	\$ 0.09630
TOU-8-SUB-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04273	\$ 0.04577	\$ 0.05450
TOU-8-SUB-E	Demand	Summer	ON-PEAK	\$ 1.38	\$ 1.49	\$ 1.73
TOU-8-SUB-E	Demand	Winter	MID-PEAK	\$ 0.89	\$ 0.97	\$ 1.20
TOU-8-SUB-R	Energy	Summer	ON-PEAK	\$ 0.16613	\$ 0.17862	\$ 0.20703
TOU-8-SUB-R	Energy	Summer	MID-PEAK	\$ 0.07867	\$ 0.08423	\$ 0.09689
TOU-8-SUB-R	Energy	Summer	OFF-PEAK	\$ 0.05396	\$ 0.05757	\$ 0.06577
TOU-8-SUB-R	Energy	Winter	MID-PEAK	\$ 0.09653	\$ 0.10432	\$ 0.12674

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-8-SUB-R	Energy	Winter	OFF-PEAK	\$ 0.06121	\$ 0.06588	\$ 0.07932
TOU-EV-7	Energy	Summer	ON-PEAK	\$ 0.29175	\$ 0.30776	\$ 0.35578
TOU-EV-7	Energy	Summer	MID-PEAK	\$ 0.10949	\$ 0.11517	\$ 0.13222
TOU-EV-7	Energy	Summer	OFF-PEAK	\$ 0.09161	\$ 0.09628	\$ 0.11028
TOU-EV-7	Energy	Winter	MID-PEAK	\$ 0.16141	\$ 0.17004	\$ 0.19591
TOU-EV-7	Energy	Winter	OFF-PEAK	\$ 0.10615	\$ 0.11164	\$ 0.12812
TOU-EV-7	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05357	\$ 0.05608	\$ 0.06362
TOU-EV-8	Energy	Summer	ON-PEAK	\$ 0.31940	\$ 0.33974	\$ 0.40079
TOU-EV-8	Energy	Summer	MID-PEAK	\$ 0.09758	\$ 0.10335	\$ 0.12069
TOU-EV-8	Energy	Summer	OFF-PEAK	\$ 0.07766	\$ 0.08213	\$ 0.09554
TOU-EV-8	Energy	Winter	MID-PEAK	\$ 0.13637	\$ 0.14470	\$ 0.16967
TOU-EV-8	Energy	Winter	OFF-PEAK	\$ 0.08959	\$ 0.09484	\$ 0.11060
TOU-EV-8	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04402	\$ 0.04628	\$ 0.05306
TOU-EV-PRI-9	Energy	Summer	ON-PEAK	\$ 0.22880	\$ 0.24084	\$ 0.27695
TOU-EV-PRI-9	Energy	Summer	MID-PEAK	\$ 0.08685	\$ 0.09111	\$ 0.10391
TOU-EV-PRI-9	Energy	Summer	OFF-PEAK	\$ 0.06857	\$ 0.07183	\$ 0.08163
TOU-EV-PRI-9	Energy	Winter	MID-PEAK	\$ 0.12676	\$ 0.13321	\$ 0.15256
TOU-EV-PRI-9	Energy	Winter	OFF-PEAK	\$ 0.07717	\$ 0.08091	\$ 0.09212
TOU-EV-PRI-9	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04115	\$ 0.04291	\$ 0.04821
TOU-EV-SEC-9	Energy	Summer	ON-PEAK	\$ 0.25115	\$ 0.26523	\$ 0.30744
TOU-EV-SEC-9	Energy	Summer	MID-PEAK	\$ 0.09114	\$ 0.09591	\$ 0.11022
TOU-EV-SEC-9	Energy	Summer	OFF-PEAK	\$ 0.07281	\$ 0.07651	\$ 0.08762
TOU-EV-SEC-9	Energy	Winter	MID-PEAK	\$ 0.12851	\$ 0.13545	\$ 0.15627
TOU-EV-SEC-9	Energy	Winter	OFF-PEAK	\$ 0.08224	\$ 0.08649	\$ 0.09924
TOU-EV-SEC-9	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04298	\$ 0.04495	\$ 0.05085
TOU-EV-SUB-9	Energy	Summer	ON-PEAK	\$ 0.22598	\$ 0.23456	\$ 0.26028
TOU-EV-SUB-9	Energy	Summer	MID-PEAK	\$ 0.08281	\$ 0.08575	\$ 0.09454
TOU-EV-SUB-9	Energy	Summer	OFF-PEAK	\$ 0.06484	\$ 0.06706	\$ 0.07373
TOU-EV-SUB-9	Energy	Winter	MID-PEAK	\$ 0.11441	\$ 0.11859	\$ 0.13112
TOU-EV-SUB-9	Energy	Winter	OFF-PEAK	\$ 0.07264	\$ 0.07518	\$ 0.08277
TOU-EV-SUB-9	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03914	\$ 0.04035	\$ 0.04398
TOU-PA-2-A	Energy	Summer	ON-PEAK	\$ 0.18840	\$ 0.19222	\$ 0.23741
TOU-PA-2-A	Energy	Summer	MID-PEAK	\$ 0.09120	\$ 0.09295	\$ 0.11360
TOU-PA-2-A	Energy	Summer	OFF-PEAK	\$ 0.06484	\$ 0.06602	\$ 0.08001
TOU-PA-2-A	Energy	Winter	MID-PEAK	\$ 0.11270	\$ 0.11288	\$ 0.14136
TOU-PA-2-A	Energy	Winter	OFF-PEAK	\$ 0.07769	\$ 0.07781	\$ 0.09663
TOU-PA-2-B	Energy	Summer	ON-PEAK	\$ 0.07099	\$ 0.07230	\$ 0.08785
TOU-PA-2-B	Energy	Summer	MID-PEAK	\$ 0.06632	\$ 0.06754	\$ 0.08190
TOU-PA-2-B	Energy	Summer	OFF-PEAK	\$ 0.06484	\$ 0.06602	\$ 0.08001
TOU-PA-2-B	Energy	Winter	MID-PEAK	\$ 0.11270	\$ 0.11288	\$ 0.14136
TOU-PA-2-B	Energy	Winter	OFF-PEAK	\$ 0.07769	\$ 0.07781	\$ 0.09663
TOU-PA-2-B	Demand	Summer	ON-PEAK	\$ 6.06	\$ 6.19	\$ 7.71
TOU-PA-2-B	Demand	Summer	MID-PEAK	\$ 1.86	\$ 1.90	\$ 2.37
TOU-PA-2-D	Energy	Summer	ON-PEAK	\$ 0.09377	\$ 0.09557	\$ 0.11687

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-2-D	Energy	Summer	MID-PEAK	\$ 0.08633	\$ 0.08797	\$ 0.10738
TOU-PA-2-D	Energy	Summer	OFF-PEAK	\$ 0.06032	\$ 0.06140	\$ 0.07425
TOU-PA-2-D	Energy	Winter	MID-PEAK	\$ 0.09944	\$ 0.09961	\$ 0.12443
TOU-PA-2-D	Energy	Winter	OFF-PEAK	\$ 0.08105	\$ 0.08119	\$ 0.10093
TOU-PA-2-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.07061	\$ 0.07072	\$ 0.08759
TOU-PA-2-D	Demand	Summer	ON-PEAK	\$ 8.54	\$ 8.73	\$ 10.88
TOU-PA-2-D	Demand	Winter	MID-PEAK	\$ 2.63	\$ 2.64	\$ 3.36
TOU-PA-2-D5	Energy	Summer	ON-PEAK	\$ 0.17744	\$ 0.18102	\$ 0.22344
TOU-PA-2-D5	Energy	Summer	MID-PEAK	\$ 0.16790	\$ 0.17128	\$ 0.21129
TOU-PA-2-D5	Energy	Summer	OFF-PEAK	\$ 0.05712	\$ 0.05814	\$ 0.07018
TOU-PA-2-D5	Energy	Winter	MID-PEAK	\$ 0.10156	\$ 0.10173	\$ 0.12713
TOU-PA-2-D5	Energy	Winter	OFF-PEAK	\$ 0.08275	\$ 0.08288	\$ 0.10310
TOU-PA-2-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.07203	\$ 0.07214	\$ 0.08940
TOU-PA-2-D5	Demand	Summer	ON-PEAK	\$ 8.18	\$ 8.35	\$ 10.42
TOU-PA-2-D5	Demand	Winter	MID-PEAK	\$ 2.45	\$ 2.46	\$ 3.14
TOU-PA-2-E	Energy	Summer	ON-PEAK	\$ 0.29334	\$ 0.29939	\$ 0.37107
TOU-PA-2-E	Energy	Summer	MID-PEAK	\$ 0.08633	\$ 0.08797	\$ 0.10738
TOU-PA-2-E	Energy	Summer	OFF-PEAK	\$ 0.06032	\$ 0.06140	\$ 0.07425
TOU-PA-2-E	Energy	Winter	MID-PEAK	\$ 0.11364	\$ 0.11383	\$ 0.14256
TOU-PA-2-E	Energy	Winter	OFF-PEAK	\$ 0.09236	\$ 0.09251	\$ 0.11537
TOU-PA-2-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.08024	\$ 0.08037	\$ 0.09989
TOU-PA-2-E5	Energy	Summer	ON-PEAK	\$ 0.48181	\$ 0.49188	\$ 0.61115
TOU-PA-2-E5	Energy	Summer	MID-PEAK	\$ 0.16790	\$ 0.17128	\$ 0.21129
TOU-PA-2-E5	Energy	Summer	OFF-PEAK	\$ 0.05712	\$ 0.05814	\$ 0.07018
TOU-PA-2-E5	Energy	Winter	MID-PEAK	\$ 0.11412	\$ 0.11431	\$ 0.14317
TOU-PA-2-E5	Energy	Winter	OFF-PEAK	\$ 0.09273	\$ 0.09288	\$ 0.11585
TOU-PA-2-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.08056	\$ 0.08069	\$ 0.10030
TOU-PA-2-PRI-A	Energy	Summer	ON-PEAK	\$ 0.18724	\$ 0.19103	\$ 0.23593
TOU-PA-2-PRI-A	Energy	Summer	MID-PEAK	\$ 0.09004	\$ 0.09176	\$ 0.11211
TOU-PA-2-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.06368	\$ 0.06483	\$ 0.07853
TOU-PA-2-PRI-A	Energy	Winter	MID-PEAK	\$ 0.11111	\$ 0.11130	\$ 0.13933
TOU-PA-2-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.07610	\$ 0.07622	\$ 0.09461
TOU-PA-2-PRI-B	Energy	Summer	ON-PEAK	\$ 0.07029	\$ 0.07159	\$ 0.08696
TOU-PA-2-PRI-B	Energy	Summer	MID-PEAK	\$ 0.06562	\$ 0.06682	\$ 0.08101
TOU-PA-2-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.06414	\$ 0.06530	\$ 0.07912
TOU-PA-2-PRI-B	Energy	Winter	MID-PEAK	\$ 0.11174	\$ 0.11193	\$ 0.14013
TOU-PA-2-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.07673	\$ 0.07685	\$ 0.09541
TOU-PA-2-PRI-B	Demand	Summer	ON-PEAK	\$ 5.92	\$ 6.05	\$ 7.54
TOU-PA-2-PRI-B	Demand	Summer	MID-PEAK	\$ 1.72	\$ 1.76	\$ 2.19
TOU-PA-2-PRI-D	Energy	Summer	ON-PEAK	\$ 0.09307	\$ 0.09485	\$ 0.11597
TOU-PA-2-PRI-D	Energy	Summer	MID-PEAK	\$ 0.08562	\$ 0.08725	\$ 0.10649
TOU-PA-2-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.05961	\$ 0.06068	\$ 0.07336
TOU-PA-2-PRI-D	Energy	Winter	MID-PEAK	\$ 0.09849	\$ 0.09865	\$ 0.12320
TOU-PA-2-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.08010	\$ 0.08023	\$ 0.09971

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-2-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.06965	\$ 0.06976	\$ 0.08637
TOU-PA-2-PRI-D	Demand	Summer	ON-PEAK	\$ 8.42	\$ 8.60	\$ 10.73
TOU-PA-2-PRI-D	Demand	Winter	MID-PEAK	\$ 2.47	\$ 2.47	\$ 3.15
TOU-PA-2-PRI-D5	Energy	Summer	ON-PEAK	\$ 0.17671	\$ 0.18027	\$ 0.22251
TOU-PA-2-PRI-D5	Energy	Summer	MID-PEAK	\$ 0.16717	\$ 0.17054	\$ 0.21037
TOU-PA-2-PRI-D5	Energy	Summer	OFF-PEAK	\$ 0.05639	\$ 0.05739	\$ 0.06925
TOU-PA-2-PRI-D5	Energy	Winter	MID-PEAK	\$ 0.10057	\$ 0.10073	\$ 0.12586
TOU-PA-2-PRI-D5	Energy	Winter	OFF-PEAK	\$ 0.08176	\$ 0.08189	\$ 0.10183
TOU-PA-2-PRI-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.07104	\$ 0.07115	\$ 0.08814
TOU-PA-2-PRI-D5	Demand	Summer	ON-PEAK	\$ 8.07	\$ 8.24	\$ 10.28
TOU-PA-2-PRI-D5	Demand	Winter	MID-PEAK	\$ 2.30	\$ 2.30	\$ 2.94
TOU-PA-2-PRI-E	Energy	Summer	ON-PEAK	\$ 0.29217	\$ 0.29820	\$ 0.36959
TOU-PA-2-PRI-E	Energy	Summer	MID-PEAK	\$ 0.08516	\$ 0.08678	\$ 0.10590
TOU-PA-2-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.05915	\$ 0.06021	\$ 0.07277
TOU-PA-2-PRI-E	Energy	Winter	MID-PEAK	\$ 0.11206	\$ 0.11224	\$ 0.14054
TOU-PA-2-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.09077	\$ 0.09092	\$ 0.11335
TOU-PA-2-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.07866	\$ 0.07878	\$ 0.09787
TOU-PA-2-PRI-E5	Energy	Summer	ON-PEAK	\$ 0.48065	\$ 0.49070	\$ 0.60967
TOU-PA-2-PRI-E5	Energy	Summer	MID-PEAK	\$ 0.16674	\$ 0.17009	\$ 0.20981
TOU-PA-2-PRI-E5	Energy	Summer	OFF-PEAK	\$ 0.05596	\$ 0.05695	\$ 0.06870
TOU-PA-2-PRI-E5	Energy	Winter	MID-PEAK	\$ 0.11253	\$ 0.11272	\$ 0.14114
TOU-PA-2-PRI-E5	Energy	Winter	OFF-PEAK	\$ 0.09115	\$ 0.09130	\$ 0.11383
TOU-PA-2-PRI-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.07897	\$ 0.07910	\$ 0.09828
TOU-PA-3-A	Energy	Summer	ON-PEAK	\$ 0.16492	\$ 0.16823	\$ 0.20752
TOU-PA-3-A	Energy	Summer	MID-PEAK	\$ 0.07951	\$ 0.08100	\$ 0.09872
TOU-PA-3-A	Energy	Summer	OFF-PEAK	\$ 0.05747	\$ 0.05850	\$ 0.07065
TOU-PA-3-A	Energy	Winter	MID-PEAK	\$ 0.09826	\$ 0.09842	\$ 0.12294
TOU-PA-3-A	Energy	Winter	OFF-PEAK	\$ 0.07129	\$ 0.07141	\$ 0.08849
TOU-PA-3-B	Energy	Summer	ON-PEAK	\$ 0.06282	\$ 0.06397	\$ 0.07747
TOU-PA-3-B	Energy	Summer	MID-PEAK	\$ 0.05870	\$ 0.05975	\$ 0.07222
TOU-PA-3-B	Energy	Summer	OFF-PEAK	\$ 0.05747	\$ 0.05850	\$ 0.07065
TOU-PA-3-B	Energy	Winter	MID-PEAK	\$ 0.09826	\$ 0.09842	\$ 0.12294
TOU-PA-3-B	Energy	Winter	OFF-PEAK	\$ 0.07129	\$ 0.07141	\$ 0.08849
TOU-PA-3-B	Demand	Summer	ON-PEAK	\$ 6.42	\$ 6.56	\$ 8.18
TOU-PA-3-B	Demand	Summer	MID-PEAK	\$ 1.88	\$ 1.92	\$ 2.40
TOU-PA-3-D	Energy	Summer	ON-PEAK	\$ 0.08260	\$ 0.08416	\$ 0.10266
TOU-PA-3-D	Energy	Summer	MID-PEAK	\$ 0.07617	\$ 0.07760	\$ 0.09448
TOU-PA-3-D	Energy	Summer	OFF-PEAK	\$ 0.05361	\$ 0.05456	\$ 0.06574
TOU-PA-3-D	Energy	Winter	MID-PEAK	\$ 0.08657	\$ 0.08671	\$ 0.10800
TOU-PA-3-D	Energy	Winter	OFF-PEAK	\$ 0.08706	\$ 0.08720	\$ 0.10864
TOU-PA-3-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05021	\$ 0.05028	\$ 0.06155
TOU-PA-3-D	Demand	Summer	ON-PEAK	\$ 9.12	\$ 9.31	\$ 11.61
TOU-PA-3-D	Demand	Winter	MID-PEAK	\$ 2.67	\$ 2.68	\$ 3.42
TOU-PA-3-D5	Energy	Summer	ON-PEAK	\$ 0.15216	\$ 0.15520	\$ 0.19127

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-3-D5	Energy	Summer	MID-PEAK	\$ 0.14406	\$ 0.14693	\$ 0.18095
TOU-PA-3-D5	Energy	Summer	OFF-PEAK	\$ 0.05099	\$ 0.05187	\$ 0.06240
TOU-PA-3-D5	Energy	Winter	MID-PEAK	\$ 0.08587	\$ 0.08601	\$ 0.10712
TOU-PA-3-D5	Energy	Winter	OFF-PEAK	\$ 0.08637	\$ 0.08651	\$ 0.10775
TOU-PA-3-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04975	\$ 0.04983	\$ 0.06097
TOU-PA-3-D5	Demand	Summer	ON-PEAK	\$ 8.74	\$ 8.92	\$ 11.13
TOU-PA-3-D5	Demand	Winter	MID-PEAK	\$ 3.28	\$ 3.29	\$ 4.19
TOU-PA-3-E	Energy	Summer	ON-PEAK	\$ 0.25226	\$ 0.25744	\$ 0.31878
TOU-PA-3-E	Energy	Summer	MID-PEAK	\$ 0.07617	\$ 0.07760	\$ 0.09448
TOU-PA-3-E	Energy	Summer	OFF-PEAK	\$ 0.05361	\$ 0.05456	\$ 0.06574
TOU-PA-3-E	Energy	Winter	MID-PEAK	\$ 0.11962	\$ 0.11982	\$ 0.15023
TOU-PA-3-E	Energy	Winter	OFF-PEAK	\$ 0.09719	\$ 0.09735	\$ 0.12157
TOU-PA-3-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04130	\$ 0.04136	\$ 0.05018
TOU-PA-3-E5	Energy	Summer	ON-PEAK	\$ 0.40783	\$ 0.41632	\$ 0.51694
TOU-PA-3-E5	Energy	Summer	MID-PEAK	\$ 0.14406	\$ 0.14693	\$ 0.18095
TOU-PA-3-E5	Energy	Summer	OFF-PEAK	\$ 0.05099	\$ 0.05187	\$ 0.06240
TOU-PA-3-E5	Energy	Winter	MID-PEAK	\$ 0.12470	\$ 0.12491	\$ 0.15672
TOU-PA-3-E5	Energy	Winter	OFF-PEAK	\$ 0.10124	\$ 0.10141	\$ 0.12675
TOU-PA-3-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04278	\$ 0.04284	\$ 0.05206
TOU-PA-3-PRI-A	Energy	Summer	ON-PEAK	\$ 0.16384	\$ 0.16714	\$ 0.20615
TOU-PA-3-PRI-A	Energy	Summer	MID-PEAK	\$ 0.07843	\$ 0.07991	\$ 0.09736
TOU-PA-3-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.05640	\$ 0.05740	\$ 0.06929
TOU-PA-3-PRI-A	Energy	Winter	MID-PEAK	\$ 0.09679	\$ 0.09695	\$ 0.12107
TOU-PA-3-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.06983	\$ 0.06994	\$ 0.08662
TOU-PA-3-PRI-B	Energy	Summer	ON-PEAK	\$ 0.06213	\$ 0.06326	\$ 0.07659
TOU-PA-3-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05800	\$ 0.05904	\$ 0.07133
TOU-PA-3-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.05678	\$ 0.05779	\$ 0.06977
TOU-PA-3-PRI-B	Energy	Winter	MID-PEAK	\$ 0.09731	\$ 0.09747	\$ 0.12173
TOU-PA-3-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.07035	\$ 0.07046	\$ 0.08728
TOU-PA-3-PRI-B	Demand	Summer	ON-PEAK	\$ 6.25	\$ 6.38	\$ 7.96
TOU-PA-3-PRI-B	Demand	Summer	MID-PEAK	\$ 1.71	\$ 1.75	\$ 2.18
TOU-PA-3-PRI-D	Energy	Summer	ON-PEAK	\$ 0.08191	\$ 0.08345	\$ 0.10178
TOU-PA-3-PRI-D	Energy	Summer	MID-PEAK	\$ 0.07548	\$ 0.07689	\$ 0.09359
TOU-PA-3-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.05292	\$ 0.05385	\$ 0.06485
TOU-PA-3-PRI-D	Energy	Winter	MID-PEAK	\$ 0.08562	\$ 0.08576	\$ 0.10680
TOU-PA-3-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.08612	\$ 0.08626	\$ 0.10743
TOU-PA-3-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04926	\$ 0.04933	\$ 0.06034
TOU-PA-3-PRI-D	Demand	Summer	ON-PEAK	\$ 8.98	\$ 9.17	\$ 11.44
TOU-PA-3-PRI-D	Demand	Winter	MID-PEAK	\$ 2.49	\$ 2.49	\$ 3.18
TOU-PA-3-PRI-D5	Energy	Summer	ON-PEAK	\$ 0.15146	\$ 0.15449	\$ 0.19038
TOU-PA-3-PRI-D5	Energy	Summer	MID-PEAK	\$ 0.14336	\$ 0.14622	\$ 0.18007
TOU-PA-3-PRI-D5	Energy	Summer	OFF-PEAK	\$ 0.05029	\$ 0.05117	\$ 0.06151
TOU-PA-3-PRI-D5	Energy	Winter	MID-PEAK	\$ 0.08493	\$ 0.08507	\$ 0.10591
TOU-PA-3-PRI-D5	Energy	Winter	OFF-PEAK	\$ 0.08542	\$ 0.08556	\$ 0.10654

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-3-PRI-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04881	\$ 0.04888	\$ 0.05977
TOU-PA-3-PRI-D5	Demand	Summer	ON-PEAK	\$ 8.60	\$ 8.78	\$ 10.95
TOU-PA-3-PRI-D5	Demand	Winter	MID-PEAK	\$ 3.09	\$ 3.10	\$ 3.95
TOU-PA-3-PRI-E	Energy	Summer	ON-PEAK	\$ 0.25119	\$ 0.25634	\$ 0.31741
TOU-PA-3-PRI-E	Energy	Summer	MID-PEAK	\$ 0.07510	\$ 0.07650	\$ 0.09311
TOU-PA-3-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.05254	\$ 0.05346	\$ 0.06437
TOU-PA-3-PRI-E	Energy	Winter	MID-PEAK	\$ 0.11815	\$ 0.11835	\$ 0.14836
TOU-PA-3-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.09572	\$ 0.09588	\$ 0.11970
TOU-PA-3-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03984	\$ 0.03989	\$ 0.04831
TOU-PA-3-PRI-E5	Energy	Summer	ON-PEAK	\$ 0.40675	\$ 0.41523	\$ 0.51557
TOU-PA-3-PRI-E5	Energy	Summer	MID-PEAK	\$ 0.14298	\$ 0.14583	\$ 0.17958
TOU-PA-3-PRI-E5	Energy	Summer	OFF-PEAK	\$ 0.04991	\$ 0.05078	\$ 0.06103
TOU-PA-3-PRI-E5	Energy	Winter	MID-PEAK	\$ 0.12324	\$ 0.12345	\$ 0.15485
TOU-PA-3-PRI-E5	Energy	Winter	OFF-PEAK	\$ 0.09977	\$ 0.09994	\$ 0.12488
TOU-PA-3-PRI-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04131	\$ 0.04137	\$ 0.05019
AL-2-F	Energy	All_Year	NONE	\$ 0.09805	\$ 0.10607	\$ 0.12377
AL-2-GF	Energy	Summer	ON-PEAK	\$ 0.21978	\$ 0.23934	\$ 0.28255
AL-2-GF	Energy	Summer	OFF-PEAK	\$ 0.09805	\$ 0.10607	\$ 0.12377
AL-2-GF	Energy	Winter	ON-PEAK	\$ 0.14894	\$ 0.16192	\$ 0.19060
AL-2-GF	Energy	Winter	OFF-PEAK	\$ 0.09805	\$ 0.10607	\$ 0.12377
DWL	Energy	All_Year	NONE	\$ 0.06645	\$ 0.07020	\$ 0.08148
LS-1	Energy	All_Year	NONE	\$ 0.09792	\$ 0.10592	\$ 0.12360
LS-3	Energy	All_Year	NONE	\$ 0.09805	\$ 0.10607	\$ 0.12377
TC-1	Energy	All_Year	NONE	\$ 0.08863	\$ 0.09524	\$ 0.11508
WTR	Energy	All_Year	NONE	\$ 0.08999	\$ 0.09525	\$ 0.11102

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential CARE Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
TOU-GS-1-A	Energy	Summer	ON-PEAK	\$ 0.14723	\$ 0.15203	\$ 0.16644	\$ 0.15203
TOU-GS-1-A	Energy	Summer	MID-PEAK	\$ 0.13830	\$ 0.14279	\$ 0.15627	\$ 0.14279
TOU-GS-1-A	Energy	Summer	OFF-PEAK	\$ 0.13343	\$ 0.13775	\$ 0.15072	\$ 0.13775
TOU-GS-1-A	Energy	Winter	MID-PEAK	\$ 0.10080	\$ 0.10398	\$ 0.11355	\$ 0.10398
TOU-GS-1-A	Energy	Winter	OFF-PEAK	\$ 0.09163	\$ 0.09450	\$ 0.10311	\$ 0.09450
TOU-GS-1-B	Energy	Summer	ON-PEAK	\$ 0.08494	\$ 0.08708	\$ 0.09352	\$ 0.08708
TOU-GS-1-B	Energy	Summer	MID-PEAK	\$ 0.08004	\$ 0.08205	\$ 0.08807	\$ 0.08205
TOU-GS-1-B	Energy	Summer	OFF-PEAK	\$ 0.07736	\$ 0.07929	\$ 0.08509	\$ 0.07929
TOU-GS-1-B	Energy	Winter	MID-PEAK	\$ 0.10137	\$ 0.10398	\$ 0.11181	\$ 0.10398
TOU-GS-1-B	Energy	Winter	OFF-PEAK	\$ 0.09215	\$ 0.09450	\$ 0.10155	\$ 0.09450
TOU-GS-1-B	Demand	Summer	ON-PEAK	\$ 10.73	\$ 11.04	\$ 11.95	\$ 11.04
TOU-GS-1-B	Demand	Summer	MID-PEAK	\$ 3.49	\$ 3.59	\$ 3.88	\$ 3.59
TOU-GS-1-D	Energy	Summer	ON-PEAK	\$ 0.11267	\$ 0.11592	\$ 0.12568	\$ 0.11592
TOU-GS-1-D	Energy	Summer	MID-PEAK	\$ 0.10264	\$ 0.10558	\$ 0.11439	\$ 0.10558
TOU-GS-1-D	Energy	Summer	OFF-PEAK	\$ 0.07042	\$ 0.07235	\$ 0.07812	\$ 0.07235
TOU-GS-1-D	Energy	Winter	MID-PEAK	\$ 0.10659	\$ 0.10965	\$ 0.11884	\$ 0.10965
TOU-GS-1-D	Energy	Winter	OFF-PEAK	\$ 0.07796	\$ 0.08012	\$ 0.08660	\$ 0.08012
TOU-GS-1-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.06064	\$ 0.06225	\$ 0.06711	\$ 0.06225
TOU-GS-1-D	Demand	Summer	ON-PEAK	\$ 14.58	\$ 15.04	\$ 16.41	\$ 15.04
TOU-GS-1-D	Demand	Winter	MID-PEAK	\$ 4.48	\$ 4.62	\$ 5.04	\$ 4.62
TOU-GS-1-E	Energy	Summer	ON-PEAK	\$ 0.39370	\$ 0.40729	\$ 0.44806	\$ 0.40729
TOU-GS-1-E	Energy	Summer	MID-PEAK	\$ 0.11155	\$ 0.11517	\$ 0.12602	\$ 0.11517
TOU-GS-1-E	Energy	Summer	OFF-PEAK	\$ 0.08237	\$ 0.08495	\$ 0.09271	\$ 0.08495
TOU-GS-1-E	Energy	Winter	MID-PEAK	\$ 0.16455	\$ 0.17004	\$ 0.18651	\$ 0.17004
TOU-GS-1-E	Energy	Winter	OFF-PEAK	\$ 0.09548	\$ 0.09853	\$ 0.10769	\$ 0.09853
TOU-GS-1-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05448	\$ 0.05608	\$ 0.06088	\$ 0.05608
TOU-GS-1-ES	Energy	Summer	ON-PEAK	\$ 0.41894	\$ 0.43336	\$ 0.47663	\$ 0.43336
TOU-GS-1-ES	Energy	Summer	MID-PEAK	\$ 0.12130	\$ 0.12525	\$ 0.13708	\$ 0.12525
TOU-GS-1-ES	Energy	Summer	OFF-PEAK	\$ 0.08680	\$ 0.08953	\$ 0.09772	\$ 0.08953
TOU-GS-1-ES	Energy	Winter	MID-PEAK	\$ 0.15803	\$ 0.16327	\$ 0.17898	\$ 0.16327
TOU-GS-1-ES	Energy	Winter	OFF-PEAK	\$ 0.08977	\$ 0.09261	\$ 0.10112	\$ 0.09261
TOU-GS-1-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05181	\$ 0.05331	\$ 0.05781	\$ 0.05331
TOU-GS-1-PRI-A	Energy	Summer	ON-PEAK	\$ 0.14607	\$ 0.15084	\$ 0.16513	\$ 0.15084
TOU-GS-1-PRI-A	Energy	Summer	MID-PEAK	\$ 0.13714	\$ 0.14159	\$ 0.15496	\$ 0.14159
TOU-GS-1-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.13226	\$ 0.13655	\$ 0.14941	\$ 0.13655
TOU-GS-1-PRI-A	Energy	Winter	MID-PEAK	\$ 0.09964	\$ 0.10279	\$ 0.11223	\$ 0.10279
TOU-GS-1-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.09047	\$ 0.09330	\$ 0.10180	\$ 0.09330
TOU-GS-1-PRI-B	Energy	Summer	ON-PEAK	\$ 0.08451	\$ 0.08665	\$ 0.09305	\$ 0.08665
TOU-GS-1-PRI-B	Energy	Summer	MID-PEAK	\$ 0.07962	\$ 0.08161	\$ 0.08760	\$ 0.08161
TOU-GS-1-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.07694	\$ 0.07886	\$ 0.08462	\$ 0.07886
TOU-GS-1-PRI-B	Energy	Winter	MID-PEAK	\$ 0.10095	\$ 0.10355	\$ 0.11135	\$ 0.10355
TOU-GS-1-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.09173	\$ 0.09407	\$ 0.10108	\$ 0.09407
TOU-GS-1-PRI-B	Demand	Summer	ON-PEAK	\$ 10.47	\$ 10.77	\$ 11.66	\$ 10.77
TOU-GS-1-PRI-B	Demand	Summer	MID-PEAK	\$ 3.23	\$ 3.32	\$ 3.59	\$ 3.32
TOU-GS-1-PRI-D	Energy	Summer	ON-PEAK	\$ 0.11224	\$ 0.11549	\$ 0.12521	\$ 0.11549
TOU-GS-1-PRI-D	Energy	Summer	MID-PEAK	\$ 0.10222	\$ 0.10514	\$ 0.11392	\$ 0.10514
TOU-GS-1-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.07000	\$ 0.07191	\$ 0.07765	\$ 0.07191

June 5, 2025

Page 15 of 21

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential CARE Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
TOU-GS-1-PRI-D	Energy	Winter	MID-PEAK	\$ 0.10616	\$ 0.10921	\$ 0.11837	\$ 0.10921
TOU-GS-1-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.07753	\$ 0.07968	\$ 0.08613	\$ 0.07968
TOU-GS-1-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.06021	\$ 0.06182	\$ 0.06663	\$ 0.06182
TOU-GS-1-PRI-D	Demand	Summer	ON-PEAK	\$ 14.39	\$ 14.84	\$ 16.20	\$ 14.84
TOU-GS-1-PRI-D	Demand	Winter	MID-PEAK	\$ 4.28	\$ 4.42	\$ 4.82	\$ 4.42
TOU-GS-1-PRI-E	Energy	Summer	ON-PEAK	\$ 0.39253	\$ 0.40609	\$ 0.44677	\$ 0.40609
TOU-GS-1-PRI-E	Energy	Summer	MID-PEAK	\$ 0.11039	\$ 0.11397	\$ 0.12471	\$ 0.11397
TOU-GS-1-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.08120	\$ 0.08375	\$ 0.09140	\$ 0.08375
TOU-GS-1-PRI-E	Energy	Winter	MID-PEAK	\$ 0.16338	\$ 0.16884	\$ 0.18520	\$ 0.16884
TOU-GS-1-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.09432	\$ 0.09734	\$ 0.10637	\$ 0.09734
TOU-GS-1-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05332	\$ 0.05488	\$ 0.05957	\$ 0.05488
TOU-GS-1-PRI-ES	Energy	Summer	ON-PEAK	\$ 0.41777	\$ 0.43217	\$ 0.47534	\$ 0.43217
TOU-GS-1-PRI-ES	Energy	Summer	MID-PEAK	\$ 0.12014	\$ 0.12405	\$ 0.13577	\$ 0.12405
TOU-GS-1-PRI-ES	Energy	Summer	OFF-PEAK	\$ 0.08564	\$ 0.08833	\$ 0.09641	\$ 0.08833
TOU-GS-1-PRI-ES	Energy	Winter	MID-PEAK	\$ 0.15687	\$ 0.16207	\$ 0.17768	\$ 0.16207
TOU-GS-1-PRI-ES	Energy	Winter	OFF-PEAK	\$ 0.08861	\$ 0.09141	\$ 0.09981	\$ 0.09141
TOU-GS-1-PRI-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05065	\$ 0.05211	\$ 0.05649	\$ 0.05211
TOU-GS-1-SUB-A	Energy	Summer	ON-PEAK	\$ 0.14522	\$ 0.14942	\$ 0.16202	\$ 0.14942
TOU-GS-1-SUB-A	Energy	Summer	MID-PEAK	\$ 0.13625	\$ 0.14018	\$ 0.15195	\$ 0.14018
TOU-GS-1-SUB-A	Energy	Summer	OFF-PEAK	\$ 0.13136	\$ 0.13513	\$ 0.14645	\$ 0.13513
TOU-GS-1-SUB-A	Energy	Winter	MID-PEAK	\$ 0.09861	\$ 0.10137	\$ 0.10965	\$ 0.10137
TOU-GS-1-SUB-A	Energy	Winter	OFF-PEAK	\$ 0.08941	\$ 0.09189	\$ 0.09932	\$ 0.09189
TOU-GS-1-SUB-B	Energy	Summer	ON-PEAK	\$ 0.08428	\$ 0.08625	\$ 0.09214	\$ 0.08625
TOU-GS-1-SUB-B	Energy	Summer	MID-PEAK	\$ 0.07938	\$ 0.08122	\$ 0.08673	\$ 0.08122
TOU-GS-1-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.07670	\$ 0.07846	\$ 0.08376	\$ 0.07846
TOU-GS-1-SUB-B	Energy	Winter	MID-PEAK	\$ 0.10076	\$ 0.10315	\$ 0.11034	\$ 0.10315
TOU-GS-1-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.09152	\$ 0.09367	\$ 0.10013	\$ 0.09367
TOU-GS-1-SUB-B	Demand	Summer	ON-PEAK	\$ 10.16	\$ 10.42	\$ 11.22	\$ 10.42
TOU-GS-1-SUB-B	Demand	Summer	MID-PEAK	\$ 2.90	\$ 2.97	\$ 3.20	\$ 2.97
TOU-GS-1-SUB-D	Energy	Summer	ON-PEAK	\$ 0.11213	\$ 0.11509	\$ 0.12398	\$ 0.11509
TOU-GS-1-SUB-D	Energy	Summer	MID-PEAK	\$ 0.10207	\$ 0.10475	\$ 0.11277	\$ 0.10475
TOU-GS-1-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.06977	\$ 0.07152	\$ 0.07675	\$ 0.07152
TOU-GS-1-SUB-D	Energy	Winter	MID-PEAK	\$ 0.10603	\$ 0.10882	\$ 0.11718	\$ 0.10882
TOU-GS-1-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.07732	\$ 0.07928	\$ 0.08517	\$ 0.07928
TOU-GS-1-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05996	\$ 0.06142	\$ 0.06581	\$ 0.06142
TOU-GS-1-SUB-D	Demand	Summer	ON-PEAK	\$ 14.17	\$ 14.57	\$ 15.80	\$ 14.57
TOU-GS-1-SUB-D	Demand	Winter	MID-PEAK	\$ 4.04	\$ 4.15	\$ 4.50	\$ 4.15
TOU-GS-1-SUB-E	Energy	Summer	ON-PEAK	\$ 0.39267	\$ 0.40467	\$ 0.44070	\$ 0.40467
TOU-GS-1-SUB-E	Energy	Summer	MID-PEAK	\$ 0.10942	\$ 0.11255	\$ 0.12197	\$ 0.11255
TOU-GS-1-SUB-E	Energy	Summer	OFF-PEAK	\$ 0.08012	\$ 0.08234	\$ 0.08900	\$ 0.08234
TOU-GS-1-SUB-E	Energy	Winter	MID-PEAK	\$ 0.16262	\$ 0.16742	\$ 0.18183	\$ 0.16742
TOU-GS-1-SUB-E	Energy	Winter	OFF-PEAK	\$ 0.09329	\$ 0.09592	\$ 0.10382	\$ 0.09592
TOU-GS-1-SUB-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05212	\$ 0.05347	\$ 0.05750	\$ 0.05347
TOU-GS-2-B	Energy	Summer	ON-PEAK	\$ 0.08157	\$ 0.08402	\$ 0.09138	\$ 0.08402
TOU-GS-2-B	Energy	Summer	MID-PEAK	\$ 0.07692	\$ 0.07922	\$ 0.08610	\$ 0.07922
TOU-GS-2-B	Energy	Summer	OFF-PEAK	\$ 0.07438	\$ 0.07658	\$ 0.08321	\$ 0.07658
TOU-GS-2-B	Energy	Winter	MID-PEAK	\$ 0.09706	\$ 0.10004	\$ 0.10899	\$ 0.10004

June 5, 2025

Page 16 of 21

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential CARE Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
TOU-GS-2-B	Energy	Winter	OFF-PEAK	\$ 0.06127	\$ 0.06303	\$ 0.06831	\$ 0.06303
TOU-GS-2-B	Demand	Summer	ON-PEAK	\$ 12.79	\$ 13.23	\$ 14.53	\$ 13.23
TOU-GS-2-B	Demand	Summer	MID-PEAK	\$ 4.30	\$ 4.45	\$ 4.89	\$ 4.45
TOU-GS-2-D	Energy	Summer	ON-PEAK	\$ 0.10879	\$ 0.11242	\$ 0.12330	\$ 0.11242
TOU-GS-2-D	Energy	Summer	MID-PEAK	\$ 0.10005	\$ 0.10335	\$ 0.11327	\$ 0.10335
TOU-GS-2-D	Energy	Summer	OFF-PEAK	\$ 0.06764	\$ 0.06976	\$ 0.07612	\$ 0.06976
TOU-GS-2-D	Energy	Winter	MID-PEAK	\$ 0.07656	\$ 0.07901	\$ 0.08636	\$ 0.07901
TOU-GS-2-D	Energy	Winter	OFF-PEAK	\$ 0.07697	\$ 0.07944	\$ 0.08683	\$ 0.07944
TOU-GS-2-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04498	\$ 0.04628	\$ 0.05016	\$ 0.04628
TOU-GS-2-D	Demand	Summer	ON-PEAK	\$ 18.41	\$ 19.08	\$ 21.10	\$ 19.08
TOU-GS-2-D	Demand	Winter	MID-PEAK	\$ 4.84	\$ 5.01	\$ 5.54	\$ 5.01
TOU-GS-2-E	Energy	Summer	ON-PEAK	\$ 0.34344	\$ 0.35624	\$ 0.39464	\$ 0.35624
TOU-GS-2-E	Energy	Summer	MID-PEAK	\$ 0.09989	\$ 0.10335	\$ 0.11374	\$ 0.10335
TOU-GS-2-E	Energy	Summer	OFF-PEAK	\$ 0.06754	\$ 0.06976	\$ 0.07642	\$ 0.06976
TOU-GS-2-E	Energy	Winter	MID-PEAK	\$ 0.11385	\$ 0.11785	\$ 0.12984	\$ 0.11785
TOU-GS-2-E	Energy	Winter	OFF-PEAK	\$ 0.07686	\$ 0.07944	\$ 0.08717	\$ 0.07944
TOU-GS-2-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04492	\$ 0.04628	\$ 0.05034	\$ 0.04628
TOU-GS-2-E	Demand	Summer	ON-PEAK	\$ 5.10	\$ 5.29	\$ 5.88	\$ 5.29
TOU-GS-2-E	Demand	Winter	MID-PEAK	\$ 1.98	\$ 2.05	\$ 2.28	\$ 2.05
TOU-GS-2-PRI-B	Energy	Summer	ON-PEAK	\$ 0.08075	\$ 0.08318	\$ 0.09049	\$ 0.08318
TOU-GS-2-PRI-B	Energy	Summer	MID-PEAK	\$ 0.07610	\$ 0.07838	\$ 0.08521	\$ 0.07838
TOU-GS-2-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.07355	\$ 0.07574	\$ 0.08231	\$ 0.07574
TOU-GS-2-PRI-B	Energy	Winter	MID-PEAK	\$ 0.09624	\$ 0.09920	\$ 0.10810	\$ 0.09920
TOU-GS-2-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.06045	\$ 0.06219	\$ 0.06741	\$ 0.06219
TOU-GS-2-PRI-B	Demand	Summer	ON-PEAK	\$ 12.27	\$ 12.69	\$ 13.95	\$ 12.69
TOU-GS-2-PRI-B	Demand	Summer	MID-PEAK	\$ 3.78	\$ 3.91	\$ 4.30	\$ 3.91
TOU-GS-2-PRI-D	Energy	Summer	ON-PEAK	\$ 0.10797	\$ 0.11158	\$ 0.12240	\$ 0.11158
TOU-GS-2-PRI-D	Energy	Summer	MID-PEAK	\$ 0.09923	\$ 0.10251	\$ 0.11237	\$ 0.10251
TOU-GS-2-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.06682	\$ 0.06892	\$ 0.07521	\$ 0.06892
TOU-GS-2-PRI-D	Energy	Winter	MID-PEAK	\$ 0.07574	\$ 0.07817	\$ 0.08544	\$ 0.07817
TOU-GS-2-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.07616	\$ 0.07860	\$ 0.08591	\$ 0.07860
TOU-GS-2-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04417	\$ 0.04544	\$ 0.04924	\$ 0.04544
TOU-GS-2-PRI-D	Demand	Summer	ON-PEAK	\$ 17.99	\$ 18.65	\$ 20.62	\$ 18.65
TOU-GS-2-PRI-D	Demand	Winter	MID-PEAK	\$ 4.73	\$ 4.90	\$ 5.42	\$ 4.90
TOU-GS-2-PRI-E	Energy	Summer	ON-PEAK	\$ 0.34220	\$ 0.35498	\$ 0.39333	\$ 0.35498
TOU-GS-2-PRI-E	Energy	Summer	MID-PEAK	\$ 0.09867	\$ 0.10210	\$ 0.11236	\$ 0.10210
TOU-GS-2-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.06632	\$ 0.06850	\$ 0.07504	\$ 0.06850
TOU-GS-2-PRI-E	Energy	Winter	MID-PEAK	\$ 0.11263	\$ 0.11659	\$ 0.12847	\$ 0.11659
TOU-GS-2-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.07564	\$ 0.07818	\$ 0.08579	\$ 0.07818
TOU-GS-2-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04371	\$ 0.04502	\$ 0.04895	\$ 0.04502
TOU-GS-2-PRI-E	Demand	Summer	ON-PEAK	\$ 4.92	\$ 5.11	\$ 5.68	\$ 5.11
TOU-GS-2-PRI-E	Demand	Winter	MID-PEAK	\$ 1.94	\$ 2.01	\$ 2.23	\$ 2.01
TOU-GS-2-PRI-R	Energy	Summer	ON-PEAK	\$ 0.24801	\$ 0.25659	\$ 0.28235	\$ 0.25659
TOU-GS-2-PRI-R	Energy	Summer	MID-PEAK	\$ 0.12181	\$ 0.12585	\$ 0.13798	\$ 0.12585
TOU-GS-2-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.07218	\$ 0.07443	\$ 0.08119	\$ 0.07443
TOU-GS-2-PRI-R	Energy	Winter	MID-PEAK	\$ 0.09483	\$ 0.09789	\$ 0.10710	\$ 0.09789
TOU-GS-2-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.05910	\$ 0.06088	\$ 0.06623	\$ 0.06088

June 5, 2025

Page 17 of 21

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential CARE Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
TOU-GS-2-R	Energy	Summer	ON-PEAK	\$ 0.25012	\$ 0.25874	\$ 0.28459	\$ 0.25874
TOU-GS-2-R	Energy	Summer	MID-PEAK	\$ 0.12391	\$ 0.12800	\$ 0.14029	\$ 0.12800
TOU-GS-2-R	Energy	Summer	OFF-PEAK	\$ 0.07427	\$ 0.07658	\$ 0.08353	\$ 0.07658
TOU-GS-2-R	Energy	Winter	MID-PEAK	\$ 0.09692	\$ 0.10004	\$ 0.10943	\$ 0.10004
TOU-GS-2-R	Energy	Winter	OFF-PEAK	\$ 0.06118	\$ 0.06303	\$ 0.06857	\$ 0.06303
TOU-GS-2-SUB-B	Energy	Summer	ON-PEAK	\$ 0.08011	\$ 0.08216	\$ 0.08833	\$ 0.08216
TOU-GS-2-SUB-B	Energy	Summer	MID-PEAK	\$ 0.07544	\$ 0.07736	\$ 0.08311	\$ 0.07736
TOU-GS-2-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.07288	\$ 0.07472	\$ 0.08025	\$ 0.07472
TOU-GS-2-SUB-B	Energy	Winter	MID-PEAK	\$ 0.09567	\$ 0.09818	\$ 0.10571	\$ 0.09818
TOU-GS-2-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.05971	\$ 0.06117	\$ 0.06555	\$ 0.06117
TOU-GS-2-SUB-B	Demand	Summer	ON-PEAK	\$ 11.67	\$ 12.01	\$ 13.03	\$ 12.01
TOU-GS-2-SUB-B	Demand	Summer	MID-PEAK	\$ 3.14	\$ 3.23	\$ 3.50	\$ 3.23
TOU-GS-2-SUB-D	Energy	Summer	ON-PEAK	\$ 0.10745	\$ 0.11056	\$ 0.11988	\$ 0.11056
TOU-GS-2-SUB-D	Energy	Summer	MID-PEAK	\$ 0.09866	\$ 0.10149	\$ 0.10998	\$ 0.10149
TOU-GS-2-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.06610	\$ 0.06790	\$ 0.07328	\$ 0.06790
TOU-GS-2-SUB-D	Energy	Winter	MID-PEAK	\$ 0.07507	\$ 0.07715	\$ 0.08339	\$ 0.07715
TOU-GS-2-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.07548	\$ 0.07757	\$ 0.08385	\$ 0.07757
TOU-GS-2-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04334	\$ 0.04441	\$ 0.04763	\$ 0.04441
TOU-GS-2-SUB-D	Demand	Summer	ON-PEAK	\$ 17.52	\$ 18.08	\$ 19.75	\$ 18.08
TOU-GS-2-SUB-D	Demand	Winter	MID-PEAK	\$ 4.61	\$ 4.76	\$ 5.19	\$ 4.76
TOU-GS-3-B	Energy	Summer	ON-PEAK	\$ 0.07813	\$ 0.08026	\$ 0.08664	\$ 0.08026
TOU-GS-3-B	Energy	Summer	MID-PEAK	\$ 0.07357	\$ 0.07556	\$ 0.08153	\$ 0.07556
TOU-GS-3-B	Energy	Summer	OFF-PEAK	\$ 0.07125	\$ 0.07316	\$ 0.07891	\$ 0.07316
TOU-GS-3-B	Energy	Winter	MID-PEAK	\$ 0.09666	\$ 0.09936	\$ 0.10747	\$ 0.09936
TOU-GS-3-B	Energy	Winter	OFF-PEAK	\$ 0.06021	\$ 0.06178	\$ 0.06650	\$ 0.06178
TOU-GS-3-B	Demand	Summer	ON-PEAK	\$ 10.64	\$ 10.97	\$ 11.96	\$ 10.97
TOU-GS-3-B	Demand	Summer	MID-PEAK	\$ 3.56	\$ 3.67	\$ 4.00	\$ 3.67
TOU-GS-3-D	Energy	Summer	ON-PEAK	\$ 0.10163	\$ 0.10466	\$ 0.11373	\$ 0.10466
TOU-GS-3-D	Energy	Summer	MID-PEAK	\$ 0.09350	\$ 0.09626	\$ 0.10453	\$ 0.09626
TOU-GS-3-D	Energy	Summer	OFF-PEAK	\$ 0.06618	\$ 0.06804	\$ 0.07363	\$ 0.06804
TOU-GS-3-D	Energy	Winter	MID-PEAK	\$ 0.07494	\$ 0.07709	\$ 0.08353	\$ 0.07709
TOU-GS-3-D	Energy	Winter	OFF-PEAK	\$ 0.07533	\$ 0.07749	\$ 0.08398	\$ 0.07749
TOU-GS-3-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04399	\$ 0.04513	\$ 0.04853	\$ 0.04513
TOU-GS-3-D	Demand	Summer	ON-PEAK	\$ 15.85	\$ 16.37	\$ 17.92	\$ 16.37
TOU-GS-3-D	Demand	Winter	MID-PEAK	\$ 5.74	\$ 5.92	\$ 6.49	\$ 5.92
TOU-GS-3-E	Energy	Summer	ON-PEAK	\$ 0.28220	\$ 0.29182	\$ 0.32067	\$ 0.29182
TOU-GS-3-E	Energy	Summer	MID-PEAK	\$ 0.09330	\$ 0.09626	\$ 0.10513	\$ 0.09626
TOU-GS-3-E	Energy	Summer	OFF-PEAK	\$ 0.06604	\$ 0.06804	\$ 0.07404	\$ 0.06804
TOU-GS-3-E	Energy	Winter	MID-PEAK	\$ 0.11504	\$ 0.11877	\$ 0.12994	\$ 0.11877
TOU-GS-3-E	Energy	Winter	OFF-PEAK	\$ 0.07517	\$ 0.07749	\$ 0.08445	\$ 0.07749
TOU-GS-3-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04391	\$ 0.04513	\$ 0.04878	\$ 0.04513
TOU-GS-3-E	Demand	Summer	ON-PEAK	\$ 4.38	\$ 4.54	\$ 5.00	\$ 4.54
TOU-GS-3-E	Demand	Winter	MID-PEAK	\$ 2.34	\$ 2.42	\$ 2.66	\$ 2.42
TOU-GS-3-PRI-B	Energy	Summer	ON-PEAK	\$ 0.07731	\$ 0.07941	\$ 0.08574	\$ 0.07941
TOU-GS-3-PRI-B	Energy	Summer	MID-PEAK	\$ 0.07275	\$ 0.07472	\$ 0.08062	\$ 0.07472
TOU-GS-3-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.07043	\$ 0.07232	\$ 0.07801	\$ 0.07232
TOU-GS-3-PRI-B	Energy	Winter	MID-PEAK	\$ 0.09583	\$ 0.09852	\$ 0.10657	\$ 0.09852

June 5, 2025

Page 18 of 21

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential CARE Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
TOU-GS-3-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.05938	\$ 0.06094	\$ 0.06560	\$ 0.06094
TOU-GS-3-PRI-B	Demand	Summer	ON-PEAK	\$ 10.20	\$ 10.51	\$ 11.46	\$ 10.51
TOU-GS-3-PRI-B	Demand	Summer	MID-PEAK	\$ 3.11	\$ 3.21	\$ 3.50	\$ 3.21
TOU-GS-3-PRI-D	Energy	Summer	ON-PEAK	\$ 0.10081	\$ 0.10382	\$ 0.11283	\$ 0.10382
TOU-GS-3-PRI-D	Energy	Summer	MID-PEAK	\$ 0.09268	\$ 0.09542	\$ 0.10363	\$ 0.09542
TOU-GS-3-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.06536	\$ 0.06720	\$ 0.07272	\$ 0.06720
TOU-GS-3-PRI-D	Energy	Winter	MID-PEAK	\$ 0.07412	\$ 0.07624	\$ 0.08263	\$ 0.07624
TOU-GS-3-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.07451	\$ 0.07665	\$ 0.08307	\$ 0.07665
TOU-GS-3-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04317	\$ 0.04428	\$ 0.04762	\$ 0.04428
TOU-GS-3-PRI-D	Demand	Summer	ON-PEAK	\$ 15.48	\$ 15.99	\$ 17.52	\$ 15.99
TOU-GS-3-PRI-D	Demand	Winter	MID-PEAK	\$ 5.59	\$ 5.78	\$ 6.33	\$ 5.78
TOU-GS-3-PRI-E	Energy	Summer	ON-PEAK	\$ 0.28065	\$ 0.29026	\$ 0.31911	\$ 0.29026
TOU-GS-3-PRI-E	Energy	Summer	MID-PEAK	\$ 0.09178	\$ 0.09470	\$ 0.10347	\$ 0.09470
TOU-GS-3-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.06453	\$ 0.06649	\$ 0.07235	\$ 0.06649
TOU-GS-3-PRI-E	Energy	Winter	MID-PEAK	\$ 0.11352	\$ 0.11721	\$ 0.12829	\$ 0.11721
TOU-GS-3-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.07366	\$ 0.07594	\$ 0.08278	\$ 0.07594
TOU-GS-3-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04240	\$ 0.04357	\$ 0.04709	\$ 0.04357
TOU-GS-3-PRI-E	Demand	Summer	ON-PEAK	\$ 4.23	\$ 4.38	\$ 4.83	\$ 4.38
TOU-GS-3-PRI-E	Demand	Winter	MID-PEAK	\$ 2.28	\$ 2.36	\$ 2.60	\$ 2.36
TOU-GS-3-PRI-R	Energy	Summer	ON-PEAK	\$ 0.20683	\$ 0.21346	\$ 0.23336	\$ 0.21346
TOU-GS-3-PRI-R	Energy	Summer	MID-PEAK	\$ 0.10584	\$ 0.10908	\$ 0.11880	\$ 0.10908
TOU-GS-3-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.06934	\$ 0.07135	\$ 0.07739	\$ 0.07135
TOU-GS-3-PRI-R	Energy	Winter	MID-PEAK	\$ 0.09468	\$ 0.09755	\$ 0.10614	\$ 0.09755
TOU-GS-3-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.05832	\$ 0.05997	\$ 0.06490	\$ 0.05997
TOU-GS-3-R	Energy	Summer	ON-PEAK	\$ 0.20861	\$ 0.21528	\$ 0.23526	\$ 0.21528
TOU-GS-3-R	Energy	Summer	MID-PEAK	\$ 0.10761	\$ 0.11089	\$ 0.12075	\$ 0.11089
TOU-GS-3-R	Energy	Summer	OFF-PEAK	\$ 0.07110	\$ 0.07316	\$ 0.07936	\$ 0.07316
TOU-GS-3-R	Energy	Winter	MID-PEAK	\$ 0.09645	\$ 0.09936	\$ 0.10809	\$ 0.09936
TOU-GS-3-R	Energy	Winter	OFF-PEAK	\$ 0.06008	\$ 0.06178	\$ 0.06687	\$ 0.06178
TOU-GS-3-SUB-D	Energy	Summer	ON-PEAK	\$ 0.10019	\$ 0.10281	\$ 0.11067	\$ 0.10281
TOU-GS-3-SUB-D	Energy	Summer	MID-PEAK	\$ 0.09202	\$ 0.09440	\$ 0.10156	\$ 0.09440
TOU-GS-3-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.06459	\$ 0.06619	\$ 0.07097	\$ 0.06619
TOU-GS-3-SUB-D	Energy	Winter	MID-PEAK	\$ 0.07339	\$ 0.07523	\$ 0.08078	\$ 0.07523
TOU-GS-3-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.07378	\$ 0.07564	\$ 0.08122	\$ 0.07564
TOU-GS-3-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04232	\$ 0.04327	\$ 0.04613	\$ 0.04327
TOU-GS-3-SUB-D	Demand	Summer	ON-PEAK	\$ 15.06	\$ 15.50	\$ 16.80	\$ 15.50
TOU-GS-3-SUB-D	Demand	Winter	MID-PEAK	\$ 5.45	\$ 5.61	\$ 6.08	\$ 5.61

Exhibit A to Resolution 25-06-086
Phase 4 and 5 Non-residential CARE Rate Schedules Effective July 1, 2025

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
----------	------	--------	------------	-------------	--------------	-------------------	---------------------------

Notes

Default 100% Green - CARE rates are the rates paid by CARE customers for 100% Green Power in communities where 100% Green Power is the preferred (default) energy product.

For all rate schedules, seasons are defined as follows:

Summer: season shall commence at 12:00 a.m. on June 1 and continue until 12:00 a.m. on October 1 of each year.

Winter: season shall commence at 12:00 a.m. on October 1 of each year and continue until 12:00 a.m. on June 1 of the following year.

For all standard non-residential rate schedules, time periods are defined as follows:

On-Peak: 4:00 p.m. to 9:00 p.m. summer weekdays except holidays

Mid-Peak: 4:00 p.m. to 9:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: All other hours – all year, every day

Super Off-Peak: 8:00 a.m. to 4:00 p.m. winter weekdays and weekends/holidays

Time-related Demand Charges: 4:00 p.m. to 9:00 p.m. winter weekdays and summer weekdays except holidays

For optional agricultural/pumping rate schedules TOU-PA-2-PRI-E-5TO8, TOU-PA-2-PRI-D-5TO8, TOU-PA-3-PRI-E-5TO8, TOU-PA-3-PRI-D-5TO8, time periods are defined as follows:

On-Peak: 5:00 p.m. to 8:00 p.m. summer weekdays except holidays

Mid-Peak: 5:00 p.m. to 8:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: All other hours – all year, every day

Super Off-Peak: 8:00 a.m. to 5:00 p.m. winter weekdays and weekends/holidays

Time-related Demand Charges: 5:00 p.m. to 8:00 p.m. winter weekdays and summer weekdays except holidays

For eligible legacy solar and/or agriculture and pumping rate schedules time periods are defined as follows:

On-Peak: 12:00 p.m. to 6:00 p.m. summer weekdays except holidays

Mid-Peak: 8:00 a.m. to 12:00 p.m. and 6:00 p.m. to 11:00 p.m. summer weekdays except holidays, 8:00 a.m. to 9:00 p.m. winter weekdays except holidays

Off-Peak: All other hours – all year, every day

Exhibit B to Resolution 25-06-086
Phase 4 and 5 Wind Machine Credit Rate Schedules Effective July 1, 2025

CPA RATE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-2-A	Demand Credit	Winter	Total	\$ (6.33)	\$ (6.33)	\$ (6.33)
TOU-PA-2-B	Demand Credit	Winter	Total	\$ (6.33)	\$ (6.33)	\$ (6.33)
TOU-PA-2-D	Demand Credit	Winter	Total	\$ (6.33)	\$ (6.33)	\$ (6.33)
TOU-PA-2-D-5	Demand Credit	Winter	Total	\$ (6.33)	\$ (6.33)	\$ (6.33)
TOU-PA-2-E	Demand Credit	Winter	Total	\$ (6.33)	\$ (6.33)	\$ (6.33)
TOU-PA-2-E-5	Demand Credit	Winter	Total	\$ (6.33)	\$ (6.33)	\$ (6.33)
TOU-PA-2-PRI-A	Demand Credit	Winter	Total	\$ (6.33)	\$ (6.33)	\$ (6.33)
TOU-PA-2-PRI-B	Demand Credit	Winter	Total	\$ (6.33)	\$ (6.33)	\$ (6.33)
TOU-PA-2-PRI-D	Demand Credit	Winter	Total	\$ (6.33)	\$ (6.33)	\$ (6.33)
TOU-PA-2-PRI-D-5	Demand Credit	Winter	Total	\$ (6.33)	\$ (6.33)	\$ (6.33)
TOU-PA-2-PRI-E	Demand Credit	Winter	Total	\$ (6.33)	\$ (6.33)	\$ (6.33)
TOU-PA-2-PRI-E-5	Demand Credit	Winter	Total	\$ (6.33)	\$ (6.33)	\$ (6.33)

Wind Machine Credit: Agricultural customers served under a PA-2 rate schedule who incur energy usage during the Winter Season solely for wind machine operations that have been determined eligible by SCE will receive a monthly winter demand credit based on highest recorded off-peak monthly kW demand. All demand credits are shown in \$/kW. Winter season commences at 12:00 a.m. on October 1 of each year and continues until 12:00 a.m. on June 1 of the following year.