

RESOLUTION NO. 26-01-099

A RESOLUTION OF THE BOARD OF DIRECTORS OF THE CLEAN POWER ALLIANCE OF SOUTHERN CALIFORNIA TO APPROVE 2026 INTERIM RATES FOR PHASE 1 THROUGH 6 CUSTOMERS CONSISTENT WITH THE 2026 INTERIM RATES ADJUSTMENT APPROACH (AS SPECIFIED HEREIN)

THE BOARD OF DIRECTORS OF THE CLEAN POWER ALLIANCE OF SOUTHERN CALIFORNIA DOES HEREBY FIND, RESOLVE, AND ORDER AS FOLLOWS:

WHEREAS, the Clean Power Alliance of Southern California (formerly known as Los Angeles Community Choice Energy Authority) ("Clean Power Alliance" or "CPA") was formed on June 27, 2017;

WHEREAS, on February 1, 2018, CPA commenced with the enrollment of all municipal accounts in unincorporated Los Angeles County. This enrollment of Los Angeles County municipal accounts is referred to as "Phase 1";

WHEREAS, on June 1, 2018, CPA commenced with the enrollment of all non-residential customers in unincorporated Los Angeles County, South Pasadena, and Rolling Hills Estates. This enrollment of the non-residential customers for Los Angeles County, South Pasadena, and Rolling Hills Estates is referred to as "Phase 2";

WHEREAS, on February 1, 2019, CPA commenced the enrollment of all residential customers in CPA's then current jurisdiction of 31 member agencies. Starting on May 1, 2019, CPA also commenced enrollment of all non-residential customers in CPA's then current jurisdiction, except for the non-residential customers in Los Angeles County, South Pasadena, and Rolling Hills Estates as these non-residential customers were enrolled in Phase 2. The enrollment of the residential customers of the 31 member agencies is referred to as "Phase 3" and the enrollment of the non-residential customers except those in Los Angeles County, South Pasadena, and Rolling Hills Estates is referred to as "Phase 4";

WHEREAS, on June 1, 2020, CPA commenced the enrollment of all residential and non-residential customers in Westlake Village. The enrollment of Westlake Village customers is referred to as "Phase 5";

WHEREAS, on December 7, 2020, the Board approved the Power Share Tariff which would provide a 20 percent discount to eligible customers on their generation and delivery charges and require that Power Share rates be adjusted to maintain the 20 percent discount whenever the otherwise applicable CPA or SCE rates change; and authorized the Chief Executive Officer to change the rates to maintain the 20 percent discount;

WHEREAS, on March 1, 2024, CPA commenced the enrollment of all residential and non-residential customers in Hermosa Beach, Monrovia, and Santa Paula. The enrollment of Hermosa Beach, Monrovia, and Santa Paula customers is referred to as “Phase 6”;

WHEREAS, CPA’s Board of Directors (“Board”) has adopted and approved rates for Phases 1, 2, 3, 4, 5, and 6, as appropriate, from time to time, since the enrollment of these customers;

WHEREAS, on October 15, 2025, CPA received notice of SCE’s intent to implement generation, PCIA, and delivery rate changes effective January 1, 2026 (“SCE January 2026 Rate Change”);

WHEREAS, on November 20, 2025, the Executive Committee was presented with four scenarios for an interim rate adjustment and unanimously recommended the following approach (“2026 Interim Rate Adjustment Approach”):

- a. Adjust rates effective February 1, 2026 for all CPA customers in Phase 1 through 6 communities to meet CPA’s projected FY 2025-2026 cost of service and achieve a targeted FY 2025-2026 contribution to net position of \$15 million, with estimated total bill comparisons to SCE for residential and small/medium business of approximately -0.9% for Lean Power, 1.1% for Clean Power, and 7.1% for 100% Green Power based on the SCE January 2026 Rate Change.

WHEREAS, at the December 4, 2025 meeting, the Board approved the 2026 Interim Rate Adjustment Approach as it is reasonable and appropriate in order to (i) position CPA to weather potential future market and SCE rate volatility, (ii) maintain adequate reserves in FY 2025/26 pursuant to the Board-approved Reserve Policy, and (iii) provide expeditious rate relief to customers in advance of CPA’s FY 2026/27 rate setting cycle.

NOW THEREFORE, BE IT DETERMINED, ORDERED, APPROVED, AND RESOLVED, BY THE BOARD OF DIRECTORS OF THE CLEAN POWER ALLIANCE OF SOUTHERN CALIFORNIA THAT:

1. The 2026 Interim Rate Adjustment Approach shall be applied to rates for Phases 1, 2, 3, 4, 5, and 6 customers effective February 1, 2026, until such time as the Board approves a different approach or rates.
2. The proposed Phases 1 and 2 rate schedules as presented in Exhibit A, attached hereto, are hereby approved and shall be effective February 1, 2026, until such time as the Board approves and adopts new or different rates.
3. The proposed Phases 3, 4, and 5 rate schedules as presented in Exhibit B, attached hereto, are hereby approved and shall be effective February 1, 2026, until such time as the Board approves and adopts new or different

rates.

4. The proposed Phases 3 and 5 Power Share rate schedules as presented in Exhibit C, attached hereto, are hereby approved and shall be effective February 1, 2026, and the Chief Executive Officer is delegated authority to amend Power Share Rates from time to time, until such time as the Board approves and adopts new or different rates.
5. The proposed Phase 6 rate schedules as presented in Exhibit D, attached hereto, are hereby approved and shall be effective February 1, 2026, until such time as the Board approves and adopts new or different rates.
6. The proposed Phase 6 Power Share rate schedule as presented in Exhibit E, attached hereto, are hereby approved and shall be effective February 1, 2026, and the Chief Executive Officer is delegated authority to amend Power Share Rates from time to time, until such time as the Board approves and adopts new or different rates.

APPROVED AND ADOPTED this 15th day of January 2026.



Deborah Klein Lopez, Chair

ATTEST:



Gabriela Monzon, Secretary

Exhibit A to Resolution 26-01-099
Phase 1 and 2 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-1-A	Energy	Summer	ON-PEAK	\$ 0.13127	\$ 0.13951	\$ 0.16421
TOU-GS-1-A	Energy	Summer	MID-PEAK	\$ 0.12170	\$ 0.12940	\$ 0.15250
TOU-GS-1-A	Energy	Summer	OFF-PEAK	\$ 0.11647	\$ 0.12388	\$ 0.14611
TOU-GS-1-A	Energy	Winter	MID-PEAK	\$ 0.08151	\$ 0.08697	\$ 0.10336
TOU-GS-1-A	Energy	Winter	OFF-PEAK	\$ 0.07169	\$ 0.07661	\$ 0.09136
TOU-GS-1-B	Energy	Summer	ON-PEAK	\$ 0.06427	\$ 0.06798	\$ 0.07912
TOU-GS-1-B	Energy	Summer	MID-PEAK	\$ 0.05903	\$ 0.06251	\$ 0.07293
TOU-GS-1-B	Energy	Summer	OFF-PEAK	\$ 0.05617	\$ 0.05951	\$ 0.06953
TOU-GS-1-B	Energy	Winter	MID-PEAK	\$ 0.08184	\$ 0.08636	\$ 0.09992
TOU-GS-1-B	Energy	Winter	OFF-PEAK	\$ 0.07199	\$ 0.07606	\$ 0.08826
TOU-GS-1-B	Demand	Summer	ON-PEAK	\$ 11.48	\$ 12.00	\$ 13.58
TOU-GS-1-B	Demand	Summer	MID-PEAK	\$ 3.73	\$ 3.91	\$ 4.42
TOU-GS-1-D	Energy	Summer	ON-PEAK	\$ 0.09402	\$ 0.09968	\$ 0.11666
TOU-GS-1-D	Energy	Summer	MID-PEAK	\$ 0.08330	\$ 0.08841	\$ 0.10374
TOU-GS-1-D	Energy	Summer	OFF-PEAK	\$ 0.04884	\$ 0.05219	\$ 0.06224
TOU-GS-1-D	Energy	Winter	MID-PEAK	\$ 0.08754	\$ 0.09287	\$ 0.10885
TOU-GS-1-D	Energy	Winter	OFF-PEAK	\$ 0.05690	\$ 0.06066	\$ 0.07195
TOU-GS-1-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03838	\$ 0.04119	\$ 0.04964
TOU-GS-1-D	Demand	Summer	ON-PEAK	\$ 15.60	\$ 16.40	\$ 18.79
TOU-GS-1-D	Demand	Winter	MID-PEAK	\$ 4.79	\$ 5.03	\$ 5.77
TOU-GS-1-E	Energy	Summer	ON-PEAK	\$ 0.39552	\$ 0.41885	\$ 0.48881
TOU-GS-1-E	Energy	Summer	MID-PEAK	\$ 0.09306	\$ 0.09927	\$ 0.11789
TOU-GS-1-E	Energy	Summer	OFF-PEAK	\$ 0.06177	\$ 0.06620	\$ 0.07952
TOU-GS-1-E	Energy	Winter	MID-PEAK	\$ 0.14987	\$ 0.15929	\$ 0.18756
TOU-GS-1-E	Energy	Winter	OFF-PEAK	\$ 0.07583	\$ 0.08107	\$ 0.09677
TOU-GS-1-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03187	\$ 0.03462	\$ 0.04286
TOU-GS-1-ES	Energy	Summer	ON-PEAK	\$ 0.41194	\$ 0.43623	\$ 0.50911
TOU-GS-1-ES	Energy	Summer	MID-PEAK	\$ 0.10070	\$ 0.10735	\$ 0.12731
TOU-GS-1-ES	Energy	Summer	OFF-PEAK	\$ 0.06451	\$ 0.06911	\$ 0.08292
TOU-GS-1-ES	Energy	Winter	MID-PEAK	\$ 0.14628	\$ 0.15551	\$ 0.18323
TOU-GS-1-ES	Energy	Winter	OFF-PEAK	\$ 0.07151	\$ 0.07651	\$ 0.09150
TOU-GS-1-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02998	\$ 0.03262	\$ 0.04056
TOU-GS-1-PRI-A	Energy	Summer	ON-PEAK	\$ 0.13003	\$ 0.13820	\$ 0.16272
TOU-GS-1-PRI-A	Energy	Summer	MID-PEAK	\$ 0.12045	\$ 0.12809	\$ 0.15102
TOU-GS-1-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.11523	\$ 0.12258	\$ 0.14462
TOU-GS-1-PRI-A	Energy	Winter	MID-PEAK	\$ 0.08026	\$ 0.08566	\$ 0.10187
TOU-GS-1-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.07045	\$ 0.07530	\$ 0.08987
TOU-GS-1-PRI-B	Energy	Summer	ON-PEAK	\$ 0.06382	\$ 0.06752	\$ 0.07861
TOU-GS-1-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05858	\$ 0.06204	\$ 0.07241
TOU-GS-1-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.05572	\$ 0.05904	\$ 0.06902
TOU-GS-1-PRI-B	Energy	Winter	MID-PEAK	\$ 0.08139	\$ 0.08589	\$ 0.09940
TOU-GS-1-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.07154	\$ 0.07559	\$ 0.08775
TOU-GS-1-PRI-B	Demand	Summer	ON-PEAK	\$ 11.21	\$ 11.73	\$ 13.27
TOU-GS-1-PRI-B	Demand	Summer	MID-PEAK	\$ 3.47	\$ 3.63	\$ 4.11

Exhibit A to Resolution 26-01-099

Phase 1 and 2 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-1-PRI-D	Energy	Summer	ON-PEAK	\$ 0.09357	\$ 0.09921	\$ 0.11614
TOU-GS-1-PRI-D	Energy	Summer	MID-PEAK	\$ 0.08285	\$ 0.08794	\$ 0.10322
TOU-GS-1-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04839	\$ 0.05172	\$ 0.06171
TOU-GS-1-PRI-D	Energy	Winter	MID-PEAK	\$ 0.08709	\$ 0.09240	\$ 0.10833
TOU-GS-1-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05645	\$ 0.06019	\$ 0.07142
TOU-GS-1-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03793	\$ 0.04073	\$ 0.04911
TOU-GS-1-PRI-D	Demand	Summer	ON-PEAK	\$ 15.41	\$ 16.20	\$ 18.56
TOU-GS-1-PRI-D	Demand	Winter	MID-PEAK	\$ 4.59	\$ 4.83	\$ 5.53
TOU-GS-1-PRI-E	Energy	Summer	ON-PEAK	\$ 0.39427	\$ 0.41755	\$ 0.48741
TOU-GS-1-PRI-E	Energy	Summer	MID-PEAK	\$ 0.09181	\$ 0.09796	\$ 0.11640
TOU-GS-1-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.06052	\$ 0.06489	\$ 0.07802
TOU-GS-1-PRI-E	Energy	Winter	MID-PEAK	\$ 0.14862	\$ 0.15799	\$ 0.18609
TOU-GS-1-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.07459	\$ 0.07976	\$ 0.09527
TOU-GS-1-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03063	\$ 0.03331	\$ 0.04135
TOU-GS-1-PRI-ES	Energy	Summer	ON-PEAK	\$ 0.41068	\$ 0.43494	\$ 0.50771
TOU-GS-1-PRI-ES	Energy	Summer	MID-PEAK	\$ 0.09945	\$ 0.10604	\$ 0.12582
TOU-GS-1-PRI-ES	Energy	Summer	OFF-PEAK	\$ 0.06327	\$ 0.06781	\$ 0.08142
TOU-GS-1-PRI-ES	Energy	Winter	MID-PEAK	\$ 0.14503	\$ 0.15421	\$ 0.18175
TOU-GS-1-PRI-ES	Energy	Winter	OFF-PEAK	\$ 0.07026	\$ 0.07520	\$ 0.09000
TOU-GS-1-PRI-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02873	\$ 0.03131	\$ 0.03905
TOU-GS-1-SUB-A	Energy	Summer	ON-PEAK	\$ 0.12887	\$ 0.13608	\$ 0.15771
TOU-GS-1-SUB-A	Energy	Summer	MID-PEAK	\$ 0.11928	\$ 0.12601	\$ 0.14621
TOU-GS-1-SUB-A	Energy	Summer	OFF-PEAK	\$ 0.11404	\$ 0.12051	\$ 0.13994
TOU-GS-1-SUB-A	Energy	Winter	MID-PEAK	\$ 0.07900	\$ 0.08374	\$ 0.09796
TOU-GS-1-SUB-A	Energy	Winter	OFF-PEAK	\$ 0.06916	\$ 0.07341	\$ 0.08617
TOU-GS-1-SUB-B	Energy	Summer	ON-PEAK	\$ 0.06350	\$ 0.06691	\$ 0.07714
TOU-GS-1-SUB-B	Energy	Summer	MID-PEAK	\$ 0.05826	\$ 0.06145	\$ 0.07101
TOU-GS-1-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.05539	\$ 0.05846	\$ 0.06765
TOU-GS-1-SUB-B	Energy	Winter	MID-PEAK	\$ 0.08109	\$ 0.08525	\$ 0.09772
TOU-GS-1-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.07123	\$ 0.07497	\$ 0.08619
TOU-GS-1-SUB-B	Demand	Summer	ON-PEAK	\$ 10.88	\$ 11.35	\$ 12.74
TOU-GS-1-SUB-B	Demand	Summer	MID-PEAK	\$ 3.13	\$ 3.27	\$ 3.67
TOU-GS-1-SUB-D	Energy	Summer	ON-PEAK	\$ 0.09332	\$ 0.09849	\$ 0.11401
TOU-GS-1-SUB-D	Energy	Summer	MID-PEAK	\$ 0.08258	\$ 0.08725	\$ 0.10125
TOU-GS-1-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.04808	\$ 0.05112	\$ 0.06026
TOU-GS-1-SUB-D	Energy	Winter	MID-PEAK	\$ 0.08683	\$ 0.09170	\$ 0.10630
TOU-GS-1-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.05615	\$ 0.05957	\$ 0.06984
TOU-GS-1-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03760	\$ 0.04015	\$ 0.04781
TOU-GS-1-SUB-D	Demand	Summer	ON-PEAK	\$ 15.17	\$ 15.88	\$ 18.02
TOU-GS-1-SUB-D	Demand	Winter	MID-PEAK	\$ 4.34	\$ 4.54	\$ 5.15
TOU-GS-1-SUB-E	Energy	Summer	ON-PEAK	\$ 0.39370	\$ 0.41434	\$ 0.47625
TOU-GS-1-SUB-E	Energy	Summer	MID-PEAK	\$ 0.09058	\$ 0.09597	\$ 0.11215
TOU-GS-1-SUB-E	Energy	Summer	OFF-PEAK	\$ 0.05922	\$ 0.06304	\$ 0.07449
TOU-GS-1-SUB-E	Energy	Winter	MID-PEAK	\$ 0.14751	\$ 0.15577	\$ 0.18054

Exhibit A to Resolution 26-01-099
Phase 1 and 2 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-1-SUB-E	Energy	Winter	OFF-PEAK	\$ 0.07332	\$ 0.07784	\$ 0.09142
TOU-GS-1-SUB-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02926	\$ 0.03157	\$ 0.03851
TOU-GS-2-B	Energy	Summer	ON-PEAK	\$ 0.05955	\$ 0.06385	\$ 0.07678
TOU-GS-2-B	Energy	Summer	MID-PEAK	\$ 0.05457	\$ 0.05860	\$ 0.07069
TOU-GS-2-B	Energy	Summer	OFF-PEAK	\$ 0.05184	\$ 0.05572	\$ 0.06735
TOU-GS-2-B	Energy	Winter	MID-PEAK	\$ 0.07612	\$ 0.08136	\$ 0.09706
TOU-GS-2-B	Energy	Winter	OFF-PEAK	\$ 0.03781	\$ 0.04090	\$ 0.05018
TOU-GS-2-B	Demand	Summer	ON-PEAK	\$ 13.70	\$ 14.47	\$ 16.77
TOU-GS-2-B	Demand	Summer	MID-PEAK	\$ 4.61	\$ 4.86	\$ 5.64
TOU-GS-2-D	Energy	Summer	ON-PEAK	\$ 0.08880	\$ 0.09518	\$ 0.11432
TOU-GS-2-D	Energy	Summer	MID-PEAK	\$ 0.07943	\$ 0.08524	\$ 0.10269
TOU-GS-2-D	Energy	Summer	OFF-PEAK	\$ 0.04469	\$ 0.04842	\$ 0.05962
TOU-GS-2-D	Energy	Winter	MID-PEAK	\$ 0.05426	\$ 0.05856	\$ 0.07148
TOU-GS-2-D	Energy	Winter	OFF-PEAK	\$ 0.05469	\$ 0.05902	\$ 0.07202
TOU-GS-2-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02041	\$ 0.02269	\$ 0.02951
TOU-GS-2-D	Demand	Summer	ON-PEAK	\$ 19.74	\$ 20.92	\$ 24.47
TOU-GS-2-D	Demand	Winter	MID-PEAK	\$ 5.18	\$ 5.49	\$ 6.43
TOU-GS-2-E	Energy	Summer	ON-PEAK	\$ 0.34050	\$ 0.36289	\$ 0.43006
TOU-GS-2-E	Energy	Summer	MID-PEAK	\$ 0.07934	\$ 0.08540	\$ 0.10357
TOU-GS-2-E	Energy	Summer	OFF-PEAK	\$ 0.04463	\$ 0.04852	\$ 0.06018
TOU-GS-2-E	Energy	Winter	MID-PEAK	\$ 0.09428	\$ 0.10127	\$ 0.12225
TOU-GS-2-E	Energy	Winter	OFF-PEAK	\$ 0.05463	\$ 0.05914	\$ 0.07267
TOU-GS-2-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02038	\$ 0.02275	\$ 0.02985
TOU-GS-2-E	Demand	Summer	ON-PEAK	\$ 5.48	\$ 5.82	\$ 6.85
TOU-GS-2-E	Demand	Winter	MID-PEAK	\$ 2.11	\$ 2.25	\$ 2.64
TOU-GS-2-PRI-B	Energy	Summer	ON-PEAK	\$ 0.05867	\$ 0.06295	\$ 0.07580
TOU-GS-2-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05370	\$ 0.05770	\$ 0.06971
TOU-GS-2-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.05097	\$ 0.05482	\$ 0.06636
TOU-GS-2-PRI-B	Energy	Winter	MID-PEAK	\$ 0.07525	\$ 0.08046	\$ 0.09610
TOU-GS-2-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.03694	\$ 0.04000	\$ 0.04918
TOU-GS-2-PRI-B	Demand	Summer	ON-PEAK	\$ 13.16	\$ 13.89	\$ 16.11
TOU-GS-2-PRI-B	Demand	Summer	MID-PEAK	\$ 4.06	\$ 4.29	\$ 4.97
TOU-GS-2-PRI-D	Energy	Summer	ON-PEAK	\$ 0.08793	\$ 0.09428	\$ 0.11333
TOU-GS-2-PRI-D	Energy	Summer	MID-PEAK	\$ 0.07856	\$ 0.08434	\$ 0.10170
TOU-GS-2-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04382	\$ 0.04751	\$ 0.05859
TOU-GS-2-PRI-D	Energy	Winter	MID-PEAK	\$ 0.05339	\$ 0.05766	\$ 0.07046
TOU-GS-2-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05382	\$ 0.05812	\$ 0.07101
TOU-GS-2-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01954	\$ 0.02178	\$ 0.02847
TOU-GS-2-PRI-D	Demand	Summer	ON-PEAK	\$ 19.29	\$ 20.45	\$ 23.94
TOU-GS-2-PRI-D	Demand	Winter	MID-PEAK	\$ 5.06	\$ 5.37	\$ 6.28
TOU-GS-2-PRI-E	Energy	Summer	ON-PEAK	\$ 0.33919	\$ 0.36157	\$ 0.42870
TOU-GS-2-PRI-E	Energy	Summer	MID-PEAK	\$ 0.07805	\$ 0.08404	\$ 0.10202
TOU-GS-2-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.04334	\$ 0.04716	\$ 0.05861
TOU-GS-2-PRI-E	Energy	Winter	MID-PEAK	\$ 0.09298	\$ 0.09992	\$ 0.12071

January 15, 2026

6 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit A to Resolution 26-01-099
Phase 1 and 2 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-2-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.05334	\$ 0.05778	\$ 0.07111
TOU-GS-2-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01909	\$ 0.02138	\$ 0.02827
TOU-GS-2-PRI-E	Demand	Summer	ON-PEAK	\$ 5.29	\$ 5.63	\$ 6.62
TOU-GS-2-PRI-E	Demand	Winter	MID-PEAK	\$ 2.06	\$ 2.19	\$ 2.58
TOU-GS-2-PRI-R	Energy	Summer	ON-PEAK	\$ 0.23805	\$ 0.25308	\$ 0.29816
TOU-GS-2-PRI-R	Energy	Summer	MID-PEAK	\$ 0.10277	\$ 0.10985	\$ 0.13106
TOU-GS-2-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.04957	\$ 0.05351	\$ 0.06534
TOU-GS-2-PRI-R	Energy	Winter	MID-PEAK	\$ 0.07383	\$ 0.07920	\$ 0.09531
TOU-GS-2-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.03555	\$ 0.03867	\$ 0.04803
TOU-GS-2-R	Energy	Summer	ON-PEAK	\$ 0.24029	\$ 0.25535	\$ 0.30055
TOU-GS-2-R	Energy	Summer	MID-PEAK	\$ 0.10499	\$ 0.11215	\$ 0.13362
TOU-GS-2-R	Energy	Summer	OFF-PEAK	\$ 0.05178	\$ 0.05583	\$ 0.06797
TOU-GS-2-R	Energy	Winter	MID-PEAK	\$ 0.07604	\$ 0.08151	\$ 0.09791
TOU-GS-2-R	Energy	Winter	OFF-PEAK	\$ 0.03776	\$ 0.04099	\$ 0.05068
TOU-GS-2-SUB-B	Energy	Summer	ON-PEAK	\$ 0.05782	\$ 0.06146	\$ 0.07237
TOU-GS-2-SUB-B	Energy	Summer	MID-PEAK	\$ 0.05283	\$ 0.05623	\$ 0.06642
TOU-GS-2-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.05009	\$ 0.05336	\$ 0.06315
TOU-GS-2-SUB-B	Energy	Winter	MID-PEAK	\$ 0.07444	\$ 0.07888	\$ 0.09220
TOU-GS-2-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.03602	\$ 0.03861	\$ 0.04636
TOU-GS-2-SUB-B	Demand	Summer	ON-PEAK	\$ 12.48	\$ 13.08	\$ 14.89
TOU-GS-2-SUB-B	Demand	Summer	MID-PEAK	\$ 3.36	\$ 3.52	\$ 4.01
TOU-GS-2-SUB-D	Energy	Summer	ON-PEAK	\$ 0.08714	\$ 0.09265	\$ 0.10916
TOU-GS-2-SUB-D	Energy	Summer	MID-PEAK	\$ 0.07775	\$ 0.08276	\$ 0.09779
TOU-GS-2-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.04292	\$ 0.04610	\$ 0.05563
TOU-GS-2-SUB-D	Energy	Winter	MID-PEAK	\$ 0.05251	\$ 0.05620	\$ 0.06724
TOU-GS-2-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.05295	\$ 0.05666	\$ 0.06777
TOU-GS-2-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01858	\$ 0.02048	\$ 0.02617
TOU-GS-2-SUB-D	Demand	Summer	ON-PEAK	\$ 18.76	\$ 19.74	\$ 22.70
TOU-GS-2-SUB-D	Demand	Winter	MID-PEAK	\$ 4.92	\$ 5.18	\$ 5.96
TOU-GS-3-B	Energy	Summer	ON-PEAK	\$ 0.03843	\$ 0.04434	\$ 0.06019
TOU-GS-3-B	Energy	Summer	MID-PEAK	\$ 0.03476	\$ 0.04028	\$ 0.05509
TOU-GS-3-B	Energy	Summer	OFF-PEAK	\$ 0.03289	\$ 0.03820	\$ 0.05247
TOU-GS-3-B	Energy	Winter	MID-PEAK	\$ 0.09794	\$ 0.10651	\$ 0.13307
TOU-GS-3-B	Energy	Winter	OFF-PEAK	\$ 0.04998	\$ 0.05497	\$ 0.07045
TOU-GS-3-B	Demand	Summer	ON-PEAK	\$ 8.57	\$ 9.48	\$ 11.94
TOU-GS-3-B	Demand	Summer	MID-PEAK	\$ 2.86	\$ 3.16	\$ 3.98
TOU-GS-3-D	Energy	Summer	ON-PEAK	\$ 0.05751	\$ 0.06545	\$ 0.08676
TOU-GS-3-D	Energy	Summer	MID-PEAK	\$ 0.05094	\$ 0.05818	\$ 0.07761
TOU-GS-3-D	Energy	Summer	OFF-PEAK	\$ 0.02888	\$ 0.03377	\$ 0.04690
TOU-GS-3-D	Energy	Winter	MID-PEAK	\$ 0.06953	\$ 0.07598	\$ 0.09598
TOU-GS-3-D	Energy	Winter	OFF-PEAK	\$ 0.07005	\$ 0.07654	\$ 0.09665
TOU-GS-3-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02871	\$ 0.03212	\$ 0.04268
TOU-GS-3-D	Demand	Summer	ON-PEAK	\$ 12.79	\$ 14.16	\$ 17.82
TOU-GS-3-D	Demand	Winter	MID-PEAK	\$ 7.56	\$ 8.12	\$ 9.87

Exhibit A to Resolution 26-01-099

Phase 1 and 2 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-3-E	Energy	Summer	ON-PEAK	\$ 0.20369	\$ 0.22722	\$ 0.29036
TOU-GS-3-E	Energy	Summer	MID-PEAK	\$ 0.05094	\$ 0.05818	\$ 0.07761
TOU-GS-3-E	Energy	Summer	OFF-PEAK	\$ 0.02888	\$ 0.03377	\$ 0.04690
TOU-GS-3-E	Energy	Winter	MID-PEAK	\$ 0.12269	\$ 0.13310	\$ 0.16539
TOU-GS-3-E	Energy	Winter	OFF-PEAK	\$ 0.07005	\$ 0.07654	\$ 0.09665
TOU-GS-3-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02871	\$ 0.03212	\$ 0.04268
TOU-GS-3-E	Demand	Summer	ON-PEAK	\$ 3.56	\$ 3.93	\$ 4.95
TOU-GS-3-E	Demand	Winter	MID-PEAK	\$ 3.09	\$ 3.32	\$ 4.04
TOU-GS-3-PRI-B	Energy	Summer	ON-PEAK	\$ 0.03777	\$ 0.04361	\$ 0.05927
TOU-GS-3-PRI-B	Energy	Summer	MID-PEAK	\$ 0.03410	\$ 0.03955	\$ 0.05417
TOU-GS-3-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.03223	\$ 0.03747	\$ 0.05155
TOU-GS-3-PRI-B	Energy	Winter	MID-PEAK	\$ 0.09686	\$ 0.10535	\$ 0.13166
TOU-GS-3-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.04890	\$ 0.05381	\$ 0.06904
TOU-GS-3-PRI-B	Demand	Summer	ON-PEAK	\$ 8.22	\$ 9.09	\$ 11.45
TOU-GS-3-PRI-B	Demand	Summer	MID-PEAK	\$ 2.51	\$ 2.77	\$ 3.49
TOU-GS-3-PRI-D	Energy	Summer	ON-PEAK	\$ 0.05685	\$ 0.06472	\$ 0.08584
TOU-GS-3-PRI-D	Energy	Summer	MID-PEAK	\$ 0.05028	\$ 0.05745	\$ 0.07669
TOU-GS-3-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.02823	\$ 0.03304	\$ 0.04598
TOU-GS-3-PRI-D	Energy	Winter	MID-PEAK	\$ 0.06845	\$ 0.07482	\$ 0.09457
TOU-GS-3-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.06897	\$ 0.07538	\$ 0.09525
TOU-GS-3-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02764	\$ 0.03096	\$ 0.04128
TOU-GS-3-PRI-D	Demand	Summer	ON-PEAK	\$ 12.50	\$ 13.83	\$ 17.41
TOU-GS-3-PRI-D	Demand	Winter	MID-PEAK	\$ 7.37	\$ 7.92	\$ 9.62
TOU-GS-3-PRI-E	Energy	Summer	ON-PEAK	\$ 0.20248	\$ 0.22587	\$ 0.28866
TOU-GS-3-PRI-E	Energy	Summer	MID-PEAK	\$ 0.04972	\$ 0.05683	\$ 0.07592
TOU-GS-3-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.02767	\$ 0.03243	\$ 0.04520
TOU-GS-3-PRI-E	Energy	Winter	MID-PEAK	\$ 0.12070	\$ 0.13097	\$ 0.16279
TOU-GS-3-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.06806	\$ 0.07440	\$ 0.09406
TOU-GS-3-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02673	\$ 0.02998	\$ 0.04009
TOU-GS-3-PRI-E	Demand	Summer	ON-PEAK	\$ 3.44	\$ 3.80	\$ 4.79
TOU-GS-3-PRI-E	Demand	Winter	MID-PEAK	\$ 3.01	\$ 3.23	\$ 3.93
TOU-GS-3-PRI-R	Energy	Summer	ON-PEAK	\$ 0.14256	\$ 0.15957	\$ 0.20521
TOU-GS-3-PRI-R	Energy	Summer	MID-PEAK	\$ 0.06096	\$ 0.06927	\$ 0.09157
TOU-GS-3-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.03147	\$ 0.03664	\$ 0.05050
TOU-GS-3-PRI-R	Energy	Winter	MID-PEAK	\$ 0.09563	\$ 0.10402	\$ 0.13005
TOU-GS-3-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.04767	\$ 0.05249	\$ 0.06743
TOU-GS-3-R	Energy	Summer	ON-PEAK	\$ 0.14397	\$ 0.16113	\$ 0.20718
TOU-GS-3-R	Energy	Summer	MID-PEAK	\$ 0.06237	\$ 0.07083	\$ 0.09354
TOU-GS-3-R	Energy	Summer	OFF-PEAK	\$ 0.03289	\$ 0.03820	\$ 0.05247
TOU-GS-3-R	Energy	Winter	MID-PEAK	\$ 0.09794	\$ 0.10651	\$ 0.13307
TOU-GS-3-R	Energy	Winter	OFF-PEAK	\$ 0.04998	\$ 0.05497	\$ 0.07045
TOU-GS-3-SUB-D	Energy	Summer	ON-PEAK	\$ 0.05606	\$ 0.06385	\$ 0.08475
TOU-GS-3-SUB-D	Energy	Summer	MID-PEAK	\$ 0.04949	\$ 0.05658	\$ 0.07560
TOU-GS-3-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.02744	\$ 0.03218	\$ 0.04489

Exhibit A to Resolution 26-01-099
Phase 1 and 2 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-3-SUB-D	Energy	Winter	MID-PEAK	\$ 0.06717	\$ 0.07345	\$ 0.09290
TOU-GS-3-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.06769	\$ 0.07400	\$ 0.09357
TOU-GS-3-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02635	\$ 0.02958	\$ 0.03960
TOU-GS-3-SUB-D	Demand	Summer	ON-PEAK	\$ 12.11	\$ 13.40	\$ 16.87
TOU-GS-3-SUB-D	Demand	Winter	MID-PEAK	\$ 7.15	\$ 7.69	\$ 9.34
TOU-8-PRI-B	Energy	Summer	ON-PEAK	\$ 0.05266	\$ 0.05435	\$ 0.06630
TOU-8-PRI-B	Energy	Summer	MID-PEAK	\$ 0.04758	\$ 0.04914	\$ 0.06021
TOU-8-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.04577	\$ 0.04729	\$ 0.05805
TOU-8-PRI-B	Energy	Winter	MID-PEAK	\$ 0.10187	\$ 0.10494	\$ 0.12534
TOU-8-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.05268	\$ 0.05447	\$ 0.06637
TOU-8-PRI-B	Demand	Summer	ON-PEAK	\$ 11.81	\$ 12.10	\$ 14.14
TOU-8-PRI-B	Demand	Summer	MID-PEAK	\$ 3.79	\$ 3.89	\$ 4.55
TOU-8-PRI-D	Energy	Summer	ON-PEAK	\$ 0.07589	\$ 0.07814	\$ 0.09413
TOU-8-PRI-D	Energy	Summer	MID-PEAK	\$ 0.06795	\$ 0.07002	\$ 0.08462
TOU-8-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04070	\$ 0.04209	\$ 0.05197
TOU-8-PRI-D	Energy	Winter	MID-PEAK	\$ 0.06922	\$ 0.07145	\$ 0.08621
TOU-8-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.06993	\$ 0.07218	\$ 0.08706
TOU-8-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02898	\$ 0.03016	\$ 0.03797
TOU-8-PRI-D	Demand	Summer	ON-PEAK	\$ 16.77	\$ 17.18	\$ 20.09
TOU-8-PRI-D	Demand	Winter	MID-PEAK	\$ 8.16	\$ 8.37	\$ 9.78
TOU-8-PRI-E	Energy	Summer	ON-PEAK	\$ 0.24528	\$ 0.25170	\$ 0.29707
TOU-8-PRI-E	Energy	Summer	MID-PEAK	\$ 0.06795	\$ 0.07002	\$ 0.08462
TOU-8-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.04070	\$ 0.04209	\$ 0.05197
TOU-8-PRI-E	Energy	Winter	MID-PEAK	\$ 0.13995	\$ 0.14402	\$ 0.17100
TOU-8-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.06993	\$ 0.07218	\$ 0.08706
TOU-8-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02898	\$ 0.03016	\$ 0.03797
TOU-8-PRI-E	Demand	Summer	ON-PEAK	\$ 4.11	\$ 4.21	\$ 4.93
TOU-8-PRI-E	Demand	Winter	MID-PEAK	\$ 0.94	\$ 0.96	\$ 1.12
TOU-8-PRI-R	Energy	Summer	ON-PEAK	\$ 0.18623	\$ 0.19120	\$ 0.22633
TOU-8-PRI-R	Energy	Summer	MID-PEAK	\$ 0.07784	\$ 0.08014	\$ 0.09646
TOU-8-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.04577	\$ 0.04729	\$ 0.05805
TOU-8-PRI-R	Energy	Winter	MID-PEAK	\$ 0.10187	\$ 0.10494	\$ 0.12534
TOU-8-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.05268	\$ 0.05447	\$ 0.06637
TOU-8-SEC-B	Energy	Summer	ON-PEAK	\$ 0.03889	\$ 0.04539	\$ 0.06142
TOU-8-SEC-B	Energy	Summer	MID-PEAK	\$ 0.03504	\$ 0.04109	\$ 0.05600
TOU-8-SEC-B	Energy	Summer	OFF-PEAK	\$ 0.03334	\$ 0.03919	\$ 0.05362
TOU-8-SEC-B	Energy	Winter	MID-PEAK	\$ 0.09577	\$ 0.09958	\$ 0.13143
TOU-8-SEC-B	Energy	Winter	OFF-PEAK	\$ 0.05270	\$ 0.05505	\$ 0.07469
TOU-8-SEC-B	Demand	Summer	ON-PEAK	\$ 9.29	\$ 10.38	\$ 13.06
TOU-8-SEC-B	Demand	Summer	MID-PEAK	\$ 3.05	\$ 3.41	\$ 4.29
TOU-8-SEC-D	Energy	Summer	ON-PEAK	\$ 0.05785	\$ 0.06658	\$ 0.08809
TOU-8-SEC-D	Energy	Summer	MID-PEAK	\$ 0.05130	\$ 0.05925	\$ 0.07887
TOU-8-SEC-D	Energy	Summer	OFF-PEAK	\$ 0.02940	\$ 0.03479	\$ 0.04808
TOU-8-SEC-D	Energy	Winter	MID-PEAK	\$ 0.07144	\$ 0.07443	\$ 0.09938

January 15, 2026

9 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit A to Resolution 26-01-099

Phase 1 and 2 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-8-SEC-D	Energy	Winter	OFF-PEAK	\$ 0.07199	\$ 0.07500	\$ 0.10010
TOU-8-SEC-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02991	\$ 0.03149	\$ 0.04466
TOU-8-SEC-D	Demand	Summer	ON-PEAK	\$ 13.49	\$ 15.07	\$ 18.97
TOU-8-SEC-D	Demand	Winter	MID-PEAK	\$ 6.86	\$ 7.09	\$ 9.04
TOU-8-SEC-E	Energy	Summer	ON-PEAK	\$ 0.19688	\$ 0.22191	\$ 0.28361
TOU-8-SEC-E	Energy	Summer	MID-PEAK	\$ 0.05130	\$ 0.05925	\$ 0.07887
TOU-8-SEC-E	Energy	Summer	OFF-PEAK	\$ 0.02940	\$ 0.03479	\$ 0.04808
TOU-8-SEC-E	Energy	Winter	MID-PEAK	\$ 0.11626	\$ 0.12076	\$ 0.15842
TOU-8-SEC-E	Energy	Winter	OFF-PEAK	\$ 0.07199	\$ 0.07500	\$ 0.10010
TOU-8-SEC-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02991	\$ 0.03149	\$ 0.04466
TOU-8-SEC-E	Demand	Summer	ON-PEAK	\$ 3.75	\$ 4.19	\$ 5.27
TOU-8-SEC-E	Demand	Winter	MID-PEAK	\$ 2.80	\$ 2.90	\$ 3.69
TOU-8-SEC-R	Energy	Summer	ON-PEAK	\$ 0.14555	\$ 0.16456	\$ 0.21142
TOU-8-SEC-R	Energy	Summer	MID-PEAK	\$ 0.06100	\$ 0.07010	\$ 0.09252
TOU-8-SEC-R	Energy	Summer	OFF-PEAK	\$ 0.03334	\$ 0.03919	\$ 0.05362
TOU-8-SEC-R	Energy	Winter	MID-PEAK	\$ 0.09577	\$ 0.09958	\$ 0.13143
TOU-8-SEC-R	Energy	Winter	OFF-PEAK	\$ 0.05270	\$ 0.05505	\$ 0.07469
TOU-8-SUB-B	Energy	Summer	ON-PEAK	\$ 0.03681	\$ 0.03811	\$ 0.04693
TOU-8-SUB-B	Energy	Summer	MID-PEAK	\$ 0.03280	\$ 0.03401	\$ 0.04215
TOU-8-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.03159	\$ 0.03277	\$ 0.04070
TOU-8-SUB-B	Energy	Winter	MID-PEAK	\$ 0.08988	\$ 0.09257	\$ 0.11053
TOU-8-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.04772	\$ 0.04933	\$ 0.06009
TOU-8-SUB-B	Demand	Summer	ON-PEAK	\$ 10.91	\$ 11.18	\$ 13.03
TOU-8-SUB-B	Demand	Summer	MID-PEAK	\$ 3.53	\$ 3.62	\$ 4.22
TOU-8-SUB-D	Energy	Summer	ON-PEAK	\$ 0.05452	\$ 0.05627	\$ 0.06808
TOU-8-SUB-D	Energy	Summer	MID-PEAK	\$ 0.04868	\$ 0.05028	\$ 0.06111
TOU-8-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.02772	\$ 0.02880	\$ 0.03607
TOU-8-SUB-D	Energy	Winter	MID-PEAK	\$ 0.06188	\$ 0.06386	\$ 0.07704
TOU-8-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.06281	\$ 0.06481	\$ 0.07815
TOU-8-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02566	\$ 0.02671	\$ 0.03370
TOU-8-SUB-D	Demand	Summer	ON-PEAK	\$ 14.98	\$ 15.35	\$ 17.89
TOU-8-SUB-D	Demand	Winter	MID-PEAK	\$ 7.50	\$ 7.69	\$ 8.97
TOU-8-SUB-E	Energy	Summer	ON-PEAK	\$ 0.21718	\$ 0.22301	\$ 0.26233
TOU-8-SUB-E	Energy	Summer	MID-PEAK	\$ 0.04868	\$ 0.05028	\$ 0.06111
TOU-8-SUB-E	Energy	Summer	OFF-PEAK	\$ 0.02772	\$ 0.02880	\$ 0.03607
TOU-8-SUB-E	Energy	Winter	MID-PEAK	\$ 0.11690	\$ 0.12029	\$ 0.14285
TOU-8-SUB-E	Energy	Winter	OFF-PEAK	\$ 0.06281	\$ 0.06481	\$ 0.07815
TOU-8-SUB-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02566	\$ 0.02671	\$ 0.03370
TOU-8-SUB-E	Demand	Summer	ON-PEAK	\$ 1.42	\$ 1.46	\$ 1.70
TOU-8-SUB-E	Demand	Winter	MID-PEAK	\$ 1.07	\$ 1.10	\$ 1.28
TOU-8-SUB-R	Energy	Summer	ON-PEAK	\$ 0.14710	\$ 0.15117	\$ 0.17864
TOU-8-SUB-R	Energy	Summer	MID-PEAK	\$ 0.05704	\$ 0.05885	\$ 0.07109
TOU-8-SUB-R	Energy	Summer	OFF-PEAK	\$ 0.03159	\$ 0.03277	\$ 0.04070
TOU-8-SUB-R	Energy	Winter	MID-PEAK	\$ 0.08988	\$ 0.09257	\$ 0.11053

January 15, 2026

10 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit A to Resolution 26-01-099
Phase 1 and 2 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-8-SUB-R	Energy	Winter	OFF-PEAK	\$ 0.04772	\$ 0.04933	\$ 0.06009
TOU-EV-7	Energy	Summer	ON-PEAK	\$ 0.29258	\$ 0.30976	\$ 0.36133
TOU-EV-7	Energy	Summer	MID-PEAK	\$ 0.09309	\$ 0.09920	\$ 0.11750
TOU-EV-7	Energy	Summer	OFF-PEAK	\$ 0.07352	\$ 0.07854	\$ 0.09358
TOU-EV-7	Energy	Winter	MID-PEAK	\$ 0.14993	\$ 0.15919	\$ 0.18697
TOU-EV-7	Energy	Winter	OFF-PEAK	\$ 0.08944	\$ 0.09534	\$ 0.11303
TOU-EV-7	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03189	\$ 0.03459	\$ 0.04269
TOU-EV-8	Energy	Summer	ON-PEAK	\$ 0.32335	\$ 0.34549	\$ 0.41190
TOU-EV-8	Energy	Summer	MID-PEAK	\$ 0.07926	\$ 0.08555	\$ 0.10440
TOU-EV-8	Energy	Summer	OFF-PEAK	\$ 0.05736	\$ 0.06222	\$ 0.07681
TOU-EV-8	Energy	Winter	MID-PEAK	\$ 0.12191	\$ 0.13097	\$ 0.15813
TOU-EV-8	Energy	Winter	OFF-PEAK	\$ 0.07048	\$ 0.07619	\$ 0.09333
TOU-EV-8	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02035	\$ 0.02280	\$ 0.03018
TOU-EV-PRI-9	Energy	Summer	ON-PEAK	\$ 0.22410	\$ 0.23706	\$ 0.27595
TOU-EV-PRI-9	Energy	Summer	MID-PEAK	\$ 0.06898	\$ 0.07357	\$ 0.08736
TOU-EV-PRI-9	Energy	Summer	OFF-PEAK	\$ 0.04900	\$ 0.05251	\$ 0.06307
TOU-EV-PRI-9	Energy	Winter	MID-PEAK	\$ 0.11265	\$ 0.11960	\$ 0.14045
TOU-EV-PRI-9	Energy	Winter	OFF-PEAK	\$ 0.05840	\$ 0.06242	\$ 0.07450
TOU-EV-PRI-9	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01903	\$ 0.02093	\$ 0.02663
TOU-EV-SEC-9	Energy	Summer	ON-PEAK	\$ 0.24807	\$ 0.26323	\$ 0.30868
TOU-EV-SEC-9	Energy	Summer	MID-PEAK	\$ 0.07314	\$ 0.07828	\$ 0.09369
TOU-EV-SEC-9	Energy	Summer	OFF-PEAK	\$ 0.05308	\$ 0.05707	\$ 0.06903
TOU-EV-SEC-9	Energy	Winter	MID-PEAK	\$ 0.11400	\$ 0.12148	\$ 0.14390
TOU-EV-SEC-9	Energy	Winter	OFF-PEAK	\$ 0.06340	\$ 0.06798	\$ 0.08171
TOU-EV-SEC-9	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02047	\$ 0.02259	\$ 0.02895
TOU-EV-SUB-9	Energy	Summer	ON-PEAK	\$ 0.22035	\$ 0.22924	\$ 0.25589
TOU-EV-SUB-9	Energy	Summer	MID-PEAK	\$ 0.06528	\$ 0.06832	\$ 0.07744
TOU-EV-SUB-9	Energy	Summer	OFF-PEAK	\$ 0.04580	\$ 0.04811	\$ 0.05502
TOU-EV-SUB-9	Energy	Winter	MID-PEAK	\$ 0.09950	\$ 0.10383	\$ 0.11682
TOU-EV-SUB-9	Energy	Winter	OFF-PEAK	\$ 0.05426	\$ 0.05688	\$ 0.06475
TOU-EV-SUB-9	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01797	\$ 0.01923	\$ 0.02299
TOU-PA-2-A	Energy	Summer	ON-PEAK	\$ 0.21091	\$ 0.22175	\$ 0.25425
TOU-PA-2-A	Energy	Summer	MID-PEAK	\$ 0.08706	\$ 0.09201	\$ 0.10686
TOU-PA-2-A	Energy	Summer	OFF-PEAK	\$ 0.05347	\$ 0.05683	\$ 0.06689
TOU-PA-2-A	Energy	Winter	MID-PEAK	\$ 0.07949	\$ 0.08408	\$ 0.09785
TOU-PA-2-A	Energy	Winter	OFF-PEAK	\$ 0.04669	\$ 0.04972	\$ 0.05882
TOU-PA-2-B	Energy	Summer	ON-PEAK	\$ 0.06143	\$ 0.06487	\$ 0.07520
TOU-PA-2-B	Energy	Summer	MID-PEAK	\$ 0.05546	\$ 0.05865	\$ 0.06820
TOU-PA-2-B	Energy	Summer	OFF-PEAK	\$ 0.05356	\$ 0.05666	\$ 0.06596
TOU-PA-2-B	Energy	Winter	MID-PEAK	\$ 0.07961	\$ 0.08386	\$ 0.09658
TOU-PA-2-B	Energy	Winter	OFF-PEAK	\$ 0.04677	\$ 0.04957	\$ 0.05798
TOU-PA-2-B	Demand	Summer	ON-PEAK	\$ 7.73	\$ 8.07	\$ 9.08
TOU-PA-2-B	Demand	Summer	MID-PEAK	\$ 2.37	\$ 2.47	\$ 2.79
TOU-PA-2-D	Energy	Summer	ON-PEAK	\$ 0.09031	\$ 0.09555	\$ 0.11129

January 15, 2026

11 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit A to Resolution 26-01-099

Phase 1 and 2 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-2-D	Energy	Summer	MID-PEAK	\$ 0.08082	\$ 0.08560	\$ 0.09995
TOU-PA-2-D	Energy	Summer	OFF-PEAK	\$ 0.04768	\$ 0.05085	\$ 0.06034
TOU-PA-2-D	Energy	Winter	MID-PEAK	\$ 0.06700	\$ 0.07111	\$ 0.08343
TOU-PA-2-D	Energy	Winter	OFF-PEAK	\$ 0.04981	\$ 0.05308	\$ 0.06288
TOU-PA-2-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04006	\$ 0.04285	\$ 0.05122
TOU-PA-2-D	Demand	Summer	ON-PEAK	\$ 10.88	\$ 11.41	\$ 13.00
TOU-PA-2-D	Demand	Winter	MID-PEAK	\$ 2.46	\$ 2.58	\$ 2.95
TOU-PA-2-D5	Energy	Summer	ON-PEAK	\$ 0.19696	\$ 0.20722	\$ 0.23801
TOU-PA-2-D5	Energy	Summer	MID-PEAK	\$ 0.18481	\$ 0.19449	\$ 0.22353
TOU-PA-2-D5	Energy	Summer	OFF-PEAK	\$ 0.04364	\$ 0.04655	\$ 0.05530
TOU-PA-2-D5	Energy	Winter	MID-PEAK	\$ 0.06964	\$ 0.07380	\$ 0.08628
TOU-PA-2-D5	Energy	Winter	OFF-PEAK	\$ 0.05191	\$ 0.05522	\$ 0.06516
TOU-PA-2-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04183	\$ 0.04466	\$ 0.05314
TOU-PA-2-D5	Demand	Summer	ON-PEAK	\$ 10.42	\$ 10.92	\$ 12.41
TOU-PA-2-D5	Demand	Winter	MID-PEAK	\$ 2.17	\$ 2.28	\$ 2.59
TOU-PA-2-E	Energy	Summer	ON-PEAK	\$ 0.34465	\$ 0.36176	\$ 0.41310
TOU-PA-2-E	Energy	Summer	MID-PEAK	\$ 0.08087	\$ 0.08551	\$ 0.09942
TOU-PA-2-E	Energy	Summer	OFF-PEAK	\$ 0.04772	\$ 0.05079	\$ 0.05999
TOU-PA-2-E	Energy	Winter	MID-PEAK	\$ 0.08036	\$ 0.08497	\$ 0.09880
TOU-PA-2-E	Energy	Winter	OFF-PEAK	\$ 0.06045	\$ 0.06412	\$ 0.07512
TOU-PA-2-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04911	\$ 0.05224	\$ 0.06165
TOU-PA-2-E5	Energy	Summer	ON-PEAK	\$ 0.58497	\$ 0.61342	\$ 0.69877
TOU-PA-2-E5	Energy	Summer	MID-PEAK	\$ 0.18485	\$ 0.19440	\$ 0.22303
TOU-PA-2-E5	Energy	Summer	OFF-PEAK	\$ 0.04365	\$ 0.04653	\$ 0.05515
TOU-PA-2-E5	Energy	Winter	MID-PEAK	\$ 0.08077	\$ 0.08539	\$ 0.09927
TOU-PA-2-E5	Energy	Winter	OFF-PEAK	\$ 0.06077	\$ 0.06445	\$ 0.07549
TOU-PA-2-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04940	\$ 0.05254	\$ 0.06197
TOU-PA-2-PRI-A	Energy	Summer	ON-PEAK	\$ 0.20941	\$ 0.22023	\$ 0.25269
TOU-PA-2-PRI-A	Energy	Summer	MID-PEAK	\$ 0.08557	\$ 0.09048	\$ 0.10520
TOU-PA-2-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.05199	\$ 0.05529	\$ 0.06519
TOU-PA-2-PRI-A	Energy	Winter	MID-PEAK	\$ 0.07800	\$ 0.08255	\$ 0.09618
TOU-PA-2-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.04520	\$ 0.04818	\$ 0.05711
TOU-PA-2-PRI-B	Energy	Summer	ON-PEAK	\$ 0.06052	\$ 0.06394	\$ 0.07421
TOU-PA-2-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05456	\$ 0.05772	\$ 0.06720
TOU-PA-2-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.05266	\$ 0.05573	\$ 0.06496
TOU-PA-2-PRI-B	Energy	Winter	MID-PEAK	\$ 0.07871	\$ 0.08293	\$ 0.09560
TOU-PA-2-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.04587	\$ 0.04864	\$ 0.05697
TOU-PA-2-PRI-B	Demand	Summer	ON-PEAK	\$ 7.55	\$ 7.88	\$ 8.88
TOU-PA-2-PRI-B	Demand	Summer	MID-PEAK	\$ 2.20	\$ 2.29	\$ 2.58
TOU-PA-2-PRI-D	Energy	Summer	ON-PEAK	\$ 0.08940	\$ 0.09463	\$ 0.11030
TOU-PA-2-PRI-D	Energy	Summer	MID-PEAK	\$ 0.07992	\$ 0.08468	\$ 0.09895
TOU-PA-2-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04678	\$ 0.04992	\$ 0.05932
TOU-PA-2-PRI-D	Energy	Winter	MID-PEAK	\$ 0.06610	\$ 0.07018	\$ 0.08242
TOU-PA-2-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.04891	\$ 0.05214	\$ 0.06186

Exhibit A to Resolution 26-01-099

Phase 1 and 2 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-2-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03916	\$ 0.04192	\$ 0.05020
TOU-PA-2-PRI-D	Demand	Summer	ON-PEAK	\$ 10.72	\$ 11.25	\$ 12.83
TOU-PA-2-PRI-D	Demand	Winter	MID-PEAK	\$ 2.31	\$ 2.42	\$ 2.76
TOU-PA-2-PRI-D5	Energy	Summer	ON-PEAK	\$ 0.19601	\$ 0.20628	\$ 0.23707
TOU-PA-2-PRI-D5	Energy	Summer	MID-PEAK	\$ 0.18387	\$ 0.19354	\$ 0.22258
TOU-PA-2-PRI-D5	Energy	Summer	OFF-PEAK	\$ 0.04271	\$ 0.04559	\$ 0.05424
TOU-PA-2-PRI-D5	Energy	Winter	MID-PEAK	\$ 0.06870	\$ 0.07284	\$ 0.08524
TOU-PA-2-PRI-D5	Energy	Winter	OFF-PEAK	\$ 0.05098	\$ 0.05426	\$ 0.06410
TOU-PA-2-PRI-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04090	\$ 0.04369	\$ 0.05208
TOU-PA-2-PRI-D5	Demand	Summer	ON-PEAK	\$ 10.27	\$ 10.76	\$ 12.25
TOU-PA-2-PRI-D5	Demand	Winter	MID-PEAK	\$ 2.03	\$ 2.12	\$ 2.42
TOU-PA-2-PRI-E	Energy	Summer	ON-PEAK	\$ 0.34314	\$ 0.36027	\$ 0.41164
TOU-PA-2-PRI-E	Energy	Summer	MID-PEAK	\$ 0.07938	\$ 0.08397	\$ 0.09774
TOU-PA-2-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.04623	\$ 0.04924	\$ 0.05828
TOU-PA-2-PRI-E	Energy	Winter	MID-PEAK	\$ 0.07887	\$ 0.08343	\$ 0.09712
TOU-PA-2-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.05896	\$ 0.06258	\$ 0.07343
TOU-PA-2-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04762	\$ 0.05070	\$ 0.05994
TOU-PA-2-PRI-E5	Energy	Summer	ON-PEAK	\$ 0.58344	\$ 0.61196	\$ 0.69753
TOU-PA-2-PRI-E5	Energy	Summer	MID-PEAK	\$ 0.18336	\$ 0.19288	\$ 0.22144
TOU-PA-2-PRI-E5	Energy	Summer	OFF-PEAK	\$ 0.04217	\$ 0.04499	\$ 0.05343
TOU-PA-2-PRI-E5	Energy	Winter	MID-PEAK	\$ 0.07928	\$ 0.08386	\$ 0.09759
TOU-PA-2-PRI-E5	Energy	Winter	OFF-PEAK	\$ 0.05928	\$ 0.06291	\$ 0.07380
TOU-PA-2-PRI-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04791	\$ 0.05100	\$ 0.06026
TOU-PA-3-A	Energy	Summer	ON-PEAK	\$ 0.18129	\$ 0.19084	\$ 0.21949
TOU-PA-3-A	Energy	Summer	MID-PEAK	\$ 0.07249	\$ 0.07680	\$ 0.08972
TOU-PA-3-A	Energy	Summer	OFF-PEAK	\$ 0.04442	\$ 0.04738	\$ 0.05624
TOU-PA-3-A	Energy	Winter	MID-PEAK	\$ 0.06617	\$ 0.07017	\$ 0.08218
TOU-PA-3-A	Energy	Winter	OFF-PEAK	\$ 0.04100	\$ 0.04379	\$ 0.05216
TOU-PA-3-B	Energy	Summer	ON-PEAK	\$ 0.05132	\$ 0.05438	\$ 0.06356
TOU-PA-3-B	Energy	Summer	MID-PEAK	\$ 0.04606	\$ 0.04889	\$ 0.05736
TOU-PA-3-B	Energy	Summer	OFF-PEAK	\$ 0.04449	\$ 0.04724	\$ 0.05550
TOU-PA-3-B	Energy	Winter	MID-PEAK	\$ 0.06626	\$ 0.06999	\$ 0.08118
TOU-PA-3-B	Energy	Winter	OFF-PEAK	\$ 0.04107	\$ 0.04367	\$ 0.05147
TOU-PA-3-B	Demand	Summer	ON-PEAK	\$ 8.18	\$ 8.55	\$ 9.65
TOU-PA-3-B	Demand	Summer	MID-PEAK	\$ 2.40	\$ 2.51	\$ 2.83
TOU-PA-3-D	Energy	Summer	ON-PEAK	\$ 0.07642	\$ 0.08096	\$ 0.09458
TOU-PA-3-D	Energy	Summer	MID-PEAK	\$ 0.06823	\$ 0.07237	\$ 0.08479
TOU-PA-3-D	Energy	Summer	OFF-PEAK	\$ 0.03949	\$ 0.04224	\$ 0.05047
TOU-PA-3-D	Energy	Winter	MID-PEAK	\$ 0.05527	\$ 0.05878	\$ 0.06932
TOU-PA-3-D	Energy	Winter	OFF-PEAK	\$ 0.05573	\$ 0.05926	\$ 0.06987
TOU-PA-3-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02128	\$ 0.02314	\$ 0.02872
TOU-PA-3-D	Demand	Summer	ON-PEAK	\$ 11.61	\$ 12.18	\$ 13.87
TOU-PA-3-D	Demand	Winter	MID-PEAK	\$ 2.49	\$ 2.62	\$ 2.98
TOU-PA-3-D5	Energy	Summer	ON-PEAK	\$ 0.16503	\$ 0.17379	\$ 0.20009

Exhibit A to Resolution 26-01-099

Phase 1 and 2 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-3-D5	Energy	Summer	MID-PEAK	\$ 0.15470	\$ 0.16297	\$ 0.18778
TOU-PA-3-D5	Energy	Summer	OFF-PEAK	\$ 0.03614	\$ 0.03870	\$ 0.04637
TOU-PA-3-D5	Energy	Winter	MID-PEAK	\$ 0.05518	\$ 0.05865	\$ 0.06907
TOU-PA-3-D5	Energy	Winter	OFF-PEAK	\$ 0.05563	\$ 0.05913	\$ 0.06962
TOU-PA-3-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02115	\$ 0.02299	\$ 0.02849
TOU-PA-3-D5	Demand	Summer	ON-PEAK	\$ 11.13	\$ 11.66	\$ 13.27
TOU-PA-3-D5	Demand	Winter	MID-PEAK	\$ 2.90	\$ 3.04	\$ 3.46
TOU-PA-3-E	Energy	Summer	ON-PEAK	\$ 0.29258	\$ 0.30742	\$ 0.35195
TOU-PA-3-E	Energy	Summer	MID-PEAK	\$ 0.06825	\$ 0.07233	\$ 0.08459
TOU-PA-3-E	Energy	Summer	OFF-PEAK	\$ 0.03950	\$ 0.04221	\$ 0.05033
TOU-PA-3-E	Energy	Winter	MID-PEAK	\$ 0.08616	\$ 0.09110	\$ 0.10593
TOU-PA-3-E	Energy	Winter	OFF-PEAK	\$ 0.06519	\$ 0.06913	\$ 0.08094
TOU-PA-3-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01296	\$ 0.01440	\$ 0.01870
TOU-PA-3-E5	Energy	Summer	ON-PEAK	\$ 0.49075	\$ 0.51508	\$ 0.58805
TOU-PA-3-E5	Energy	Summer	MID-PEAK	\$ 0.15471	\$ 0.16294	\$ 0.18761
TOU-PA-3-E5	Energy	Summer	OFF-PEAK	\$ 0.03614	\$ 0.03869	\$ 0.04632
TOU-PA-3-E5	Energy	Winter	MID-PEAK	\$ 0.09092	\$ 0.09609	\$ 0.11159
TOU-PA-3-E5	Energy	Winter	OFF-PEAK	\$ 0.06899	\$ 0.07311	\$ 0.08546
TOU-PA-3-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01435	\$ 0.01585	\$ 0.02034
TOU-PA-3-PRI-A	Energy	Summer	ON-PEAK	\$ 0.17990	\$ 0.18943	\$ 0.21801
TOU-PA-3-PRI-A	Energy	Summer	MID-PEAK	\$ 0.07111	\$ 0.07537	\$ 0.08816
TOU-PA-3-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.04304	\$ 0.04595	\$ 0.05466
TOU-PA-3-PRI-A	Energy	Winter	MID-PEAK	\$ 0.06479	\$ 0.06874	\$ 0.08061
TOU-PA-3-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.03962	\$ 0.04236	\$ 0.05057
TOU-PA-3-PRI-B	Energy	Summer	ON-PEAK	\$ 0.05043	\$ 0.05346	\$ 0.06256
TOU-PA-3-PRI-B	Energy	Summer	MID-PEAK	\$ 0.04517	\$ 0.04797	\$ 0.05636
TOU-PA-3-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.04360	\$ 0.04632	\$ 0.05450
TOU-PA-3-PRI-B	Energy	Winter	MID-PEAK	\$ 0.06537	\$ 0.06907	\$ 0.08019
TOU-PA-3-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.04018	\$ 0.04275	\$ 0.05046
TOU-PA-3-PRI-B	Demand	Summer	ON-PEAK	\$ 7.97	\$ 8.33	\$ 9.40
TOU-PA-3-PRI-B	Demand	Summer	MID-PEAK	\$ 2.18	\$ 2.28	\$ 2.58
TOU-PA-3-PRI-D	Energy	Summer	ON-PEAK	\$ 0.07553	\$ 0.08004	\$ 0.09360
TOU-PA-3-PRI-D	Energy	Summer	MID-PEAK	\$ 0.06734	\$ 0.07145	\$ 0.08380
TOU-PA-3-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.03860	\$ 0.04131	\$ 0.04945
TOU-PA-3-PRI-D	Energy	Winter	MID-PEAK	\$ 0.05438	\$ 0.05786	\$ 0.06832
TOU-PA-3-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05484	\$ 0.05834	\$ 0.06886
TOU-PA-3-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02040	\$ 0.02222	\$ 0.02769
TOU-PA-3-PRI-D	Demand	Summer	ON-PEAK	\$ 11.44	\$ 11.99	\$ 13.67
TOU-PA-3-PRI-D	Demand	Winter	MID-PEAK	\$ 2.32	\$ 2.43	\$ 2.77
TOU-PA-3-PRI-D5	Energy	Summer	ON-PEAK	\$ 0.16413	\$ 0.17289	\$ 0.19918
TOU-PA-3-PRI-D5	Energy	Summer	MID-PEAK	\$ 0.15380	\$ 0.16206	\$ 0.18685
TOU-PA-3-PRI-D5	Energy	Summer	OFF-PEAK	\$ 0.03525	\$ 0.03777	\$ 0.04535
TOU-PA-3-PRI-D5	Energy	Winter	MID-PEAK	\$ 0.05428	\$ 0.05773	\$ 0.06807
TOU-PA-3-PRI-D5	Energy	Winter	OFF-PEAK	\$ 0.05474	\$ 0.05821	\$ 0.06862

January 15, 2026

14 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit A to Resolution 26-01-099
Phase 1 and 2 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-3-PRI-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02027	\$ 0.02207	\$ 0.02747
TOU-PA-3-PRI-D5	Demand	Summer	ON-PEAK	\$ 10.95	\$ 11.48	\$ 13.07
TOU-PA-3-PRI-D5	Demand	Winter	MID-PEAK	\$ 2.73	\$ 2.86	\$ 3.26
TOU-PA-3-PRI-E	Energy	Summer	ON-PEAK	\$ 0.29118	\$ 0.30603	\$ 0.35057
TOU-PA-3-PRI-E	Energy	Summer	MID-PEAK	\$ 0.06687	\$ 0.07091	\$ 0.08302
TOU-PA-3-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.03813	\$ 0.04078	\$ 0.04874
TOU-PA-3-PRI-E	Energy	Winter	MID-PEAK	\$ 0.08477	\$ 0.08968	\$ 0.10438
TOU-PA-3-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.06381	\$ 0.06770	\$ 0.07937
TOU-PA-3-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01159	\$ 0.01296	\$ 0.01708
TOU-PA-3-PRI-E5	Energy	Summer	ON-PEAK	\$ 0.48934	\$ 0.51371	\$ 0.58684
TOU-PA-3-PRI-E5	Energy	Summer	MID-PEAK	\$ 0.15333	\$ 0.16152	\$ 0.18612
TOU-PA-3-PRI-E5	Energy	Summer	OFF-PEAK	\$ 0.03477	\$ 0.03725	\$ 0.04472
TOU-PA-3-PRI-E5	Energy	Winter	MID-PEAK	\$ 0.08954	\$ 0.09467	\$ 0.11005
TOU-PA-3-PRI-E5	Energy	Winter	OFF-PEAK	\$ 0.06761	\$ 0.07168	\$ 0.08389
TOU-PA-3-PRI-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01297	\$ 0.01441	\$ 0.01873
AL-2-F	Energy	All_Year	NONE	\$ 0.04398	\$ 0.04721	\$ 0.05690
AL-2-GF	Energy	Summer	ON-PEAK	\$ 0.13140	\$ 0.13928	\$ 0.16292
AL-2-GF	Energy	Summer	OFF-PEAK	\$ 0.03928	\$ 0.04251	\$ 0.05220
AL-2-GF	Energy	Winter	ON-PEAK	\$ 0.08159	\$ 0.08682	\$ 0.10251
AL-2-GF	Energy	Winter	OFF-PEAK	\$ 0.03928	\$ 0.04251	\$ 0.05220
LS-1	Energy	All_Year	NONE	\$ 0.03899	\$ 0.04283	\$ 0.05434
LS-3	Energy	All_Year	NONE	\$ 0.03928	\$ 0.04251	\$ 0.05220
TC-1	Energy	All_Year	NONE	\$ 0.06999	\$ 0.07728	\$ 0.09916
WTR	Energy	All_Year	NONE	\$ 0.07057	\$ 0.07621	\$ 0.09313

Exhibit A to Resolution 26-01-099
Phase 1 and 2 Non-residential CARE Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
TOU-GS-1-A	Energy	Summer	ON-PEAK	\$ 0.13236	\$ 0.13749	\$ 0.15288	\$ 0.13749
TOU-GS-1-A	Energy	Summer	MID-PEAK	\$ 0.12272	\$ 0.12751	\$ 0.14191	\$ 0.12751
TOU-GS-1-A	Energy	Summer	OFF-PEAK	\$ 0.11745	\$ 0.12207	\$ 0.13592	\$ 0.12207
TOU-GS-1-A	Energy	Winter	MID-PEAK	\$ 0.08223	\$ 0.08563	\$ 0.09585	\$ 0.08563
TOU-GS-1-A	Energy	Winter	OFF-PEAK	\$ 0.07234	\$ 0.07541	\$ 0.08460	\$ 0.07541
TOU-GS-1-B	Energy	Summer	ON-PEAK	\$ 0.06478	\$ 0.06703	\$ 0.07379	\$ 0.06703
TOU-GS-1-B	Energy	Summer	MID-PEAK	\$ 0.05951	\$ 0.06162	\$ 0.06794	\$ 0.06162
TOU-GS-1-B	Energy	Summer	OFF-PEAK	\$ 0.05663	\$ 0.05865	\$ 0.06473	\$ 0.05865
TOU-GS-1-B	Energy	Winter	MID-PEAK	\$ 0.08246	\$ 0.08520	\$ 0.09342	\$ 0.08520
TOU-GS-1-B	Energy	Winter	OFF-PEAK	\$ 0.07255	\$ 0.07502	\$ 0.08242	\$ 0.07502
TOU-GS-1-B	Demand	Summer	ON-PEAK	\$ 11.55	\$ 11.87	\$ 12.83	\$ 11.87
TOU-GS-1-B	Demand	Summer	MID-PEAK	\$ 3.76	\$ 3.86	\$ 4.17	\$ 3.86
TOU-GS-1-D	Energy	Summer	ON-PEAK	\$ 0.09480	\$ 0.09823	\$ 0.10852	\$ 0.09823
TOU-GS-1-D	Energy	Summer	MID-PEAK	\$ 0.08400	\$ 0.08710	\$ 0.09639	\$ 0.08710
TOU-GS-1-D	Energy	Summer	OFF-PEAK	\$ 0.04930	\$ 0.05133	\$ 0.05742	\$ 0.05133
TOU-GS-1-D	Energy	Winter	MID-PEAK	\$ 0.08828	\$ 0.09150	\$ 0.10119	\$ 0.09150
TOU-GS-1-D	Energy	Winter	OFF-PEAK	\$ 0.05742	\$ 0.05970	\$ 0.06653	\$ 0.05970
TOU-GS-1-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03877	\$ 0.04047	\$ 0.04559	\$ 0.04047
TOU-GS-1-D	Demand	Summer	ON-PEAK	\$ 15.71	\$ 16.20	\$ 17.64	\$ 16.20
TOU-GS-1-D	Demand	Winter	MID-PEAK	\$ 4.82	\$ 4.97	\$ 5.42	\$ 4.97
TOU-GS-1-E	Energy	Summer	ON-PEAK	\$ 0.39861	\$ 0.41312	\$ 0.45665	\$ 0.41312
TOU-GS-1-E	Energy	Summer	MID-PEAK	\$ 0.09388	\$ 0.09774	\$ 0.10933	\$ 0.09774
TOU-GS-1-E	Energy	Summer	OFF-PEAK	\$ 0.06235	\$ 0.06511	\$ 0.07340	\$ 0.06511
TOU-GS-1-E	Energy	Winter	MID-PEAK	\$ 0.15111	\$ 0.15698	\$ 0.17457	\$ 0.15698
TOU-GS-1-E	Energy	Winter	OFF-PEAK	\$ 0.07652	\$ 0.07978	\$ 0.08955	\$ 0.07978
TOU-GS-1-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03224	\$ 0.03395	\$ 0.03908	\$ 0.03395
TOU-GS-1-ES	Energy	Summer	ON-PEAK	\$ 0.41515	\$ 0.43026	\$ 0.47561	\$ 0.43026
TOU-GS-1-ES	Energy	Summer	MID-PEAK	\$ 0.10158	\$ 0.10572	\$ 0.11814	\$ 0.10572
TOU-GS-1-ES	Energy	Summer	OFF-PEAK	\$ 0.06512	\$ 0.06798	\$ 0.07658	\$ 0.06798
TOU-GS-1-ES	Energy	Winter	MID-PEAK	\$ 0.14750	\$ 0.15325	\$ 0.17049	\$ 0.15325
TOU-GS-1-ES	Energy	Winter	OFF-PEAK	\$ 0.07217	\$ 0.07528	\$ 0.08461	\$ 0.07528
TOU-GS-1-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03033	\$ 0.03197	\$ 0.03691	\$ 0.03197
TOU-GS-1-PRI-A	Energy	Summer	ON-PEAK	\$ 0.13111	\$ 0.13619	\$ 0.15146	\$ 0.13619
TOU-GS-1-PRI-A	Energy	Summer	MID-PEAK	\$ 0.12146	\$ 0.12622	\$ 0.14049	\$ 0.12622
TOU-GS-1-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.11620	\$ 0.12077	\$ 0.13450	\$ 0.12077
TOU-GS-1-PRI-A	Energy	Winter	MID-PEAK	\$ 0.08098	\$ 0.08434	\$ 0.09442	\$ 0.08434
TOU-GS-1-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.07109	\$ 0.07411	\$ 0.08318	\$ 0.07411
TOU-GS-1-PRI-B	Energy	Summer	ON-PEAK	\$ 0.06433	\$ 0.06657	\$ 0.07329	\$ 0.06657
TOU-GS-1-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05906	\$ 0.06115	\$ 0.06744	\$ 0.06115
TOU-GS-1-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.05617	\$ 0.05819	\$ 0.06423	\$ 0.05819
TOU-GS-1-PRI-B	Energy	Winter	MID-PEAK	\$ 0.08201	\$ 0.08474	\$ 0.09292	\$ 0.08474
TOU-GS-1-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.07210	\$ 0.07455	\$ 0.08192	\$ 0.07455
TOU-GS-1-PRI-B	Demand	Summer	ON-PEAK	\$ 11.28	\$ 11.60	\$ 12.53	\$ 11.60
TOU-GS-1-PRI-B	Demand	Summer	MID-PEAK	\$ 3.49	\$ 3.59	\$ 3.88	\$ 3.59
TOU-GS-1-PRI-D	Energy	Summer	ON-PEAK	\$ 0.09435	\$ 0.09777	\$ 0.10801	\$ 0.09777
TOU-GS-1-PRI-D	Energy	Summer	MID-PEAK	\$ 0.08355	\$ 0.08663	\$ 0.09588	\$ 0.08663
TOU-GS-1-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04885	\$ 0.05087	\$ 0.05692	\$ 0.05087
TOU-GS-1-PRI-D	Energy	Winter	MID-PEAK	\$ 0.08782	\$ 0.09104	\$ 0.10068	\$ 0.09104

January 15, 2026

16 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit A to Resolution 26-01-099
Phase 1 and 2 Non-residential CARE Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
TOU-GS-1-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05697	\$ 0.05923	\$ 0.06603	\$ 0.05923
TOU-GS-1-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03832	\$ 0.04001	\$ 0.04508	\$ 0.04001
TOU-GS-1-PRI-D	Demand	Summer	ON-PEAK	\$ 15.52	\$ 15.99	\$ 17.42	\$ 15.99
TOU-GS-1-PRI-D	Demand	Winter	MID-PEAK	\$ 4.63	\$ 4.77	\$ 5.20	\$ 4.77
TOU-GS-1-PRI-E	Energy	Summer	ON-PEAK	\$ 0.39735	\$ 0.41183	\$ 0.45525	\$ 0.41183
TOU-GS-1-PRI-E	Energy	Summer	MID-PEAK	\$ 0.09262	\$ 0.09645	\$ 0.10791	\$ 0.09645
TOU-GS-1-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.06110	\$ 0.06382	\$ 0.07198	\$ 0.06382
TOU-GS-1-PRI-E	Energy	Winter	MID-PEAK	\$ 0.14986	\$ 0.15568	\$ 0.17315	\$ 0.15568
TOU-GS-1-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.07527	\$ 0.07849	\$ 0.08813	\$ 0.07849
TOU-GS-1-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03098	\$ 0.03265	\$ 0.03765	\$ 0.03265
TOU-GS-1-PRI-ES	Energy	Summer	ON-PEAK	\$ 0.41389	\$ 0.42897	\$ 0.47422	\$ 0.42897
TOU-GS-1-PRI-ES	Energy	Summer	MID-PEAK	\$ 0.10032	\$ 0.10442	\$ 0.11672	\$ 0.10442
TOU-GS-1-PRI-ES	Energy	Summer	OFF-PEAK	\$ 0.06387	\$ 0.06669	\$ 0.07515	\$ 0.06669
TOU-GS-1-PRI-ES	Energy	Winter	MID-PEAK	\$ 0.14625	\$ 0.15195	\$ 0.16907	\$ 0.15195
TOU-GS-1-PRI-ES	Energy	Winter	OFF-PEAK	\$ 0.07091	\$ 0.07398	\$ 0.08319	\$ 0.07398
TOU-GS-1-PRI-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02907	\$ 0.03068	\$ 0.03549	\$ 0.03068
TOU-GS-1-SUB-A	Energy	Summer	ON-PEAK	\$ 0.12984	\$ 0.13427	\$ 0.14758	\$ 0.13427
TOU-GS-1-SUB-A	Energy	Summer	MID-PEAK	\$ 0.12018	\$ 0.12433	\$ 0.13676	\$ 0.12433
TOU-GS-1-SUB-A	Energy	Summer	OFF-PEAK	\$ 0.11491	\$ 0.11889	\$ 0.13084	\$ 0.11889
TOU-GS-1-SUB-A	Energy	Winter	MID-PEAK	\$ 0.07964	\$ 0.08255	\$ 0.09130	\$ 0.08255
TOU-GS-1-SUB-A	Energy	Winter	OFF-PEAK	\$ 0.06973	\$ 0.07235	\$ 0.08020	\$ 0.07235
TOU-GS-1-SUB-B	Energy	Summer	ON-PEAK	\$ 0.06398	\$ 0.06603	\$ 0.07216	\$ 0.06603
TOU-GS-1-SUB-B	Energy	Summer	MID-PEAK	\$ 0.05871	\$ 0.06062	\$ 0.06635	\$ 0.06062
TOU-GS-1-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.05582	\$ 0.05766	\$ 0.06317	\$ 0.05766
TOU-GS-1-SUB-B	Energy	Winter	MID-PEAK	\$ 0.08168	\$ 0.08417	\$ 0.09165	\$ 0.08417
TOU-GS-1-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.07176	\$ 0.07400	\$ 0.08072	\$ 0.07400
TOU-GS-1-SUB-B	Demand	Summer	ON-PEAK	\$ 10.95	\$ 11.23	\$ 12.06	\$ 11.23
TOU-GS-1-SUB-B	Demand	Summer	MID-PEAK	\$ 3.15	\$ 3.23	\$ 3.47	\$ 3.23
TOU-GS-1-SUB-D	Energy	Summer	ON-PEAK	\$ 0.09405	\$ 0.09714	\$ 0.10643	\$ 0.09714
TOU-GS-1-SUB-D	Energy	Summer	MID-PEAK	\$ 0.08324	\$ 0.08603	\$ 0.09441	\$ 0.08603
TOU-GS-1-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.04850	\$ 0.05033	\$ 0.05579	\$ 0.05033
TOU-GS-1-SUB-D	Energy	Winter	MID-PEAK	\$ 0.08751	\$ 0.09043	\$ 0.09916	\$ 0.09043
TOU-GS-1-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.05663	\$ 0.05868	\$ 0.06483	\$ 0.05868
TOU-GS-1-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03796	\$ 0.03949	\$ 0.04407	\$ 0.03949
TOU-GS-1-SUB-D	Demand	Summer	ON-PEAK	\$ 15.27	\$ 15.69	\$ 16.97	\$ 15.69
TOU-GS-1-SUB-D	Demand	Winter	MID-PEAK	\$ 4.37	\$ 4.49	\$ 4.85	\$ 4.49
TOU-GS-1-SUB-E	Energy	Summer	ON-PEAK	\$ 0.39649	\$ 0.40916	\$ 0.44718	\$ 0.40916
TOU-GS-1-SUB-E	Energy	Summer	MID-PEAK	\$ 0.09131	\$ 0.09462	\$ 0.10456	\$ 0.09462
TOU-GS-1-SUB-E	Energy	Summer	OFF-PEAK	\$ 0.05973	\$ 0.06208	\$ 0.06911	\$ 0.06208
TOU-GS-1-SUB-E	Energy	Winter	MID-PEAK	\$ 0.14863	\$ 0.15370	\$ 0.16891	\$ 0.15370
TOU-GS-1-SUB-E	Energy	Winter	OFF-PEAK	\$ 0.07393	\$ 0.07671	\$ 0.08505	\$ 0.07671
TOU-GS-1-SUB-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02957	\$ 0.03099	\$ 0.03525	\$ 0.03099
TOU-GS-2-B	Energy	Summer	ON-PEAK	\$ 0.06013	\$ 0.06276	\$ 0.07065	\$ 0.06276
TOU-GS-2-B	Energy	Summer	MID-PEAK	\$ 0.05512	\$ 0.05758	\$ 0.06496	\$ 0.05758
TOU-GS-2-B	Energy	Summer	OFF-PEAK	\$ 0.05237	\$ 0.05474	\$ 0.06184	\$ 0.05474
TOU-GS-2-B	Energy	Winter	MID-PEAK	\$ 0.07684	\$ 0.08003	\$ 0.08962	\$ 0.08003
TOU-GS-2-B	Energy	Winter	OFF-PEAK	\$ 0.03823	\$ 0.04012	\$ 0.04578	\$ 0.04012
TOU-GS-2-B	Demand	Summer	ON-PEAK	\$ 13.81	\$ 14.27	\$ 15.68	\$ 14.27

January 15, 2026

17 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit A to Resolution 26-01-099
Phase 1 and 2 Non-residential CARE Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
TOU-GS-2-B	Demand	Summer	MID-PEAK	\$ 4.64	\$ 4.80	\$ 5.27	\$ 4.80
TOU-GS-2-D	Energy	Summer	ON-PEAK	\$ 0.08967	\$ 0.09357	\$ 0.10526	\$ 0.09357
TOU-GS-2-D	Energy	Summer	MID-PEAK	\$ 0.08022	\$ 0.08377	\$ 0.09444	\$ 0.08377
TOU-GS-2-D	Energy	Summer	OFF-PEAK	\$ 0.04520	\$ 0.04748	\$ 0.05432	\$ 0.04748
TOU-GS-2-D	Energy	Winter	MID-PEAK	\$ 0.05484	\$ 0.05747	\$ 0.06537	\$ 0.05747
TOU-GS-2-D	Energy	Winter	OFF-PEAK	\$ 0.05528	\$ 0.05793	\$ 0.06587	\$ 0.05793
TOU-GS-2-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02072	\$ 0.02211	\$ 0.02628	\$ 0.02211
TOU-GS-2-D	Demand	Summer	ON-PEAK	\$ 19.90	\$ 20.62	\$ 22.79	\$ 20.62
TOU-GS-2-D	Demand	Winter	MID-PEAK	\$ 5.22	\$ 5.41	\$ 5.98	\$ 5.41
TOU-GS-2-E	Energy	Summer	ON-PEAK	\$ 0.34349	\$ 0.35733	\$ 0.39884	\$ 0.35733
TOU-GS-2-E	Energy	Summer	MID-PEAK	\$ 0.08015	\$ 0.08389	\$ 0.09512	\$ 0.08389
TOU-GS-2-E	Energy	Summer	OFF-PEAK	\$ 0.04515	\$ 0.04756	\$ 0.05476	\$ 0.04756
TOU-GS-2-E	Energy	Winter	MID-PEAK	\$ 0.09522	\$ 0.09954	\$ 0.11250	\$ 0.09954
TOU-GS-2-E	Energy	Winter	OFF-PEAK	\$ 0.05523	\$ 0.05802	\$ 0.06638	\$ 0.05802
TOU-GS-2-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02069	\$ 0.02216	\$ 0.02655	\$ 0.02216
TOU-GS-2-E	Demand	Summer	ON-PEAK	\$ 5.52	\$ 5.74	\$ 6.37	\$ 5.74
TOU-GS-2-E	Demand	Winter	MID-PEAK	\$ 2.13	\$ 2.21	\$ 2.46	\$ 2.21
TOU-GS-2-PRI-B	Energy	Summer	ON-PEAK	\$ 0.05926	\$ 0.06187	\$ 0.06970	\$ 0.06187
TOU-GS-2-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05425	\$ 0.05668	\$ 0.06400	\$ 0.05668
TOU-GS-2-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.05149	\$ 0.05384	\$ 0.06088	\$ 0.05384
TOU-GS-2-PRI-B	Energy	Winter	MID-PEAK	\$ 0.07596	\$ 0.07914	\$ 0.08867	\$ 0.07914
TOU-GS-2-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.03736	\$ 0.03922	\$ 0.04482	\$ 0.03922
TOU-GS-2-PRI-B	Demand	Summer	ON-PEAK	\$ 13.26	\$ 13.71	\$ 15.06	\$ 13.71
TOU-GS-2-PRI-B	Demand	Summer	MID-PEAK	\$ 4.09	\$ 4.23	\$ 4.65	\$ 4.23
TOU-GS-2-PRI-D	Energy	Summer	ON-PEAK	\$ 0.08879	\$ 0.09267	\$ 0.10429	\$ 0.09267
TOU-GS-2-PRI-D	Energy	Summer	MID-PEAK	\$ 0.07934	\$ 0.08287	\$ 0.09347	\$ 0.08287
TOU-GS-2-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04432	\$ 0.04658	\$ 0.05334	\$ 0.04658
TOU-GS-2-PRI-D	Energy	Winter	MID-PEAK	\$ 0.05397	\$ 0.05657	\$ 0.06439	\$ 0.05657
TOU-GS-2-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05441	\$ 0.05703	\$ 0.06489	\$ 0.05703
TOU-GS-2-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01985	\$ 0.02121	\$ 0.02529	\$ 0.02121
TOU-GS-2-PRI-D	Demand	Summer	ON-PEAK	\$ 19.45	\$ 20.16	\$ 22.28	\$ 20.16
TOU-GS-2-PRI-D	Demand	Winter	MID-PEAK	\$ 5.11	\$ 5.29	\$ 5.85	\$ 5.29
TOU-GS-2-PRI-E	Energy	Summer	ON-PEAK	\$ 0.34219	\$ 0.35600	\$ 0.39743	\$ 0.35600
TOU-GS-2-PRI-E	Energy	Summer	MID-PEAK	\$ 0.07885	\$ 0.08255	\$ 0.09365	\$ 0.08255
TOU-GS-2-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.04385	\$ 0.04621	\$ 0.05328	\$ 0.04621
TOU-GS-2-PRI-E	Energy	Winter	MID-PEAK	\$ 0.09391	\$ 0.09819	\$ 0.11103	\$ 0.09819
TOU-GS-2-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.05393	\$ 0.05667	\$ 0.06490	\$ 0.05667
TOU-GS-2-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01939	\$ 0.02081	\$ 0.02506	\$ 0.02081
TOU-GS-2-PRI-E	Demand	Summer	ON-PEAK	\$ 5.34	\$ 5.54	\$ 6.16	\$ 5.54
TOU-GS-2-PRI-E	Demand	Winter	MID-PEAK	\$ 2.08	\$ 2.16	\$ 2.40	\$ 2.16
TOU-GS-2-PRI-R	Energy	Summer	ON-PEAK	\$ 0.24007	\$ 0.24933	\$ 0.27710	\$ 0.24933
TOU-GS-2-PRI-R	Energy	Summer	MID-PEAK	\$ 0.10372	\$ 0.10808	\$ 0.12115	\$ 0.10808
TOU-GS-2-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.05010	\$ 0.05253	\$ 0.05981	\$ 0.05253
TOU-GS-2-PRI-R	Energy	Winter	MID-PEAK	\$ 0.07455	\$ 0.07786	\$ 0.08778	\$ 0.07786
TOU-GS-2-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.03597	\$ 0.03789	\$ 0.04365	\$ 0.03789
TOU-GS-2-R	Energy	Summer	ON-PEAK	\$ 0.24231	\$ 0.25160	\$ 0.27948	\$ 0.25160
TOU-GS-2-R	Energy	Summer	MID-PEAK	\$ 0.10595	\$ 0.11037	\$ 0.12362	\$ 0.11037
TOU-GS-2-R	Energy	Summer	OFF-PEAK	\$ 0.05232	\$ 0.05482	\$ 0.06231	\$ 0.05482

January 15, 2026

18 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit A to Resolution 26-01-099
Phase 1 and 2 Non-residential CARE Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
TOU-GS-2-R	Energy	Winter	MID-PEAK	\$ 0.07677	\$ 0.08015	\$ 0.09026	\$ 0.08015
TOU-GS-2-R	Energy	Winter	OFF-PEAK	\$ 0.03819	\$ 0.04019	\$ 0.04616	\$ 0.04019
TOU-GS-2-SUB-B	Energy	Summer	ON-PEAK	\$ 0.05833	\$ 0.06050	\$ 0.06702	\$ 0.06050
TOU-GS-2-SUB-B	Energy	Summer	MID-PEAK	\$ 0.05331	\$ 0.05534	\$ 0.06142	\$ 0.05534
TOU-GS-2-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.05055	\$ 0.05250	\$ 0.05835	\$ 0.05250
TOU-GS-2-SUB-B	Energy	Winter	MID-PEAK	\$ 0.07507	\$ 0.07772	\$ 0.08567	\$ 0.07772
TOU-GS-2-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.03639	\$ 0.03793	\$ 0.04256	\$ 0.03793
TOU-GS-2-SUB-B	Demand	Summer	ON-PEAK	\$ 12.57	\$ 12.92	\$ 14.00	\$ 12.92
TOU-GS-2-SUB-B	Demand	Summer	MID-PEAK	\$ 3.38	\$ 3.48	\$ 3.77	\$ 3.48
TOU-GS-2-SUB-D	Energy	Summer	ON-PEAK	\$ 0.08792	\$ 0.09122	\$ 0.10112	\$ 0.09122
TOU-GS-2-SUB-D	Energy	Summer	MID-PEAK	\$ 0.07845	\$ 0.08145	\$ 0.09047	\$ 0.08145
TOU-GS-2-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.04337	\$ 0.04527	\$ 0.05099	\$ 0.04527
TOU-GS-2-SUB-D	Energy	Winter	MID-PEAK	\$ 0.05303	\$ 0.05524	\$ 0.06186	\$ 0.05524
TOU-GS-2-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.05347	\$ 0.05569	\$ 0.06236	\$ 0.05569
TOU-GS-2-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01885	\$ 0.01998	\$ 0.02340	\$ 0.01998
TOU-GS-2-SUB-D	Demand	Summer	ON-PEAK	\$ 18.89	\$ 19.49	\$ 21.26	\$ 19.49
TOU-GS-2-SUB-D	Demand	Winter	MID-PEAK	\$ 4.96	\$ 5.11	\$ 5.58	\$ 5.11
TOU-GS-3-B	Energy	Summer	ON-PEAK	\$ 0.05710	\$ 0.05937	\$ 0.06618	\$ 0.05937
TOU-GS-3-B	Energy	Summer	MID-PEAK	\$ 0.05220	\$ 0.05432	\$ 0.06068	\$ 0.05432
TOU-GS-3-B	Energy	Summer	OFF-PEAK	\$ 0.04969	\$ 0.05174	\$ 0.05786	\$ 0.05174
TOU-GS-3-B	Energy	Winter	MID-PEAK	\$ 0.07704	\$ 0.07992	\$ 0.08856	\$ 0.07992
TOU-GS-3-B	Energy	Winter	OFF-PEAK	\$ 0.03780	\$ 0.03948	\$ 0.04452	\$ 0.03948
TOU-GS-3-B	Demand	Summer	ON-PEAK	\$ 11.46	\$ 11.81	\$ 12.86	\$ 11.81
TOU-GS-3-B	Demand	Summer	MID-PEAK	\$ 3.82	\$ 3.94	\$ 4.29	\$ 3.94
TOU-GS-3-D	Energy	Summer	ON-PEAK	\$ 0.08254	\$ 0.08578	\$ 0.09548	\$ 0.08578
TOU-GS-3-D	Energy	Summer	MID-PEAK	\$ 0.07377	\$ 0.07672	\$ 0.08556	\$ 0.07672
TOU-GS-3-D	Energy	Summer	OFF-PEAK	\$ 0.04430	\$ 0.04629	\$ 0.05227	\$ 0.04629
TOU-GS-3-D	Energy	Winter	MID-PEAK	\$ 0.05375	\$ 0.05605	\$ 0.06295	\$ 0.05605
TOU-GS-3-D	Energy	Winter	OFF-PEAK	\$ 0.05418	\$ 0.05649	\$ 0.06342	\$ 0.05649
TOU-GS-3-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02038	\$ 0.02159	\$ 0.02524	\$ 0.02159
TOU-GS-3-D	Demand	Summer	ON-PEAK	\$ 17.09	\$ 17.65	\$ 19.31	\$ 17.65
TOU-GS-3-D	Demand	Winter	MID-PEAK	\$ 6.18	\$ 6.38	\$ 6.98	\$ 6.38
TOU-GS-3-E	Energy	Summer	ON-PEAK	\$ 0.27761	\$ 0.28793	\$ 0.31889	\$ 0.28793
TOU-GS-3-E	Energy	Summer	MID-PEAK	\$ 0.07369	\$ 0.07686	\$ 0.08639	\$ 0.07686
TOU-GS-3-E	Energy	Summer	OFF-PEAK	\$ 0.04425	\$ 0.04639	\$ 0.05283	\$ 0.04639
TOU-GS-3-E	Energy	Winter	MID-PEAK	\$ 0.09712	\$ 0.10111	\$ 0.11310	\$ 0.10111
TOU-GS-3-E	Energy	Winter	OFF-PEAK	\$ 0.05411	\$ 0.05660	\$ 0.06407	\$ 0.05660
TOU-GS-3-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02035	\$ 0.02166	\$ 0.02558	\$ 0.02166
TOU-GS-3-E	Demand	Summer	ON-PEAK	\$ 4.75	\$ 4.91	\$ 5.41	\$ 4.91
TOU-GS-3-E	Demand	Winter	MID-PEAK	\$ 2.53	\$ 2.61	\$ 2.88	\$ 2.61
TOU-GS-3-PRI-B	Energy	Summer	ON-PEAK	\$ 0.05622	\$ 0.05847	\$ 0.06521	\$ 0.05847
TOU-GS-3-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05132	\$ 0.05342	\$ 0.05971	\$ 0.05342
TOU-GS-3-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.04881	\$ 0.05083	\$ 0.05689	\$ 0.05083
TOU-GS-3-PRI-B	Energy	Winter	MID-PEAK	\$ 0.07616	\$ 0.07902	\$ 0.08759	\$ 0.07902
TOU-GS-3-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.03692	\$ 0.03857	\$ 0.04354	\$ 0.03857
TOU-GS-3-PRI-B	Demand	Summer	ON-PEAK	\$ 10.99	\$ 11.33	\$ 12.34	\$ 11.33
TOU-GS-3-PRI-B	Demand	Summer	MID-PEAK	\$ 3.35	\$ 3.46	\$ 3.76	\$ 3.46
TOU-GS-3-PRI-D	Energy	Summer	ON-PEAK	\$ 0.08166	\$ 0.08487	\$ 0.09451	\$ 0.08487

January 15, 2026

19 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit A to Resolution 26-01-099
Phase 1 and 2 Non-residential CARE Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
TOU-GS-3-PRI-D	Energy	Summer	MID-PEAK	\$ 0.07288	\$ 0.07581	\$ 0.08459	\$ 0.07581
TOU-GS-3-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04342	\$ 0.04539	\$ 0.05129	\$ 0.04539
TOU-GS-3-PRI-D	Energy	Winter	MID-PEAK	\$ 0.05287	\$ 0.05515	\$ 0.06197	\$ 0.05515
TOU-GS-3-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05329	\$ 0.05558	\$ 0.06245	\$ 0.05558
TOU-GS-3-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01950	\$ 0.02069	\$ 0.02425	\$ 0.02069
TOU-GS-3-PRI-D	Demand	Summer	ON-PEAK	\$ 16.70	\$ 17.25	\$ 18.88	\$ 17.25
TOU-GS-3-PRI-D	Demand	Winter	MID-PEAK	\$ 6.02	\$ 6.22	\$ 6.81	\$ 6.22
TOU-GS-3-PRI-E	Energy	Summer	ON-PEAK	\$ 0.27597	\$ 0.28628	\$ 0.31723	\$ 0.28628
TOU-GS-3-PRI-E	Energy	Summer	MID-PEAK	\$ 0.07206	\$ 0.07519	\$ 0.08460	\$ 0.07519
TOU-GS-3-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.04262	\$ 0.04472	\$ 0.05101	\$ 0.04472
TOU-GS-3-PRI-E	Energy	Winter	MID-PEAK	\$ 0.09549	\$ 0.09945	\$ 0.11133	\$ 0.09945
TOU-GS-3-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.05248	\$ 0.05493	\$ 0.06227	\$ 0.05493
TOU-GS-3-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01872	\$ 0.01998	\$ 0.02375	\$ 0.01998
TOU-GS-3-PRI-E	Demand	Summer	ON-PEAK	\$ 4.59	\$ 4.75	\$ 5.24	\$ 4.75
TOU-GS-3-PRI-E	Demand	Winter	MID-PEAK	\$ 2.46	\$ 2.54	\$ 2.80	\$ 2.54
TOU-GS-3-PRI-R	Energy	Summer	ON-PEAK	\$ 0.19612	\$ 0.20322	\$ 0.22450	\$ 0.20322
TOU-GS-3-PRI-R	Energy	Summer	MID-PEAK	\$ 0.08713	\$ 0.09059	\$ 0.10099	\$ 0.09059
TOU-GS-3-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.04774	\$ 0.04990	\$ 0.05636	\$ 0.04990
TOU-GS-3-PRI-R	Energy	Winter	MID-PEAK	\$ 0.07506	\$ 0.07813	\$ 0.08732	\$ 0.07813
TOU-GS-3-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.03586	\$ 0.03762	\$ 0.04290	\$ 0.03762
TOU-GS-3-R	Energy	Summer	ON-PEAK	\$ 0.19802	\$ 0.20515	\$ 0.22655	\$ 0.20515
TOU-GS-3-R	Energy	Summer	MID-PEAK	\$ 0.08902	\$ 0.09254	\$ 0.10309	\$ 0.09254
TOU-GS-3-R	Energy	Summer	OFF-PEAK	\$ 0.04963	\$ 0.05184	\$ 0.05847	\$ 0.05184
TOU-GS-3-R	Energy	Winter	MID-PEAK	\$ 0.07696	\$ 0.08007	\$ 0.08942	\$ 0.08007
TOU-GS-3-R	Energy	Winter	OFF-PEAK	\$ 0.03776	\$ 0.03957	\$ 0.04502	\$ 0.03957
TOU-GS-3-SUB-D	Energy	Summer	ON-PEAK	\$ 0.08076	\$ 0.08352	\$ 0.09182	\$ 0.08352
TOU-GS-3-SUB-D	Energy	Summer	MID-PEAK	\$ 0.07197	\$ 0.07448	\$ 0.08204	\$ 0.07448
TOU-GS-3-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.04246	\$ 0.04414	\$ 0.04919	\$ 0.04414
TOU-GS-3-SUB-D	Energy	Winter	MID-PEAK	\$ 0.05192	\$ 0.05388	\$ 0.05973	\$ 0.05388
TOU-GS-3-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.05235	\$ 0.05431	\$ 0.06020	\$ 0.05431
TOU-GS-3-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01850	\$ 0.01951	\$ 0.02252	\$ 0.01951
TOU-GS-3-SUB-D	Demand	Summer	ON-PEAK	\$ 16.21	\$ 16.66	\$ 18.04	\$ 16.66
TOU-GS-3-SUB-D	Demand	Winter	MID-PEAK	\$ 5.86	\$ 6.02	\$ 6.52	\$ 6.02

Exhibit A to Resolution 26-01-099
Phase 1 and 2 Non-residential CARE Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
----------	------	--------	------------	-------------	--------------	-------------------	---------------------------

Notes

Default 100% Green - CARE rates are the rates paid by CARE customers for 100% Green Power in communities where 100% Green Power is the preferred (default) energy product.

For all rate schedules, seasons are defined as follows:

Summer: season shall commence at 12:00 a.m. on June 1 and continue until 12:00 a.m. on October 1 of each year.

Winter: season shall commence at 12:00 a.m. on October 1 of each year and continue until 12:00 a.m. on June 1 of the following year.

For all standard non-residential rate schedules, time periods are defined as follows:

On-Peak: 4:00 p.m. to 9:00 p.m. summer weekdays except holidays

Mid-Peak: 4:00 p.m. to 9:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: All other hours – all year, every day

Super Off-Peak: 8:00 a.m. to 4:00 p.m. winter weekdays and weekends/holidays

Time-related Demand Charges: 4:00 p.m. to 9:00 p.m. winter weekdays and summer weekdays except holidays

For optional agricultural/pumping rate schedules TOU-PA-2-PRI-E-5TO8, TOU-PA-2-PRI-D-5TO8, TOU-PA-3-PRI-E-5TO8, TOU-PA-3-PRI-D-5TO8, time periods are defined as follows:

On-Peak: 5:00 p.m. to 8:00 p.m. summer weekdays except holidays

Mid-Peak: 5:00 p.m. to 8:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: All other hours – all year, every day

Super Off-Peak: 8:00 a.m. to 5:00 p.m. winter weekdays and weekends/holidays

Time-related Demand Charges: 5:00 p.m. to 8:00 p.m. winter weekdays and summer weekdays except holidays

For eligible legacy solar and/or agriculture and pumping rate schedules time periods are defined as follows:

On-Peak: 12:00 p.m. to 6:00 p.m. summer weekdays except holidays

Mid-Peak: 8:00 a.m. to 12:00 p.m. and 6:00 p.m. to 11:00 p.m. summer weekdays except holidays, 8:00 a.m. to 9:00 p.m. winter weekdays except holidays

Off-Peak: All other hours – all year, every day

Exhibit B to Resolution 26-01-099
Phase 3, 4, and 5 Residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
DOMESTIC	Energy	All_Year	NONE	\$ 0.09063	\$ 0.09816	\$ 0.12077
TOU-D-4	Energy	Summer	ON-PEAK	\$ 0.22313	\$ 0.23952	\$ 0.28871
TOU-D-4	Energy	Summer	MID-PEAK	\$ 0.10688	\$ 0.11554	\$ 0.14152
TOU-D-4	Energy	Summer	OFF-PEAK	\$ 0.04801	\$ 0.05275	\$ 0.06697
TOU-D-4	Energy	Winter	MID-PEAK	\$ 0.15176	\$ 0.16341	\$ 0.19835
TOU-D-4	Energy	Winter	OFF-PEAK	\$ 0.07562	\$ 0.08220	\$ 0.10194
TOU-D-4	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05773	\$ 0.06312	\$ 0.07928
TOU-D-5	Energy	Summer	ON-PEAK	\$ 0.37654	\$ 0.40324	\$ 0.48334
TOU-D-5	Energy	Summer	MID-PEAK	\$ 0.18258	\$ 0.19633	\$ 0.23757
TOU-D-5	Energy	Summer	OFF-PEAK	\$ 0.03759	\$ 0.04166	\$ 0.05385
TOU-D-5	Energy	Winter	MID-PEAK	\$ 0.24500	\$ 0.26292	\$ 0.31667
TOU-D-5	Energy	Winter	OFF-PEAK	\$ 0.07312	\$ 0.07956	\$ 0.09887
TOU-D-5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04391	\$ 0.04839	\$ 0.06185
TOU-D-A	Energy	Summer	ON-PEAK	\$ 0.24006	\$ 0.25712	\$ 0.30829
TOU-D-A	Energy	Summer	OFF-PEAK	\$ 0.08673	\$ 0.09386	\$ 0.11523
TOU-D-A	Energy	Summer	SUPER-OFF-PEAK	\$ 0.05422	\$ 0.05924	\$ 0.07429
TOU-D-A	Energy	Winter	ON-PEAK	\$ 0.13316	\$ 0.14329	\$ 0.17369
TOU-D-A	Energy	Winter	OFF-PEAK	\$ 0.06051	\$ 0.06593	\$ 0.08221
TOU-D-A	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05601	\$ 0.06115	\$ 0.07655
TOU-D-B	Energy	Summer	ON-PEAK	\$ 0.37349	\$ 0.39942	\$ 0.47721
TOU-D-B	Energy	Summer	OFF-PEAK	\$ 0.08667	\$ 0.09386	\$ 0.11541
TOU-D-B	Energy	Summer	SUPER-OFF-PEAK	\$ 0.01457	\$ 0.01704	\$ 0.02446
TOU-D-B	Energy	Winter	ON-PEAK	\$ 0.13065	\$ 0.14071	\$ 0.17089
TOU-D-B	Energy	Winter	OFF-PEAK	\$ 0.06050	\$ 0.06597	\$ 0.08240
TOU-D-B	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01544	\$ 0.01797	\$ 0.02556
TOU-D-PRIME	Energy	Summer	ON-PEAK	\$ 0.26371	\$ 0.28357	\$ 0.34316
TOU-D-PRIME	Energy	Summer	MID-PEAK	\$ 0.07887	\$ 0.08594	\$ 0.10715
TOU-D-PRIME	Energy	Summer	OFF-PEAK	\$ 0.04493	\$ 0.04965	\$ 0.06381
TOU-D-PRIME	Energy	Winter	MID-PEAK	\$ 0.23297	\$ 0.25070	\$ 0.30391
TOU-D-PRIME	Energy	Winter	OFF-PEAK	\$ 0.03438	\$ 0.03837	\$ 0.05033
TOU-D-PRIME	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03438	\$ 0.03837	\$ 0.05033
TOU-D-PRIME-SOP	Energy	Summer	ON-PEAK	\$ 0.26371	\$ 0.28357	\$ 0.34316
TOU-D-PRIME-SOP	Energy	Summer	MID-PEAK	\$ 0.07887	\$ 0.08594	\$ 0.10715
TOU-D-PRIME-SOP	Energy	Summer	OFF-PEAK	\$ 0.05730	\$ 0.06332	\$ 0.08136
TOU-D-PRIME-SOP	Energy	Summer	SUPER-OFF-PEAK	\$ 0.02865	\$ 0.03166	\$ 0.04068
TOU-D-PRIME-SOP	Energy	Winter	MID-PEAK	\$ 0.23297	\$ 0.25070	\$ 0.30391
TOU-D-PRIME-SOP	Energy	Winter	OFF-PEAK	\$ 0.04268	\$ 0.04762	\$ 0.06248
TOU-D-PRIME-SOP	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02134	\$ 0.02381	\$ 0.03124
TOU-D-T	Energy	Summer	ON-PEAK	\$ 0.12153	\$ 0.12994	\$ 0.15514
TOU-D-T	Energy	Summer	OFF-PEAK	\$ 0.10837	\$ 0.11600	\$ 0.13892
TOU-D-T	Energy	Winter	ON-PEAK	\$ 0.08402	\$ 0.09025	\$ 0.10892
TOU-D-T	Energy	Winter	OFF-PEAK	\$ 0.07428	\$ 0.07994	\$ 0.09691

Exhibit B to Resolution 26-01-099

Phase 3, 4, and 5 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-1-A	Energy	Summer	ON-PEAK	\$ 0.13135	\$ 0.13959	\$ 0.16429
TOU-GS-1-A	Energy	Summer	MID-PEAK	\$ 0.12178	\$ 0.12948	\$ 0.15258
TOU-GS-1-A	Energy	Summer	OFF-PEAK	\$ 0.11655	\$ 0.12396	\$ 0.14619
TOU-GS-1-A	Energy	Winter	MID-PEAK	\$ 0.08159	\$ 0.08705	\$ 0.10344
TOU-GS-1-A	Energy	Winter	OFF-PEAK	\$ 0.07177	\$ 0.07669	\$ 0.09144
TOU-GS-1-B	Energy	Summer	ON-PEAK	\$ 0.06435	\$ 0.06806	\$ 0.07920
TOU-GS-1-B	Energy	Summer	MID-PEAK	\$ 0.05911	\$ 0.06259	\$ 0.07301
TOU-GS-1-B	Energy	Summer	OFF-PEAK	\$ 0.05625	\$ 0.05959	\$ 0.06961
TOU-GS-1-B	Energy	Winter	MID-PEAK	\$ 0.08192	\$ 0.08644	\$ 0.10000
TOU-GS-1-B	Energy	Winter	OFF-PEAK	\$ 0.07207	\$ 0.07614	\$ 0.08834
TOU-GS-1-B	Demand	Summer	ON-PEAK	\$ 11.48	\$ 12.00	\$ 13.58
TOU-GS-1-B	Demand	Summer	MID-PEAK	\$ 3.73	\$ 3.91	\$ 4.42
TOU-GS-1-D	Energy	Summer	ON-PEAK	\$ 0.09410	\$ 0.09976	\$ 0.11674
TOU-GS-1-D	Energy	Summer	MID-PEAK	\$ 0.08338	\$ 0.08849	\$ 0.10382
TOU-GS-1-D	Energy	Summer	OFF-PEAK	\$ 0.04892	\$ 0.05227	\$ 0.06232
TOU-GS-1-D	Energy	Winter	MID-PEAK	\$ 0.08762	\$ 0.09295	\$ 0.10893
TOU-GS-1-D	Energy	Winter	OFF-PEAK	\$ 0.05698	\$ 0.06074	\$ 0.07203
TOU-GS-1-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03846	\$ 0.04127	\$ 0.04972
TOU-GS-1-D	Demand	Summer	ON-PEAK	\$ 15.60	\$ 16.40	\$ 18.79
TOU-GS-1-D	Demand	Winter	MID-PEAK	\$ 4.79	\$ 5.03	\$ 5.77
TOU-GS-1-E	Energy	Summer	ON-PEAK	\$ 0.39560	\$ 0.41893	\$ 0.48889
TOU-GS-1-E	Energy	Summer	MID-PEAK	\$ 0.09314	\$ 0.09935	\$ 0.11797
TOU-GS-1-E	Energy	Summer	OFF-PEAK	\$ 0.06185	\$ 0.06628	\$ 0.07960
TOU-GS-1-E	Energy	Winter	MID-PEAK	\$ 0.14995	\$ 0.15937	\$ 0.18764
TOU-GS-1-E	Energy	Winter	OFF-PEAK	\$ 0.07591	\$ 0.08115	\$ 0.09685
TOU-GS-1-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03195	\$ 0.03470	\$ 0.04294
TOU-GS-1-ES	Energy	Summer	ON-PEAK	\$ 0.41202	\$ 0.43631	\$ 0.50919
TOU-GS-1-ES	Energy	Summer	MID-PEAK	\$ 0.10078	\$ 0.10743	\$ 0.12739
TOU-GS-1-ES	Energy	Summer	OFF-PEAK	\$ 0.06459	\$ 0.06919	\$ 0.08300
TOU-GS-1-ES	Energy	Winter	MID-PEAK	\$ 0.14636	\$ 0.15559	\$ 0.18331
TOU-GS-1-ES	Energy	Winter	OFF-PEAK	\$ 0.07159	\$ 0.07659	\$ 0.09158
TOU-GS-1-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03006	\$ 0.03270	\$ 0.04064
TOU-GS-1-PRI-A	Energy	Summer	ON-PEAK	\$ 0.13011	\$ 0.13828	\$ 0.16280
TOU-GS-1-PRI-A	Energy	Summer	MID-PEAK	\$ 0.12053	\$ 0.12817	\$ 0.15110
TOU-GS-1-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.11531	\$ 0.12266	\$ 0.14470
TOU-GS-1-PRI-A	Energy	Winter	MID-PEAK	\$ 0.08034	\$ 0.08574	\$ 0.10195
TOU-GS-1-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.07053	\$ 0.07538	\$ 0.08995
TOU-GS-1-PRI-B	Energy	Summer	ON-PEAK	\$ 0.06390	\$ 0.06760	\$ 0.07869
TOU-GS-1-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05866	\$ 0.06212	\$ 0.07249
TOU-GS-1-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.05580	\$ 0.05912	\$ 0.06910
TOU-GS-1-PRI-B	Energy	Winter	MID-PEAK	\$ 0.08147	\$ 0.08597	\$ 0.09948
TOU-GS-1-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.07162	\$ 0.07567	\$ 0.08783
TOU-GS-1-PRI-B	Demand	Summer	ON-PEAK	\$ 11.21	\$ 11.73	\$ 13.27
TOU-GS-1-PRI-B	Demand	Summer	MID-PEAK	\$ 3.47	\$ 3.63	\$ 4.11

January 15, 2026

23 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit B to Resolution 26-01-099

Phase 3, 4, and 5 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-1-PRI-D	Energy	Summer	ON-PEAK	\$ 0.09365	\$ 0.09929	\$ 0.11622
TOU-GS-1-PRI-D	Energy	Summer	MID-PEAK	\$ 0.08293	\$ 0.08802	\$ 0.10330
TOU-GS-1-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04847	\$ 0.05180	\$ 0.06179
TOU-GS-1-PRI-D	Energy	Winter	MID-PEAK	\$ 0.08717	\$ 0.09248	\$ 0.10841
TOU-GS-1-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05653	\$ 0.06027	\$ 0.07150
TOU-GS-1-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03801	\$ 0.04081	\$ 0.04919
TOU-GS-1-PRI-D	Demand	Summer	ON-PEAK	\$ 15.41	\$ 16.20	\$ 18.56
TOU-GS-1-PRI-D	Demand	Winter	MID-PEAK	\$ 4.59	\$ 4.83	\$ 5.53
TOU-GS-1-PRI-E	Energy	Summer	ON-PEAK	\$ 0.39435	\$ 0.41763	\$ 0.48749
TOU-GS-1-PRI-E	Energy	Summer	MID-PEAK	\$ 0.09189	\$ 0.09804	\$ 0.11648
TOU-GS-1-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.06060	\$ 0.06497	\$ 0.07810
TOU-GS-1-PRI-E	Energy	Winter	MID-PEAK	\$ 0.14870	\$ 0.15807	\$ 0.18617
TOU-GS-1-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.07467	\$ 0.07984	\$ 0.09535
TOU-GS-1-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03071	\$ 0.03339	\$ 0.04143
TOU-GS-1-PRI-ES	Energy	Summer	ON-PEAK	\$ 0.41076	\$ 0.43502	\$ 0.50779
TOU-GS-1-PRI-ES	Energy	Summer	MID-PEAK	\$ 0.09953	\$ 0.10612	\$ 0.12590
TOU-GS-1-PRI-ES	Energy	Summer	OFF-PEAK	\$ 0.06335	\$ 0.06789	\$ 0.08150
TOU-GS-1-PRI-ES	Energy	Winter	MID-PEAK	\$ 0.14511	\$ 0.15429	\$ 0.18183
TOU-GS-1-PRI-ES	Energy	Winter	OFF-PEAK	\$ 0.07034	\$ 0.07528	\$ 0.09008
TOU-GS-1-PRI-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02881	\$ 0.03139	\$ 0.03913
TOU-GS-1-SUB-A	Energy	Summer	ON-PEAK	\$ 0.12895	\$ 0.13616	\$ 0.15779
TOU-GS-1-SUB-A	Energy	Summer	MID-PEAK	\$ 0.11936	\$ 0.12609	\$ 0.14629
TOU-GS-1-SUB-A	Energy	Summer	OFF-PEAK	\$ 0.11412	\$ 0.12059	\$ 0.14002
TOU-GS-1-SUB-A	Energy	Winter	MID-PEAK	\$ 0.07908	\$ 0.08382	\$ 0.09804
TOU-GS-1-SUB-A	Energy	Winter	OFF-PEAK	\$ 0.06924	\$ 0.07349	\$ 0.08625
TOU-GS-1-SUB-B	Energy	Summer	ON-PEAK	\$ 0.06358	\$ 0.06699	\$ 0.07722
TOU-GS-1-SUB-B	Energy	Summer	MID-PEAK	\$ 0.05834	\$ 0.06153	\$ 0.07109
TOU-GS-1-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.05547	\$ 0.05854	\$ 0.06773
TOU-GS-1-SUB-B	Energy	Winter	MID-PEAK	\$ 0.08117	\$ 0.08533	\$ 0.09780
TOU-GS-1-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.07131	\$ 0.07505	\$ 0.08627
TOU-GS-1-SUB-B	Demand	Summer	ON-PEAK	\$ 10.88	\$ 11.35	\$ 12.74
TOU-GS-1-SUB-B	Demand	Summer	MID-PEAK	\$ 3.13	\$ 3.27	\$ 3.67
TOU-GS-1-SUB-D	Energy	Summer	ON-PEAK	\$ 0.09340	\$ 0.09857	\$ 0.11409
TOU-GS-1-SUB-D	Energy	Summer	MID-PEAK	\$ 0.08266	\$ 0.08733	\$ 0.10133
TOU-GS-1-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.04816	\$ 0.05120	\$ 0.06034
TOU-GS-1-SUB-D	Energy	Winter	MID-PEAK	\$ 0.08691	\$ 0.09178	\$ 0.10638
TOU-GS-1-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.05623	\$ 0.05965	\$ 0.06992
TOU-GS-1-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03768	\$ 0.04023	\$ 0.04789
TOU-GS-1-SUB-D	Demand	Summer	ON-PEAK	\$ 15.17	\$ 15.88	\$ 18.02
TOU-GS-1-SUB-D	Demand	Winter	MID-PEAK	\$ 4.34	\$ 4.54	\$ 5.15
TOU-GS-1-SUB-E	Energy	Summer	ON-PEAK	\$ 0.39378	\$ 0.41442	\$ 0.47633
TOU-GS-1-SUB-E	Energy	Summer	MID-PEAK	\$ 0.09066	\$ 0.09605	\$ 0.11223
TOU-GS-1-SUB-E	Energy	Summer	OFF-PEAK	\$ 0.05930	\$ 0.06312	\$ 0.07457
TOU-GS-1-SUB-E	Energy	Winter	MID-PEAK	\$ 0.14759	\$ 0.15585	\$ 0.18062

January 15, 2026

24 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit B to Resolution 26-01-099

Phase 3, 4, and 5 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-1-SUB-E	Energy	Winter	OFF-PEAK	\$ 0.07340	\$ 0.07792	\$ 0.09150
TOU-GS-1-SUB-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02934	\$ 0.03165	\$ 0.03859
TOU-GS-2-B	Energy	Summer	ON-PEAK	\$ 0.05963	\$ 0.06393	\$ 0.07686
TOU-GS-2-B	Energy	Summer	MID-PEAK	\$ 0.05465	\$ 0.05868	\$ 0.07077
TOU-GS-2-B	Energy	Summer	OFF-PEAK	\$ 0.05192	\$ 0.05580	\$ 0.06743
TOU-GS-2-B	Energy	Winter	MID-PEAK	\$ 0.07620	\$ 0.08144	\$ 0.09714
TOU-GS-2-B	Energy	Winter	OFF-PEAK	\$ 0.03789	\$ 0.04098	\$ 0.05026
TOU-GS-2-B	Demand	Summer	ON-PEAK	\$ 13.70	\$ 14.47	\$ 16.77
TOU-GS-2-B	Demand	Summer	MID-PEAK	\$ 4.61	\$ 4.86	\$ 5.64
TOU-GS-2-D	Energy	Summer	ON-PEAK	\$ 0.08888	\$ 0.09526	\$ 0.11440
TOU-GS-2-D	Energy	Summer	MID-PEAK	\$ 0.07951	\$ 0.08532	\$ 0.10277
TOU-GS-2-D	Energy	Summer	OFF-PEAK	\$ 0.04477	\$ 0.04850	\$ 0.05970
TOU-GS-2-D	Energy	Winter	MID-PEAK	\$ 0.05434	\$ 0.05864	\$ 0.07156
TOU-GS-2-D	Energy	Winter	OFF-PEAK	\$ 0.05477	\$ 0.05910	\$ 0.07210
TOU-GS-2-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02049	\$ 0.02277	\$ 0.02959
TOU-GS-2-D	Demand	Summer	ON-PEAK	\$ 19.74	\$ 20.92	\$ 24.47
TOU-GS-2-D	Demand	Winter	MID-PEAK	\$ 5.18	\$ 5.49	\$ 6.43
TOU-GS-2-E	Energy	Summer	ON-PEAK	\$ 0.34058	\$ 0.36297	\$ 0.43014
TOU-GS-2-E	Energy	Summer	MID-PEAK	\$ 0.07942	\$ 0.08548	\$ 0.10365
TOU-GS-2-E	Energy	Summer	OFF-PEAK	\$ 0.04471	\$ 0.04860	\$ 0.06026
TOU-GS-2-E	Energy	Winter	MID-PEAK	\$ 0.09436	\$ 0.10135	\$ 0.12233
TOU-GS-2-E	Energy	Winter	OFF-PEAK	\$ 0.05471	\$ 0.05922	\$ 0.07275
TOU-GS-2-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02046	\$ 0.02283	\$ 0.02993
TOU-GS-2-E	Demand	Summer	ON-PEAK	\$ 5.48	\$ 5.82	\$ 6.85
TOU-GS-2-E	Demand	Winter	MID-PEAK	\$ 2.11	\$ 2.25	\$ 2.64
TOU-GS-2-PRI-B	Energy	Summer	ON-PEAK	\$ 0.05875	\$ 0.06303	\$ 0.07588
TOU-GS-2-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05378	\$ 0.05778	\$ 0.06979
TOU-GS-2-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.05105	\$ 0.05490	\$ 0.06644
TOU-GS-2-PRI-B	Energy	Winter	MID-PEAK	\$ 0.07533	\$ 0.08054	\$ 0.09618
TOU-GS-2-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.03702	\$ 0.04008	\$ 0.04926
TOU-GS-2-PRI-B	Demand	Summer	ON-PEAK	\$ 13.16	\$ 13.89	\$ 16.11
TOU-GS-2-PRI-B	Demand	Summer	MID-PEAK	\$ 4.06	\$ 4.29	\$ 4.97
TOU-GS-2-PRI-D	Energy	Summer	ON-PEAK	\$ 0.08801	\$ 0.09436	\$ 0.11341
TOU-GS-2-PRI-D	Energy	Summer	MID-PEAK	\$ 0.07864	\$ 0.08442	\$ 0.10178
TOU-GS-2-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04390	\$ 0.04759	\$ 0.05867
TOU-GS-2-PRI-D	Energy	Winter	MID-PEAK	\$ 0.05347	\$ 0.05774	\$ 0.07054
TOU-GS-2-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05390	\$ 0.05820	\$ 0.07109
TOU-GS-2-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01962	\$ 0.02186	\$ 0.02855
TOU-GS-2-PRI-D	Demand	Summer	ON-PEAK	\$ 19.29	\$ 20.45	\$ 23.94
TOU-GS-2-PRI-D	Demand	Winter	MID-PEAK	\$ 5.06	\$ 5.37	\$ 6.28
TOU-GS-2-PRI-E	Energy	Summer	ON-PEAK	\$ 0.33927	\$ 0.36165	\$ 0.42878
TOU-GS-2-PRI-E	Energy	Summer	MID-PEAK	\$ 0.07813	\$ 0.08412	\$ 0.10210
TOU-GS-2-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.04342	\$ 0.04724	\$ 0.05869
TOU-GS-2-PRI-E	Energy	Winter	MID-PEAK	\$ 0.09306	\$ 0.10000	\$ 0.12079

January 15, 2026

25 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit B to Resolution 26-01-099
Phase 3, 4, and 5 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-2-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.05342	\$ 0.05786	\$ 0.07119
TOU-GS-2-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01917	\$ 0.02146	\$ 0.02835
TOU-GS-2-PRI-E	Demand	Summer	ON-PEAK	\$ 5.29	\$ 5.63	\$ 6.62
TOU-GS-2-PRI-E	Demand	Winter	MID-PEAK	\$ 2.06	\$ 2.19	\$ 2.58
TOU-GS-2-PRI-R	Energy	Summer	ON-PEAK	\$ 0.23813	\$ 0.25316	\$ 0.29824
TOU-GS-2-PRI-R	Energy	Summer	MID-PEAK	\$ 0.10285	\$ 0.10993	\$ 0.13114
TOU-GS-2-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.04965	\$ 0.05359	\$ 0.06542
TOU-GS-2-PRI-R	Energy	Winter	MID-PEAK	\$ 0.07391	\$ 0.07928	\$ 0.09539
TOU-GS-2-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.03563	\$ 0.03875	\$ 0.04811
TOU-GS-2-R	Energy	Summer	ON-PEAK	\$ 0.24037	\$ 0.25543	\$ 0.30063
TOU-GS-2-R	Energy	Summer	MID-PEAK	\$ 0.10507	\$ 0.11223	\$ 0.13370
TOU-GS-2-R	Energy	Summer	OFF-PEAK	\$ 0.05186	\$ 0.05591	\$ 0.06805
TOU-GS-2-R	Energy	Winter	MID-PEAK	\$ 0.07612	\$ 0.08159	\$ 0.09799
TOU-GS-2-R	Energy	Winter	OFF-PEAK	\$ 0.03784	\$ 0.04107	\$ 0.05076
TOU-GS-2-SUB-B	Energy	Summer	ON-PEAK	\$ 0.05790	\$ 0.06154	\$ 0.07245
TOU-GS-2-SUB-B	Energy	Summer	MID-PEAK	\$ 0.05291	\$ 0.05631	\$ 0.06650
TOU-GS-2-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.05017	\$ 0.05344	\$ 0.06323
TOU-GS-2-SUB-B	Energy	Winter	MID-PEAK	\$ 0.07452	\$ 0.07896	\$ 0.09228
TOU-GS-2-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.03610	\$ 0.03869	\$ 0.04644
TOU-GS-2-SUB-B	Demand	Summer	ON-PEAK	\$ 12.48	\$ 13.08	\$ 14.89
TOU-GS-2-SUB-B	Demand	Summer	MID-PEAK	\$ 3.36	\$ 3.52	\$ 4.01
TOU-GS-2-SUB-D	Energy	Summer	ON-PEAK	\$ 0.08722	\$ 0.09273	\$ 0.10924
TOU-GS-2-SUB-D	Energy	Summer	MID-PEAK	\$ 0.07783	\$ 0.08284	\$ 0.09787
TOU-GS-2-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.04300	\$ 0.04618	\$ 0.05571
TOU-GS-2-SUB-D	Energy	Winter	MID-PEAK	\$ 0.05259	\$ 0.05628	\$ 0.06732
TOU-GS-2-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.05303	\$ 0.05674	\$ 0.06785
TOU-GS-2-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01866	\$ 0.02056	\$ 0.02625
TOU-GS-2-SUB-D	Demand	Summer	ON-PEAK	\$ 18.76	\$ 19.74	\$ 22.70
TOU-GS-2-SUB-D	Demand	Winter	MID-PEAK	\$ 4.92	\$ 5.18	\$ 5.96
TOU-GS-3-B	Energy	Summer	ON-PEAK	\$ 0.03851	\$ 0.04442	\$ 0.06027
TOU-GS-3-B	Energy	Summer	MID-PEAK	\$ 0.03484	\$ 0.04036	\$ 0.05517
TOU-GS-3-B	Energy	Summer	OFF-PEAK	\$ 0.03297	\$ 0.03828	\$ 0.05255
TOU-GS-3-B	Energy	Winter	MID-PEAK	\$ 0.09802	\$ 0.10659	\$ 0.13315
TOU-GS-3-B	Energy	Winter	OFF-PEAK	\$ 0.05006	\$ 0.05505	\$ 0.07053
TOU-GS-3-B	Demand	Summer	ON-PEAK	\$ 8.57	\$ 9.48	\$ 11.94
TOU-GS-3-B	Demand	Summer	MID-PEAK	\$ 2.86	\$ 3.16	\$ 3.98
TOU-GS-3-D	Energy	Summer	ON-PEAK	\$ 0.05759	\$ 0.06553	\$ 0.08684
TOU-GS-3-D	Energy	Summer	MID-PEAK	\$ 0.05102	\$ 0.05826	\$ 0.07769
TOU-GS-3-D	Energy	Summer	OFF-PEAK	\$ 0.02896	\$ 0.03385	\$ 0.04698
TOU-GS-3-D	Energy	Winter	MID-PEAK	\$ 0.06961	\$ 0.07606	\$ 0.09606
TOU-GS-3-D	Energy	Winter	OFF-PEAK	\$ 0.07013	\$ 0.07662	\$ 0.09673
TOU-GS-3-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02879	\$ 0.03220	\$ 0.04276
TOU-GS-3-D	Demand	Summer	ON-PEAK	\$ 12.79	\$ 14.16	\$ 17.82
TOU-GS-3-D	Demand	Winter	MID-PEAK	\$ 7.56	\$ 8.12	\$ 9.87

January 15, 2026

26 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit B to Resolution 26-01-099

Phase 3, 4, and 5 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-3-E	Energy	Summer	ON-PEAK	\$ 0.20377	\$ 0.22730	\$ 0.29044
TOU-GS-3-E	Energy	Summer	MID-PEAK	\$ 0.05102	\$ 0.05826	\$ 0.07769
TOU-GS-3-E	Energy	Summer	OFF-PEAK	\$ 0.02896	\$ 0.03385	\$ 0.04698
TOU-GS-3-E	Energy	Winter	MID-PEAK	\$ 0.12277	\$ 0.13318	\$ 0.16547
TOU-GS-3-E	Energy	Winter	OFF-PEAK	\$ 0.07013	\$ 0.07662	\$ 0.09673
TOU-GS-3-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02879	\$ 0.03220	\$ 0.04276
TOU-GS-3-E	Demand	Summer	ON-PEAK	\$ 3.56	\$ 3.93	\$ 4.95
TOU-GS-3-E	Demand	Winter	MID-PEAK	\$ 3.09	\$ 3.32	\$ 4.04
TOU-GS-3-PRI-B	Energy	Summer	ON-PEAK	\$ 0.03785	\$ 0.04369	\$ 0.05935
TOU-GS-3-PRI-B	Energy	Summer	MID-PEAK	\$ 0.03418	\$ 0.03963	\$ 0.05425
TOU-GS-3-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.03231	\$ 0.03755	\$ 0.05163
TOU-GS-3-PRI-B	Energy	Winter	MID-PEAK	\$ 0.09694	\$ 0.10543	\$ 0.13174
TOU-GS-3-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.04898	\$ 0.05389	\$ 0.06912
TOU-GS-3-PRI-B	Demand	Summer	ON-PEAK	\$ 8.22	\$ 9.09	\$ 11.45
TOU-GS-3-PRI-B	Demand	Summer	MID-PEAK	\$ 2.51	\$ 2.77	\$ 3.49
TOU-GS-3-PRI-D	Energy	Summer	ON-PEAK	\$ 0.05693	\$ 0.06480	\$ 0.08592
TOU-GS-3-PRI-D	Energy	Summer	MID-PEAK	\$ 0.05036	\$ 0.05753	\$ 0.07677
TOU-GS-3-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.02831	\$ 0.03312	\$ 0.04606
TOU-GS-3-PRI-D	Energy	Winter	MID-PEAK	\$ 0.06853	\$ 0.07490	\$ 0.09465
TOU-GS-3-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.06905	\$ 0.07546	\$ 0.09533
TOU-GS-3-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02772	\$ 0.03104	\$ 0.04136
TOU-GS-3-PRI-D	Demand	Summer	ON-PEAK	\$ 12.50	\$ 13.83	\$ 17.41
TOU-GS-3-PRI-D	Demand	Winter	MID-PEAK	\$ 7.37	\$ 7.92	\$ 9.62
TOU-GS-3-PRI-E	Energy	Summer	ON-PEAK	\$ 0.20256	\$ 0.22595	\$ 0.28874
TOU-GS-3-PRI-E	Energy	Summer	MID-PEAK	\$ 0.04980	\$ 0.05691	\$ 0.07600
TOU-GS-3-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.02775	\$ 0.03251	\$ 0.04528
TOU-GS-3-PRI-E	Energy	Winter	MID-PEAK	\$ 0.12078	\$ 0.13105	\$ 0.16287
TOU-GS-3-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.06814	\$ 0.07448	\$ 0.09414
TOU-GS-3-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02681	\$ 0.03006	\$ 0.04017
TOU-GS-3-PRI-E	Demand	Summer	ON-PEAK	\$ 3.44	\$ 3.80	\$ 4.79
TOU-GS-3-PRI-E	Demand	Winter	MID-PEAK	\$ 3.01	\$ 3.23	\$ 3.93
TOU-GS-3-PRI-R	Energy	Summer	ON-PEAK	\$ 0.14264	\$ 0.15965	\$ 0.20529
TOU-GS-3-PRI-R	Energy	Summer	MID-PEAK	\$ 0.06104	\$ 0.06935	\$ 0.09165
TOU-GS-3-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.03155	\$ 0.03672	\$ 0.05058
TOU-GS-3-PRI-R	Energy	Winter	MID-PEAK	\$ 0.09571	\$ 0.10410	\$ 0.13013
TOU-GS-3-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.04775	\$ 0.05257	\$ 0.06751
TOU-GS-3-R	Energy	Summer	ON-PEAK	\$ 0.14405	\$ 0.16121	\$ 0.20726
TOU-GS-3-R	Energy	Summer	MID-PEAK	\$ 0.06245	\$ 0.07091	\$ 0.09362
TOU-GS-3-R	Energy	Summer	OFF-PEAK	\$ 0.03297	\$ 0.03828	\$ 0.05255
TOU-GS-3-R	Energy	Winter	MID-PEAK	\$ 0.09802	\$ 0.10659	\$ 0.13315
TOU-GS-3-R	Energy	Winter	OFF-PEAK	\$ 0.05006	\$ 0.05505	\$ 0.07053
TOU-GS-3-SUB-D	Energy	Summer	ON-PEAK	\$ 0.05614	\$ 0.06393	\$ 0.08483
TOU-GS-3-SUB-D	Energy	Summer	MID-PEAK	\$ 0.04957	\$ 0.05666	\$ 0.07568
TOU-GS-3-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.02752	\$ 0.03226	\$ 0.04497

January 15, 2026

27 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit B to Resolution 26-01-099

Phase 3, 4, and 5 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-3-SUB-D	Energy	Winter	MID-PEAK	\$ 0.06725	\$ 0.07353	\$ 0.09298
TOU-GS-3-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.06777	\$ 0.07408	\$ 0.09365
TOU-GS-3-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02643	\$ 0.02966	\$ 0.03968
TOU-GS-3-SUB-D	Demand	Summer	ON-PEAK	\$ 12.11	\$ 13.40	\$ 16.87
TOU-GS-3-SUB-D	Demand	Winter	MID-PEAK	\$ 7.15	\$ 7.69	\$ 9.34
TOU-8-PRI-B	Energy	Summer	ON-PEAK	\$ 0.05274	\$ 0.05443	\$ 0.06638
TOU-8-PRI-B	Energy	Summer	MID-PEAK	\$ 0.04766	\$ 0.04922	\$ 0.06029
TOU-8-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.04585	\$ 0.04737	\$ 0.05813
TOU-8-PRI-B	Energy	Winter	MID-PEAK	\$ 0.10195	\$ 0.10502	\$ 0.12542
TOU-8-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.05276	\$ 0.05455	\$ 0.06645
TOU-8-PRI-B	Demand	Summer	ON-PEAK	\$ 11.81	\$ 12.10	\$ 14.14
TOU-8-PRI-B	Demand	Summer	MID-PEAK	\$ 3.79	\$ 3.89	\$ 4.55
TOU-8-PRI-D	Energy	Summer	ON-PEAK	\$ 0.07597	\$ 0.07822	\$ 0.09421
TOU-8-PRI-D	Energy	Summer	MID-PEAK	\$ 0.06803	\$ 0.07010	\$ 0.08470
TOU-8-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04078	\$ 0.04217	\$ 0.05205
TOU-8-PRI-D	Energy	Winter	MID-PEAK	\$ 0.06930	\$ 0.07153	\$ 0.08629
TOU-8-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.07001	\$ 0.07226	\$ 0.08714
TOU-8-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02906	\$ 0.03024	\$ 0.03805
TOU-8-PRI-D	Demand	Summer	ON-PEAK	\$ 16.77	\$ 17.18	\$ 20.09
TOU-8-PRI-D	Demand	Winter	MID-PEAK	\$ 8.16	\$ 8.37	\$ 9.78
TOU-8-PRI-E	Energy	Summer	ON-PEAK	\$ 0.24536	\$ 0.25178	\$ 0.29715
TOU-8-PRI-E	Energy	Summer	MID-PEAK	\$ 0.06803	\$ 0.07010	\$ 0.08470
TOU-8-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.04078	\$ 0.04217	\$ 0.05205
TOU-8-PRI-E	Energy	Winter	MID-PEAK	\$ 0.14003	\$ 0.14410	\$ 0.17108
TOU-8-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.07001	\$ 0.07226	\$ 0.08714
TOU-8-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02906	\$ 0.03024	\$ 0.03805
TOU-8-PRI-E	Demand	Summer	ON-PEAK	\$ 4.11	\$ 4.21	\$ 4.93
TOU-8-PRI-E	Demand	Winter	MID-PEAK	\$ 0.94	\$ 0.96	\$ 1.12
TOU-8-PRI-R	Energy	Summer	ON-PEAK	\$ 0.18631	\$ 0.19128	\$ 0.22641
TOU-8-PRI-R	Energy	Summer	MID-PEAK	\$ 0.07792	\$ 0.08022	\$ 0.09654
TOU-8-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.04585	\$ 0.04737	\$ 0.05813
TOU-8-PRI-R	Energy	Winter	MID-PEAK	\$ 0.10195	\$ 0.10502	\$ 0.12542
TOU-8-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.05276	\$ 0.05455	\$ 0.06645
TOU-8-SEC-B	Energy	Summer	ON-PEAK	\$ 0.03896	\$ 0.04546	\$ 0.06149
TOU-8-SEC-B	Energy	Summer	MID-PEAK	\$ 0.03511	\$ 0.04116	\$ 0.05607
TOU-8-SEC-B	Energy	Summer	OFF-PEAK	\$ 0.03341	\$ 0.03926	\$ 0.05369
TOU-8-SEC-B	Energy	Winter	MID-PEAK	\$ 0.09584	\$ 0.09965	\$ 0.13150
TOU-8-SEC-B	Energy	Winter	OFF-PEAK	\$ 0.05277	\$ 0.05512	\$ 0.07476
TOU-8-SEC-B	Demand	Summer	ON-PEAK	\$ 9.29	\$ 10.38	\$ 13.06
TOU-8-SEC-B	Demand	Summer	MID-PEAK	\$ 3.05	\$ 3.41	\$ 4.29
TOU-8-SEC-D	Energy	Summer	ON-PEAK	\$ 0.05792	\$ 0.06665	\$ 0.08816
TOU-8-SEC-D	Energy	Summer	MID-PEAK	\$ 0.05137	\$ 0.05932	\$ 0.07894
TOU-8-SEC-D	Energy	Summer	OFF-PEAK	\$ 0.02947	\$ 0.03486	\$ 0.04815
TOU-8-SEC-D	Energy	Winter	MID-PEAK	\$ 0.07151	\$ 0.07450	\$ 0.09945

January 15, 2026

28 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit B to Resolution 26-01-099
Phase 3, 4, and 5 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-8-SEC-D	Energy	Winter	OFF-PEAK	\$ 0.07206	\$ 0.07507	\$ 0.10017
TOU-8-SEC-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02998	\$ 0.03156	\$ 0.04473
TOU-8-SEC-D	Demand	Summer	ON-PEAK	\$ 13.49	\$ 15.07	\$ 18.97
TOU-8-SEC-D	Demand	Winter	MID-PEAK	\$ 6.86	\$ 7.09	\$ 9.04
TOU-8-SEC-E	Energy	Summer	ON-PEAK	\$ 0.19695	\$ 0.22198	\$ 0.28368
TOU-8-SEC-E	Energy	Summer	MID-PEAK	\$ 0.05137	\$ 0.05932	\$ 0.07894
TOU-8-SEC-E	Energy	Summer	OFF-PEAK	\$ 0.02947	\$ 0.03486	\$ 0.04815
TOU-8-SEC-E	Energy	Winter	MID-PEAK	\$ 0.11633	\$ 0.12083	\$ 0.15849
TOU-8-SEC-E	Energy	Winter	OFF-PEAK	\$ 0.07206	\$ 0.07507	\$ 0.10017
TOU-8-SEC-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02998	\$ 0.03156	\$ 0.04473
TOU-8-SEC-E	Demand	Summer	ON-PEAK	\$ 3.75	\$ 4.19	\$ 5.27
TOU-8-SEC-E	Demand	Winter	MID-PEAK	\$ 2.80	\$ 2.90	\$ 3.69
TOU-8-SEC-R	Energy	Summer	ON-PEAK	\$ 0.14562	\$ 0.16463	\$ 0.21149
TOU-8-SEC-R	Energy	Summer	MID-PEAK	\$ 0.06107	\$ 0.07017	\$ 0.09259
TOU-8-SEC-R	Energy	Summer	OFF-PEAK	\$ 0.03341	\$ 0.03926	\$ 0.05369
TOU-8-SEC-R	Energy	Winter	MID-PEAK	\$ 0.09584	\$ 0.09965	\$ 0.13150
TOU-8-SEC-R	Energy	Winter	OFF-PEAK	\$ 0.05277	\$ 0.05512	\$ 0.07476
TOU-8-SUB-B	Energy	Summer	ON-PEAK	\$ 0.03688	\$ 0.03818	\$ 0.04700
TOU-8-SUB-B	Energy	Summer	MID-PEAK	\$ 0.03287	\$ 0.03408	\$ 0.04222
TOU-8-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.03166	\$ 0.03284	\$ 0.04077
TOU-8-SUB-B	Energy	Winter	MID-PEAK	\$ 0.08995	\$ 0.09264	\$ 0.11060
TOU-8-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.04779	\$ 0.04940	\$ 0.06016
TOU-8-SUB-B	Demand	Summer	ON-PEAK	\$ 10.91	\$ 11.18	\$ 13.03
TOU-8-SUB-B	Demand	Summer	MID-PEAK	\$ 3.53	\$ 3.62	\$ 4.22
TOU-8-SUB-D	Energy	Summer	ON-PEAK	\$ 0.05459	\$ 0.05634	\$ 0.06815
TOU-8-SUB-D	Energy	Summer	MID-PEAK	\$ 0.04875	\$ 0.05035	\$ 0.06118
TOU-8-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.02779	\$ 0.02887	\$ 0.03614
TOU-8-SUB-D	Energy	Winter	MID-PEAK	\$ 0.06195	\$ 0.06393	\$ 0.07711
TOU-8-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.06288	\$ 0.06488	\$ 0.07822
TOU-8-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02573	\$ 0.02678	\$ 0.03377
TOU-8-SUB-D	Demand	Summer	ON-PEAK	\$ 14.98	\$ 15.35	\$ 17.89
TOU-8-SUB-D	Demand	Winter	MID-PEAK	\$ 7.50	\$ 7.69	\$ 8.97
TOU-8-SUB-E	Energy	Summer	ON-PEAK	\$ 0.21725	\$ 0.22308	\$ 0.26240
TOU-8-SUB-E	Energy	Summer	MID-PEAK	\$ 0.04875	\$ 0.05035	\$ 0.06118
TOU-8-SUB-E	Energy	Summer	OFF-PEAK	\$ 0.02779	\$ 0.02887	\$ 0.03614
TOU-8-SUB-E	Energy	Winter	MID-PEAK	\$ 0.11697	\$ 0.12036	\$ 0.14292
TOU-8-SUB-E	Energy	Winter	OFF-PEAK	\$ 0.06288	\$ 0.06488	\$ 0.07822
TOU-8-SUB-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02573	\$ 0.02678	\$ 0.03377
TOU-8-SUB-E	Demand	Summer	ON-PEAK	\$ 1.42	\$ 1.46	\$ 1.70
TOU-8-SUB-E	Demand	Winter	MID-PEAK	\$ 1.07	\$ 1.10	\$ 1.28
TOU-8-SUB-R	Energy	Summer	ON-PEAK	\$ 0.14717	\$ 0.15124	\$ 0.17871
TOU-8-SUB-R	Energy	Summer	MID-PEAK	\$ 0.05711	\$ 0.05892	\$ 0.07116
TOU-8-SUB-R	Energy	Summer	OFF-PEAK	\$ 0.03166	\$ 0.03284	\$ 0.04077
TOU-8-SUB-R	Energy	Winter	MID-PEAK	\$ 0.08995	\$ 0.09264	\$ 0.11060

Exhibit B to Resolution 26-01-099
Phase 3, 4, and 5 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-8-SUB-R	Energy	Winter	OFF-PEAK	\$ 0.04779	\$ 0.04940	\$ 0.06016
TOU-EV-7	Energy	Summer	ON-PEAK	\$ 0.29266	\$ 0.30984	\$ 0.36141
TOU-EV-7	Energy	Summer	MID-PEAK	\$ 0.09317	\$ 0.09928	\$ 0.11758
TOU-EV-7	Energy	Summer	OFF-PEAK	\$ 0.07360	\$ 0.07862	\$ 0.09366
TOU-EV-7	Energy	Winter	MID-PEAK	\$ 0.15001	\$ 0.15927	\$ 0.18705
TOU-EV-7	Energy	Winter	OFF-PEAK	\$ 0.08952	\$ 0.09542	\$ 0.11311
TOU-EV-7	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03197	\$ 0.03467	\$ 0.04277
TOU-EV-8	Energy	Summer	ON-PEAK	\$ 0.32343	\$ 0.34557	\$ 0.41198
TOU-EV-8	Energy	Summer	MID-PEAK	\$ 0.07934	\$ 0.08563	\$ 0.10448
TOU-EV-8	Energy	Summer	OFF-PEAK	\$ 0.05744	\$ 0.06230	\$ 0.07689
TOU-EV-8	Energy	Winter	MID-PEAK	\$ 0.12199	\$ 0.13105	\$ 0.15821
TOU-EV-8	Energy	Winter	OFF-PEAK	\$ 0.07056	\$ 0.07627	\$ 0.09341
TOU-EV-8	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02043	\$ 0.02288	\$ 0.03026
TOU-EV-PRI-9	Energy	Summer	ON-PEAK	\$ 0.22418	\$ 0.23714	\$ 0.27603
TOU-EV-PRI-9	Energy	Summer	MID-PEAK	\$ 0.06906	\$ 0.07365	\$ 0.08744
TOU-EV-PRI-9	Energy	Summer	OFF-PEAK	\$ 0.04908	\$ 0.05259	\$ 0.06315
TOU-EV-PRI-9	Energy	Winter	MID-PEAK	\$ 0.11273	\$ 0.11968	\$ 0.14053
TOU-EV-PRI-9	Energy	Winter	OFF-PEAK	\$ 0.05848	\$ 0.06250	\$ 0.07458
TOU-EV-PRI-9	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01911	\$ 0.02101	\$ 0.02671
TOU-EV-SEC-9	Energy	Summer	ON-PEAK	\$ 0.24814	\$ 0.26330	\$ 0.30875
TOU-EV-SEC-9	Energy	Summer	MID-PEAK	\$ 0.07321	\$ 0.07835	\$ 0.09376
TOU-EV-SEC-9	Energy	Summer	OFF-PEAK	\$ 0.05315	\$ 0.05714	\$ 0.06910
TOU-EV-SEC-9	Energy	Winter	MID-PEAK	\$ 0.11407	\$ 0.12155	\$ 0.14397
TOU-EV-SEC-9	Energy	Winter	OFF-PEAK	\$ 0.06347	\$ 0.06805	\$ 0.08178
TOU-EV-SEC-9	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02054	\$ 0.02266	\$ 0.02902
TOU-EV-SUB-9	Energy	Summer	ON-PEAK	\$ 0.22042	\$ 0.22931	\$ 0.25596
TOU-EV-SUB-9	Energy	Summer	MID-PEAK	\$ 0.06535	\$ 0.06839	\$ 0.07751
TOU-EV-SUB-9	Energy	Summer	OFF-PEAK	\$ 0.04587	\$ 0.04818	\$ 0.05509
TOU-EV-SUB-9	Energy	Winter	MID-PEAK	\$ 0.09957	\$ 0.10390	\$ 0.11689
TOU-EV-SUB-9	Energy	Winter	OFF-PEAK	\$ 0.05433	\$ 0.05695	\$ 0.06482
TOU-EV-SUB-9	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01804	\$ 0.01930	\$ 0.02306
TOU-PA-2-A	Energy	Summer	ON-PEAK	\$ 0.15889	\$ 0.16356	\$ 0.22839
TOU-PA-2-A	Energy	Summer	MID-PEAK	\$ 0.06334	\$ 0.06547	\$ 0.09509
TOU-PA-2-A	Energy	Summer	OFF-PEAK	\$ 0.03742	\$ 0.03887	\$ 0.05894
TOU-PA-2-A	Energy	Winter	MID-PEAK	\$ 0.10480	\$ 0.10573	\$ 0.13830
TOU-PA-2-A	Energy	Winter	OFF-PEAK	\$ 0.06343	\$ 0.06405	\$ 0.08556
TOU-PA-2-B	Energy	Summer	ON-PEAK	\$ 0.04348	\$ 0.04509	\$ 0.06739
TOU-PA-2-B	Energy	Summer	MID-PEAK	\$ 0.03889	\$ 0.04037	\$ 0.06098
TOU-PA-2-B	Energy	Summer	OFF-PEAK	\$ 0.03742	\$ 0.03887	\$ 0.05894
TOU-PA-2-B	Energy	Winter	MID-PEAK	\$ 0.10480	\$ 0.10573	\$ 0.13830
TOU-PA-2-B	Energy	Winter	OFF-PEAK	\$ 0.06343	\$ 0.06405	\$ 0.08556
TOU-PA-2-B	Demand	Summer	ON-PEAK	\$ 5.95	\$ 6.11	\$ 8.31
TOU-PA-2-B	Demand	Summer	MID-PEAK	\$ 1.83	\$ 1.88	\$ 2.55
TOU-PA-2-D	Energy	Summer	ON-PEAK	\$ 0.06588	\$ 0.06808	\$ 0.09864

Exhibit B to Resolution 26-01-099

Phase 3, 4, and 5 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-2-D	Energy	Summer	MID-PEAK	\$ 0.05855	\$ 0.06056	\$ 0.08842
TOU-PA-2-D	Energy	Summer	OFF-PEAK	\$ 0.03298	\$ 0.03430	\$ 0.05274
TOU-PA-2-D	Energy	Winter	MID-PEAK	\$ 0.08909	\$ 0.08990	\$ 0.11827
TOU-PA-2-D	Energy	Winter	OFF-PEAK	\$ 0.06740	\$ 0.06805	\$ 0.09062
TOU-PA-2-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05510	\$ 0.05565	\$ 0.07494
TOU-PA-2-D	Demand	Summer	ON-PEAK	\$ 8.40	\$ 8.62	\$ 11.72
TOU-PA-2-D	Demand	Winter	MID-PEAK	\$ 3.11	\$ 3.13	\$ 3.96
TOU-PA-2-D5	Energy	Summer	ON-PEAK	\$ 0.14815	\$ 0.15253	\$ 0.21340
TOU-PA-2-D5	Energy	Summer	MID-PEAK	\$ 0.13877	\$ 0.14291	\$ 0.20032
TOU-PA-2-D5	Energy	Summer	OFF-PEAK	\$ 0.02984	\$ 0.03109	\$ 0.04837
TOU-PA-2-D5	Energy	Winter	MID-PEAK	\$ 0.09239	\$ 0.09322	\$ 0.12247
TOU-PA-2-D5	Energy	Winter	OFF-PEAK	\$ 0.07003	\$ 0.07070	\$ 0.09397
TOU-PA-2-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05731	\$ 0.05788	\$ 0.07776
TOU-PA-2-D5	Demand	Summer	ON-PEAK	\$ 8.04	\$ 8.25	\$ 11.21
TOU-PA-2-D5	Demand	Winter	MID-PEAK	\$ 2.74	\$ 2.76	\$ 3.49
TOU-PA-2-E	Energy	Summer	ON-PEAK	\$ 0.26205	\$ 0.26946	\$ 0.37230
TOU-PA-2-E	Energy	Summer	MID-PEAK	\$ 0.05855	\$ 0.06056	\$ 0.08842
TOU-PA-2-E	Energy	Summer	OFF-PEAK	\$ 0.03298	\$ 0.03430	\$ 0.05274
TOU-PA-2-E	Energy	Winter	MID-PEAK	\$ 0.10588	\$ 0.10682	\$ 0.13968
TOU-PA-2-E	Energy	Winter	OFF-PEAK	\$ 0.08077	\$ 0.08152	\$ 0.10767
TOU-PA-2-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.06648	\$ 0.06712	\$ 0.08945
TOU-PA-2-E5	Energy	Summer	ON-PEAK	\$ 0.44745	\$ 0.45977	\$ 0.63092
TOU-PA-2-E5	Energy	Summer	MID-PEAK	\$ 0.13877	\$ 0.14291	\$ 0.20032
TOU-PA-2-E5	Energy	Summer	OFF-PEAK	\$ 0.02984	\$ 0.03109	\$ 0.04837
TOU-PA-2-E5	Energy	Winter	MID-PEAK	\$ 0.10640	\$ 0.10734	\$ 0.14033
TOU-PA-2-E5	Energy	Winter	OFF-PEAK	\$ 0.08118	\$ 0.08193	\$ 0.10818
TOU-PA-2-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.06684	\$ 0.06748	\$ 0.08990
TOU-PA-2-PRI-A	Energy	Summer	ON-PEAK	\$ 0.15775	\$ 0.16239	\$ 0.22680
TOU-PA-2-PRI-A	Energy	Summer	MID-PEAK	\$ 0.06219	\$ 0.06430	\$ 0.09350
TOU-PA-2-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.03628	\$ 0.03769	\$ 0.05734
TOU-PA-2-PRI-A	Energy	Winter	MID-PEAK	\$ 0.10293	\$ 0.10385	\$ 0.13592
TOU-PA-2-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.06157	\$ 0.06217	\$ 0.08318
TOU-PA-2-PRI-B	Energy	Summer	ON-PEAK	\$ 0.04279	\$ 0.04438	\$ 0.06643
TOU-PA-2-PRI-B	Energy	Summer	MID-PEAK	\$ 0.03819	\$ 0.03966	\$ 0.06002
TOU-PA-2-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.03673	\$ 0.03816	\$ 0.05797
TOU-PA-2-PRI-B	Energy	Winter	MID-PEAK	\$ 0.10367	\$ 0.10459	\$ 0.13686
TOU-PA-2-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.06230	\$ 0.06291	\$ 0.08412
TOU-PA-2-PRI-B	Demand	Summer	ON-PEAK	\$ 5.82	\$ 5.97	\$ 8.12
TOU-PA-2-PRI-B	Demand	Summer	MID-PEAK	\$ 1.69	\$ 1.74	\$ 2.36
TOU-PA-2-PRI-D	Energy	Summer	ON-PEAK	\$ 0.06519	\$ 0.06737	\$ 0.09767
TOU-PA-2-PRI-D	Energy	Summer	MID-PEAK	\$ 0.05786	\$ 0.05985	\$ 0.08746
TOU-PA-2-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.03228	\$ 0.03359	\$ 0.05178
TOU-PA-2-PRI-D	Energy	Winter	MID-PEAK	\$ 0.08796	\$ 0.08876	\$ 0.11683
TOU-PA-2-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.06627	\$ 0.06691	\$ 0.08918

Exhibit B to Resolution 26-01-099
Phase 3, 4, and 5 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-2-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05397	\$ 0.05451	\$ 0.07350
TOU-PA-2-PRI-D	Demand	Summer	ON-PEAK	\$ 8.28	\$ 8.50	\$ 11.55
TOU-PA-2-PRI-D	Demand	Winter	MID-PEAK	\$ 2.91	\$ 2.93	\$ 3.71
TOU-PA-2-PRI-D5	Energy	Summer	ON-PEAK	\$ 0.14743	\$ 0.15180	\$ 0.21241
TOU-PA-2-PRI-D5	Energy	Summer	MID-PEAK	\$ 0.13806	\$ 0.14217	\$ 0.19933
TOU-PA-2-PRI-D5	Energy	Summer	OFF-PEAK	\$ 0.02913	\$ 0.03035	\$ 0.04737
TOU-PA-2-PRI-D5	Energy	Winter	MID-PEAK	\$ 0.09122	\$ 0.09204	\$ 0.12098
TOU-PA-2-PRI-D5	Energy	Winter	OFF-PEAK	\$ 0.06887	\$ 0.06952	\$ 0.09249
TOU-PA-2-PRI-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05615	\$ 0.05670	\$ 0.07627
TOU-PA-2-PRI-D5	Demand	Summer	ON-PEAK	\$ 7.92	\$ 8.13	\$ 11.05
TOU-PA-2-PRI-D5	Demand	Winter	MID-PEAK	\$ 2.56	\$ 2.58	\$ 3.26
TOU-PA-2-PRI-E	Energy	Summer	ON-PEAK	\$ 0.26091	\$ 0.26829	\$ 0.37071
TOU-PA-2-PRI-E	Energy	Summer	MID-PEAK	\$ 0.05741	\$ 0.05939	\$ 0.08683
TOU-PA-2-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.03183	\$ 0.03313	\$ 0.05115
TOU-PA-2-PRI-E	Energy	Winter	MID-PEAK	\$ 0.10401	\$ 0.10494	\$ 0.13729
TOU-PA-2-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.07891	\$ 0.07964	\$ 0.10529
TOU-PA-2-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.06461	\$ 0.06524	\$ 0.08706
TOU-PA-2-PRI-E5	Energy	Summer	ON-PEAK	\$ 0.44631	\$ 0.45860	\$ 0.62933
TOU-PA-2-PRI-E5	Energy	Summer	MID-PEAK	\$ 0.13763	\$ 0.14173	\$ 0.19873
TOU-PA-2-PRI-E5	Energy	Summer	OFF-PEAK	\$ 0.02870	\$ 0.02991	\$ 0.04677
TOU-PA-2-PRI-E5	Energy	Winter	MID-PEAK	\$ 0.10453	\$ 0.10546	\$ 0.13795
TOU-PA-2-PRI-E5	Energy	Winter	OFF-PEAK	\$ 0.07931	\$ 0.08005	\$ 0.10580
TOU-PA-2-PRI-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.06497	\$ 0.06560	\$ 0.08752
TOU-PA-3-A	Energy	Summer	ON-PEAK	\$ 0.13612	\$ 0.14017	\$ 0.19654
TOU-PA-3-A	Energy	Summer	MID-PEAK	\$ 0.05216	\$ 0.05399	\$ 0.07941
TOU-PA-3-A	Energy	Summer	OFF-PEAK	\$ 0.03049	\$ 0.03175	\$ 0.04920
TOU-PA-3-A	Energy	Winter	MID-PEAK	\$ 0.08796	\$ 0.08876	\$ 0.11678
TOU-PA-3-A	Energy	Winter	OFF-PEAK	\$ 0.05622	\$ 0.05678	\$ 0.07631
TOU-PA-3-B	Energy	Summer	ON-PEAK	\$ 0.03576	\$ 0.03715	\$ 0.05654
TOU-PA-3-B	Energy	Summer	MID-PEAK	\$ 0.03171	\$ 0.03299	\$ 0.05088
TOU-PA-3-B	Energy	Summer	OFF-PEAK	\$ 0.03049	\$ 0.03175	\$ 0.04920
TOU-PA-3-B	Energy	Winter	MID-PEAK	\$ 0.08796	\$ 0.08876	\$ 0.11678
TOU-PA-3-B	Energy	Winter	OFF-PEAK	\$ 0.05622	\$ 0.05678	\$ 0.07631
TOU-PA-3-B	Demand	Summer	ON-PEAK	\$ 6.31	\$ 6.48	\$ 8.80
TOU-PA-3-B	Demand	Summer	MID-PEAK	\$ 1.85	\$ 1.90	\$ 2.58
TOU-PA-3-D	Energy	Summer	ON-PEAK	\$ 0.05520	\$ 0.05711	\$ 0.08366
TOU-PA-3-D	Energy	Summer	MID-PEAK	\$ 0.04888	\$ 0.05062	\$ 0.07484
TOU-PA-3-D	Energy	Summer	OFF-PEAK	\$ 0.02670	\$ 0.02785	\$ 0.04390
TOU-PA-3-D	Energy	Winter	MID-PEAK	\$ 0.07424	\$ 0.07493	\$ 0.09928
TOU-PA-3-D	Energy	Winter	OFF-PEAK	\$ 0.07482	\$ 0.07551	\$ 0.10001
TOU-PA-3-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03136	\$ 0.03173	\$ 0.04461
TOU-PA-3-D	Demand	Summer	ON-PEAK	\$ 8.96	\$ 9.20	\$ 12.50
TOU-PA-3-D	Demand	Winter	MID-PEAK	\$ 3.15	\$ 3.17	\$ 4.01
TOU-PA-3-D5	Energy	Summer	ON-PEAK	\$ 0.12357	\$ 0.12729	\$ 0.17903

Exhibit B to Resolution 26-01-099
Phase 3, 4, and 5 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-3-D5	Energy	Summer	MID-PEAK	\$ 0.11560	\$ 0.11911	\$ 0.16791
TOU-PA-3-D5	Energy	Summer	OFF-PEAK	\$ 0.02410	\$ 0.02519	\$ 0.04028
TOU-PA-3-D5	Energy	Winter	MID-PEAK	\$ 0.07410	\$ 0.07480	\$ 0.09910
TOU-PA-3-D5	Energy	Winter	OFF-PEAK	\$ 0.07468	\$ 0.07538	\$ 0.09984
TOU-PA-3-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03119	\$ 0.03155	\$ 0.04439
TOU-PA-3-D5	Demand	Summer	ON-PEAK	\$ 8.59	\$ 8.81	\$ 11.98
TOU-PA-3-D5	Demand	Winter	MID-PEAK	\$ 3.66	\$ 3.69	\$ 4.67
TOU-PA-3-E	Energy	Summer	ON-PEAK	\$ 0.22199	\$ 0.22832	\$ 0.31632
TOU-PA-3-E	Energy	Summer	MID-PEAK	\$ 0.04888	\$ 0.05062	\$ 0.07484
TOU-PA-3-E	Energy	Summer	OFF-PEAK	\$ 0.02670	\$ 0.02785	\$ 0.04390
TOU-PA-3-E	Energy	Winter	MID-PEAK	\$ 0.11317	\$ 0.11416	\$ 0.14891
TOU-PA-3-E	Energy	Winter	OFF-PEAK	\$ 0.08672	\$ 0.08751	\$ 0.11519
TOU-PA-3-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02085	\$ 0.02114	\$ 0.03122
TOU-PA-3-E5	Energy	Summer	ON-PEAK	\$ 0.37490	\$ 0.38529	\$ 0.52964
TOU-PA-3-E5	Energy	Summer	MID-PEAK	\$ 0.11560	\$ 0.11911	\$ 0.16791
TOU-PA-3-E5	Energy	Summer	OFF-PEAK	\$ 0.02410	\$ 0.02519	\$ 0.04028
TOU-PA-3-E5	Energy	Winter	MID-PEAK	\$ 0.11918	\$ 0.12022	\$ 0.15657
TOU-PA-3-E5	Energy	Winter	OFF-PEAK	\$ 0.09152	\$ 0.09234	\$ 0.12130
TOU-PA-3-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02260	\$ 0.02290	\$ 0.03344
TOU-PA-3-PRI-A	Energy	Summer	ON-PEAK	\$ 0.13506	\$ 0.13909	\$ 0.19506
TOU-PA-3-PRI-A	Energy	Summer	MID-PEAK	\$ 0.05110	\$ 0.05290	\$ 0.07793
TOU-PA-3-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.02943	\$ 0.03066	\$ 0.04772
TOU-PA-3-PRI-A	Energy	Winter	MID-PEAK	\$ 0.08623	\$ 0.08702	\$ 0.11457
TOU-PA-3-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.05449	\$ 0.05503	\$ 0.07410
TOU-PA-3-PRI-B	Energy	Summer	ON-PEAK	\$ 0.03507	\$ 0.03645	\$ 0.05558
TOU-PA-3-PRI-B	Energy	Summer	MID-PEAK	\$ 0.03102	\$ 0.03229	\$ 0.04993
TOU-PA-3-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.02981	\$ 0.03105	\$ 0.04824
TOU-PA-3-PRI-B	Energy	Winter	MID-PEAK	\$ 0.08685	\$ 0.08764	\$ 0.11535
TOU-PA-3-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.05510	\$ 0.05565	\$ 0.07488
TOU-PA-3-PRI-B	Demand	Summer	ON-PEAK	\$ 6.14	\$ 6.31	\$ 8.57
TOU-PA-3-PRI-B	Demand	Summer	MID-PEAK	\$ 1.68	\$ 1.73	\$ 2.35
TOU-PA-3-PRI-D	Energy	Summer	ON-PEAK	\$ 0.05452	\$ 0.05641	\$ 0.08271
TOU-PA-3-PRI-D	Energy	Summer	MID-PEAK	\$ 0.04819	\$ 0.04992	\$ 0.07389
TOU-PA-3-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.02601	\$ 0.02715	\$ 0.04294
TOU-PA-3-PRI-D	Energy	Winter	MID-PEAK	\$ 0.07312	\$ 0.07380	\$ 0.09785
TOU-PA-3-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.07370	\$ 0.07439	\$ 0.09859
TOU-PA-3-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03024	\$ 0.03060	\$ 0.04319
TOU-PA-3-PRI-D	Demand	Summer	ON-PEAK	\$ 8.83	\$ 9.06	\$ 12.31
TOU-PA-3-PRI-D	Demand	Winter	MID-PEAK	\$ 2.92	\$ 2.95	\$ 3.73
TOU-PA-3-PRI-D5	Energy	Summer	ON-PEAK	\$ 0.12288	\$ 0.12659	\$ 0.17808
TOU-PA-3-PRI-D5	Energy	Summer	MID-PEAK	\$ 0.11491	\$ 0.11841	\$ 0.16696
TOU-PA-3-PRI-D5	Energy	Summer	OFF-PEAK	\$ 0.02342	\$ 0.02449	\$ 0.03933
TOU-PA-3-PRI-D5	Energy	Winter	MID-PEAK	\$ 0.07298	\$ 0.07367	\$ 0.09768
TOU-PA-3-PRI-D5	Energy	Winter	OFF-PEAK	\$ 0.07356	\$ 0.07425	\$ 0.09841

Exhibit B to Resolution 26-01-099
Phase 3, 4, and 5 Non-residential Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-3-PRI-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03007	\$ 0.03043	\$ 0.04297
TOU-PA-3-PRI-D5	Demand	Summer	ON-PEAK	\$ 8.45	\$ 8.68	\$ 11.79
TOU-PA-3-PRI-D5	Demand	Winter	MID-PEAK	\$ 3.44	\$ 3.47	\$ 4.39
TOU-PA-3-PRI-E	Energy	Summer	ON-PEAK	\$ 0.22093	\$ 0.22723	\$ 0.31485
TOU-PA-3-PRI-E	Energy	Summer	MID-PEAK	\$ 0.04782	\$ 0.04953	\$ 0.07336
TOU-PA-3-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.02564	\$ 0.02676	\$ 0.04242
TOU-PA-3-PRI-E	Energy	Winter	MID-PEAK	\$ 0.11144	\$ 0.11241	\$ 0.14670
TOU-PA-3-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.08499	\$ 0.08577	\$ 0.11298
TOU-PA-3-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01912	\$ 0.01939	\$ 0.02901
TOU-PA-3-PRI-E5	Energy	Summer	ON-PEAK	\$ 0.37384	\$ 0.38420	\$ 0.52816
TOU-PA-3-PRI-E5	Energy	Summer	MID-PEAK	\$ 0.11454	\$ 0.11802	\$ 0.16643
TOU-PA-3-PRI-E5	Energy	Summer	OFF-PEAK	\$ 0.02304	\$ 0.02410	\$ 0.03880
TOU-PA-3-PRI-E5	Energy	Winter	MID-PEAK	\$ 0.11745	\$ 0.11847	\$ 0.15436
TOU-PA-3-PRI-E5	Energy	Winter	OFF-PEAK	\$ 0.08978	\$ 0.09060	\$ 0.11910
TOU-PA-3-PRI-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02087	\$ 0.02115	\$ 0.03123
AL-2-F	Energy	All_Year	NONE	\$ 0.08588	\$ 0.08933	\$ 0.11585
AL-2-GF	Energy	Summer	ON-PEAK	\$ 0.23354	\$ 0.24197	\$ 0.30671
AL-2-GF	Energy	Summer	OFF-PEAK	\$ 0.08121	\$ 0.08466	\$ 0.11118
AL-2-GF	Energy	Winter	ON-PEAK	\$ 0.14941	\$ 0.15500	\$ 0.19797
AL-2-GF	Energy	Winter	OFF-PEAK	\$ 0.08121	\$ 0.08466	\$ 0.11118
DWL	Energy	All_Year	NONE	\$ 0.03910	\$ 0.04294	\$ 0.05445
LS-1	Energy	All_Year	NONE	\$ 0.08107	\$ 0.08452	\$ 0.11101
LS-3	Energy	All_Year	NONE	\$ 0.08121	\$ 0.08466	\$ 0.11118
TC-1	Energy	All_Year	NONE	\$ 0.07007	\$ 0.07736	\$ 0.09924
WTR	Energy	All_Year	NONE	\$ 0.07065	\$ 0.07629	\$ 0.09321

Exhibit B to Resolution 26-01-099

Phase 3, 4, and 5 Residential CARE/FERA/Medical Baseline Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN CARE	DEFAULT 100% GREEN - CARE
DOMESTIC	Energy	All_Year	NONE	\$ 0.09168	\$ 0.09622	\$ 0.10986	\$ 0.09622
TOU-D-4	Energy	Summer	ON-PEAK	\$ 0.22540	\$ 0.23529	\$ 0.26497	\$ 0.23529
TOU-D-4	Energy	Summer	MID-PEAK	\$ 0.10808	\$ 0.11331	\$ 0.12898	\$ 0.11331
TOU-D-4	Energy	Summer	OFF-PEAK	\$ 0.04866	\$ 0.05153	\$ 0.06011	\$ 0.05153
TOU-D-4	Energy	Winter	MID-PEAK	\$ 0.15338	\$ 0.16041	\$ 0.18148	\$ 0.16041
TOU-D-4	Energy	Winter	OFF-PEAK	\$ 0.07653	\$ 0.08050	\$ 0.09241	\$ 0.08050
TOU-D-4	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05847	\$ 0.06173	\$ 0.07148	\$ 0.06173
TOU-D-5	Energy	Summer	ON-PEAK	\$ 0.38025	\$ 0.39635	\$ 0.44466	\$ 0.39635
TOU-D-5	Energy	Summer	MID-PEAK	\$ 0.18449	\$ 0.19278	\$ 0.21766	\$ 0.19278
TOU-D-5	Energy	Summer	OFF-PEAK	\$ 0.03816	\$ 0.04061	\$ 0.04796	\$ 0.04061
TOU-D-5	Energy	Winter	MID-PEAK	\$ 0.24749	\$ 0.25830	\$ 0.29072	\$ 0.25830
TOU-D-5	Energy	Winter	OFF-PEAK	\$ 0.07402	\$ 0.07790	\$ 0.08954	\$ 0.07790
TOU-D-5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04453	\$ 0.04723	\$ 0.05535	\$ 0.04723
TOU-D-A	Energy	Summer	ON-PEAK	\$ 0.24228	\$ 0.25301	\$ 0.28521	\$ 0.25301
TOU-D-A	Energy	Summer	OFF-PEAK	\$ 0.08766	\$ 0.09214	\$ 0.10559	\$ 0.09214
TOU-D-A	Energy	Summer	SUPER-OFF-PEAK	\$ 0.05487	\$ 0.05803	\$ 0.06750	\$ 0.05803
TOU-D-A	Energy	Winter	ON-PEAK	\$ 0.13448	\$ 0.14085	\$ 0.15998	\$ 0.14085
TOU-D-A	Energy	Winter	OFF-PEAK	\$ 0.06121	\$ 0.06463	\$ 0.07487	\$ 0.06463
TOU-D-A	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05668	\$ 0.05991	\$ 0.06960	\$ 0.05991
TOU-D-B	Energy	Summer	ON-PEAK	\$ 0.37685	\$ 0.39318	\$ 0.44219	\$ 0.39318
TOU-D-B	Energy	Summer	OFF-PEAK	\$ 0.08760	\$ 0.09213	\$ 0.10571	\$ 0.09213
TOU-D-B	Energy	Summer	SUPER-OFF-PEAK	\$ 0.01489	\$ 0.01645	\$ 0.02112	\$ 0.01645
TOU-D-B	Energy	Winter	ON-PEAK	\$ 0.13196	\$ 0.13829	\$ 0.15730	\$ 0.13829
TOU-D-B	Energy	Winter	OFF-PEAK	\$ 0.06121	\$ 0.06466	\$ 0.07500	\$ 0.06466
TOU-D-B	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01577	\$ 0.01736	\$ 0.02214	\$ 0.01736
TOU-D-PRIME	Energy	Summer	ON-PEAK	\$ 0.26645	\$ 0.27848	\$ 0.31456	\$ 0.27848
TOU-D-PRIME	Energy	Summer	MID-PEAK	\$ 0.07985	\$ 0.08413	\$ 0.09697	\$ 0.08413
TOU-D-PRIME	Energy	Summer	OFF-PEAK	\$ 0.04558	\$ 0.04844	\$ 0.05702	\$ 0.04844
TOU-D-PRIME	Energy	Winter	MID-PEAK	\$ 0.23542	\$ 0.24616	\$ 0.27838	\$ 0.24616
TOU-D-PRIME	Energy	Winter	OFF-PEAK	\$ 0.03493	\$ 0.03735	\$ 0.04459	\$ 0.03735
TOU-D-PRIME	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03493	\$ 0.03735	\$ 0.04459	\$ 0.03735
TOU-D-PRIME-SOP	Energy	Summer	ON-PEAK	\$ 0.26645	\$ 0.27848	\$ 0.31456	\$ 0.27848
TOU-D-PRIME-SOP	Energy	Summer	MID-PEAK	\$ 0.07985	\$ 0.08413	\$ 0.09697	\$ 0.08413
TOU-D-PRIME-SOP	Energy	Summer	OFF-PEAK	\$ 0.05812	\$ 0.06176	\$ 0.07272	\$ 0.06176
TOU-D-PRIME-SOP	Energy	Summer	SUPER-OFF-PEAK	\$ 0.02906	\$ 0.03088	\$ 0.03636	\$ 0.03088
TOU-D-PRIME-SOP	Energy	Winter	MID-PEAK	\$ 0.23542	\$ 0.24616	\$ 0.27838	\$ 0.24616
TOU-D-PRIME-SOP	Energy	Winter	OFF-PEAK	\$ 0.04336	\$ 0.04636	\$ 0.05534	\$ 0.04636
TOU-D-PRIME-SOP	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02168	\$ 0.02318	\$ 0.02767	\$ 0.02318
TOU-D-T	Energy	Summer	ON-PEAK	\$ 0.12264	\$ 0.12788	\$ 0.14361	\$ 0.12788
TOU-D-T	Energy	Summer	OFF-PEAK	\$ 0.10937	\$ 0.11414	\$ 0.12844	\$ 0.11414
TOU-D-T	Energy	Winter	ON-PEAK	\$ 0.08484	\$ 0.08873	\$ 0.10038	\$ 0.08873
TOU-D-T	Energy	Winter	OFF-PEAK	\$ 0.07502	\$ 0.07855	\$ 0.08915	\$ 0.07855

Exhibit B to Resolution 26-01-099
Phase 3, 4, and 5 Non-residential CARE Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
TOU-GS-1-A	Energy	Summer	ON-PEAK	\$ 0.13244	\$ 0.13757	\$ 0.15296	\$ 0.13757
TOU-GS-1-A	Energy	Summer	MID-PEAK	\$ 0.12280	\$ 0.12759	\$ 0.14199	\$ 0.12759
TOU-GS-1-A	Energy	Summer	OFF-PEAK	\$ 0.11753	\$ 0.12215	\$ 0.13600	\$ 0.12215
TOU-GS-1-A	Energy	Winter	MID-PEAK	\$ 0.08231	\$ 0.08571	\$ 0.09593	\$ 0.08571
TOU-GS-1-A	Energy	Winter	OFF-PEAK	\$ 0.07242	\$ 0.07549	\$ 0.08468	\$ 0.07549
TOU-GS-1-B	Energy	Summer	ON-PEAK	\$ 0.06486	\$ 0.06711	\$ 0.07387	\$ 0.06711
TOU-GS-1-B	Energy	Summer	MID-PEAK	\$ 0.05959	\$ 0.06170	\$ 0.06802	\$ 0.06170
TOU-GS-1-B	Energy	Summer	OFF-PEAK	\$ 0.05671	\$ 0.05873	\$ 0.06481	\$ 0.05873
TOU-GS-1-B	Energy	Winter	MID-PEAK	\$ 0.08254	\$ 0.08528	\$ 0.09350	\$ 0.08528
TOU-GS-1-B	Energy	Winter	OFF-PEAK	\$ 0.07263	\$ 0.07510	\$ 0.08250	\$ 0.07510
TOU-GS-1-B	Demand	Summer	ON-PEAK	\$ 11.55	\$ 11.87	\$ 12.83	\$ 11.87
TOU-GS-1-B	Demand	Summer	MID-PEAK	\$ 3.76	\$ 3.86	\$ 4.17	\$ 3.86
TOU-GS-1-D	Energy	Summer	ON-PEAK	\$ 0.09488	\$ 0.09831	\$ 0.10860	\$ 0.09831
TOU-GS-1-D	Energy	Summer	MID-PEAK	\$ 0.08408	\$ 0.08718	\$ 0.09647	\$ 0.08718
TOU-GS-1-D	Energy	Summer	OFF-PEAK	\$ 0.04938	\$ 0.05141	\$ 0.05750	\$ 0.05141
TOU-GS-1-D	Energy	Winter	MID-PEAK	\$ 0.08836	\$ 0.09158	\$ 0.10127	\$ 0.09158
TOU-GS-1-D	Energy	Winter	OFF-PEAK	\$ 0.05750	\$ 0.05978	\$ 0.06661	\$ 0.05978
TOU-GS-1-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03885	\$ 0.04055	\$ 0.04567	\$ 0.04055
TOU-GS-1-D	Demand	Summer	ON-PEAK	\$ 15.71	\$ 16.20	\$ 17.64	\$ 16.20
TOU-GS-1-D	Demand	Winter	MID-PEAK	\$ 4.82	\$ 4.97	\$ 5.42	\$ 4.97
TOU-GS-1-E	Energy	Summer	ON-PEAK	\$ 0.39869	\$ 0.41320	\$ 0.45673	\$ 0.41320
TOU-GS-1-E	Energy	Summer	MID-PEAK	\$ 0.09396	\$ 0.09782	\$ 0.10941	\$ 0.09782
TOU-GS-1-E	Energy	Summer	OFF-PEAK	\$ 0.06243	\$ 0.06519	\$ 0.07348	\$ 0.06519
TOU-GS-1-E	Energy	Winter	MID-PEAK	\$ 0.15119	\$ 0.15706	\$ 0.17465	\$ 0.15706
TOU-GS-1-E	Energy	Winter	OFF-PEAK	\$ 0.07660	\$ 0.07986	\$ 0.08963	\$ 0.07986
TOU-GS-1-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03232	\$ 0.03403	\$ 0.03916	\$ 0.03403
TOU-GS-1-ES	Energy	Summer	ON-PEAK	\$ 0.41523	\$ 0.43034	\$ 0.47569	\$ 0.43034
TOU-GS-1-ES	Energy	Summer	MID-PEAK	\$ 0.10166	\$ 0.10580	\$ 0.11822	\$ 0.10580
TOU-GS-1-ES	Energy	Summer	OFF-PEAK	\$ 0.06520	\$ 0.06806	\$ 0.07666	\$ 0.06806
TOU-GS-1-ES	Energy	Winter	MID-PEAK	\$ 0.14758	\$ 0.15333	\$ 0.17057	\$ 0.15333
TOU-GS-1-ES	Energy	Winter	OFF-PEAK	\$ 0.07225	\$ 0.07536	\$ 0.08469	\$ 0.07536
TOU-GS-1-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03041	\$ 0.03205	\$ 0.03699	\$ 0.03205
TOU-GS-1-PRI-A	Energy	Summer	ON-PEAK	\$ 0.13119	\$ 0.13627	\$ 0.15154	\$ 0.13627
TOU-GS-1-PRI-A	Energy	Summer	MID-PEAK	\$ 0.12154	\$ 0.12630	\$ 0.14057	\$ 0.12630
TOU-GS-1-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.11628	\$ 0.12085	\$ 0.13458	\$ 0.12085
TOU-GS-1-PRI-A	Energy	Winter	MID-PEAK	\$ 0.08106	\$ 0.08442	\$ 0.09450	\$ 0.08442
TOU-GS-1-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.07117	\$ 0.07419	\$ 0.08326	\$ 0.07419
TOU-GS-1-PRI-B	Energy	Summer	ON-PEAK	\$ 0.06441	\$ 0.06665	\$ 0.07337	\$ 0.06665
TOU-GS-1-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05914	\$ 0.06123	\$ 0.06752	\$ 0.06123
TOU-GS-1-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.05625	\$ 0.05827	\$ 0.06431	\$ 0.05827
TOU-GS-1-PRI-B	Energy	Winter	MID-PEAK	\$ 0.08209	\$ 0.08482	\$ 0.09300	\$ 0.08482
TOU-GS-1-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.07218	\$ 0.07463	\$ 0.08200	\$ 0.07463
TOU-GS-1-PRI-B	Demand	Summer	ON-PEAK	\$ 11.28	\$ 11.60	\$ 12.53	\$ 11.60
TOU-GS-1-PRI-B	Demand	Summer	MID-PEAK	\$ 3.49	\$ 3.59	\$ 3.88	\$ 3.59
TOU-GS-1-PRI-D	Energy	Summer	ON-PEAK	\$ 0.09443	\$ 0.09785	\$ 0.10809	\$ 0.09785
TOU-GS-1-PRI-D	Energy	Summer	MID-PEAK	\$ 0.08363	\$ 0.08671	\$ 0.09596	\$ 0.08671
TOU-GS-1-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04893	\$ 0.05095	\$ 0.05700	\$ 0.05095

January 15, 2026

36 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit B to Resolution 26-01-099
Phase 3, 4, and 5 Non-residential CARE Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
TOU-GS-1-PRI-D	Energy	Winter	MID-PEAK	\$ 0.08790	\$ 0.09112	\$ 0.10076	\$ 0.09112
TOU-GS-1-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05705	\$ 0.05931	\$ 0.06611	\$ 0.05931
TOU-GS-1-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03840	\$ 0.04009	\$ 0.04516	\$ 0.04009
TOU-GS-1-PRI-D	Demand	Summer	ON-PEAK	\$ 15.52	\$ 15.99	\$ 17.42	\$ 15.99
TOU-GS-1-PRI-D	Demand	Winter	MID-PEAK	\$ 4.63	\$ 4.77	\$ 5.20	\$ 4.77
TOU-GS-1-PRI-E	Energy	Summer	ON-PEAK	\$ 0.39743	\$ 0.41191	\$ 0.45533	\$ 0.41191
TOU-GS-1-PRI-E	Energy	Summer	MID-PEAK	\$ 0.09270	\$ 0.09653	\$ 0.10799	\$ 0.09653
TOU-GS-1-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.06118	\$ 0.06390	\$ 0.07206	\$ 0.06390
TOU-GS-1-PRI-E	Energy	Winter	MID-PEAK	\$ 0.14994	\$ 0.15576	\$ 0.17323	\$ 0.15576
TOU-GS-1-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.07535	\$ 0.07857	\$ 0.08821	\$ 0.07857
TOU-GS-1-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03106	\$ 0.03273	\$ 0.03773	\$ 0.03273
TOU-GS-1-PRI-ES	Energy	Summer	ON-PEAK	\$ 0.41397	\$ 0.42905	\$ 0.47430	\$ 0.42905
TOU-GS-1-PRI-ES	Energy	Summer	MID-PEAK	\$ 0.10040	\$ 0.10450	\$ 0.11680	\$ 0.10450
TOU-GS-1-PRI-ES	Energy	Summer	OFF-PEAK	\$ 0.06395	\$ 0.06677	\$ 0.07523	\$ 0.06677
TOU-GS-1-PRI-ES	Energy	Winter	MID-PEAK	\$ 0.14633	\$ 0.15203	\$ 0.16915	\$ 0.15203
TOU-GS-1-PRI-ES	Energy	Winter	OFF-PEAK	\$ 0.07099	\$ 0.07406	\$ 0.08327	\$ 0.07406
TOU-GS-1-PRI-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02915	\$ 0.03076	\$ 0.03557	\$ 0.03076
TOU-GS-1-SUB-A	Energy	Summer	ON-PEAK	\$ 0.12992	\$ 0.13435	\$ 0.14766	\$ 0.13435
TOU-GS-1-SUB-A	Energy	Summer	MID-PEAK	\$ 0.12026	\$ 0.12441	\$ 0.13684	\$ 0.12441
TOU-GS-1-SUB-A	Energy	Summer	OFF-PEAK	\$ 0.11499	\$ 0.11897	\$ 0.13092	\$ 0.11897
TOU-GS-1-SUB-A	Energy	Winter	MID-PEAK	\$ 0.07972	\$ 0.08263	\$ 0.09138	\$ 0.08263
TOU-GS-1-SUB-A	Energy	Winter	OFF-PEAK	\$ 0.06981	\$ 0.07243	\$ 0.08028	\$ 0.07243
TOU-GS-1-SUB-B	Energy	Summer	ON-PEAK	\$ 0.06406	\$ 0.06611	\$ 0.07224	\$ 0.06611
TOU-GS-1-SUB-B	Energy	Summer	MID-PEAK	\$ 0.05879	\$ 0.06070	\$ 0.06643	\$ 0.06070
TOU-GS-1-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.05590	\$ 0.05774	\$ 0.06325	\$ 0.05774
TOU-GS-1-SUB-B	Energy	Winter	MID-PEAK	\$ 0.08176	\$ 0.08425	\$ 0.09173	\$ 0.08425
TOU-GS-1-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.07184	\$ 0.07408	\$ 0.08080	\$ 0.07408
TOU-GS-1-SUB-B	Demand	Summer	ON-PEAK	\$ 10.95	\$ 11.23	\$ 12.06	\$ 11.23
TOU-GS-1-SUB-B	Demand	Summer	MID-PEAK	\$ 3.15	\$ 3.23	\$ 3.47	\$ 3.23
TOU-GS-1-SUB-D	Energy	Summer	ON-PEAK	\$ 0.09413	\$ 0.09722	\$ 0.10651	\$ 0.09722
TOU-GS-1-SUB-D	Energy	Summer	MID-PEAK	\$ 0.08332	\$ 0.08611	\$ 0.09449	\$ 0.08611
TOU-GS-1-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.04858	\$ 0.05041	\$ 0.05587	\$ 0.05041
TOU-GS-1-SUB-D	Energy	Winter	MID-PEAK	\$ 0.08759	\$ 0.09051	\$ 0.09924	\$ 0.09051
TOU-GS-1-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.05671	\$ 0.05876	\$ 0.06491	\$ 0.05876
TOU-GS-1-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03804	\$ 0.03957	\$ 0.04415	\$ 0.03957
TOU-GS-1-SUB-D	Demand	Summer	ON-PEAK	\$ 15.27	\$ 15.69	\$ 16.97	\$ 15.69
TOU-GS-1-SUB-D	Demand	Winter	MID-PEAK	\$ 4.37	\$ 4.49	\$ 4.85	\$ 4.49
TOU-GS-1-SUB-E	Energy	Summer	ON-PEAK	\$ 0.39657	\$ 0.40924	\$ 0.44726	\$ 0.40924
TOU-GS-1-SUB-E	Energy	Summer	MID-PEAK	\$ 0.09139	\$ 0.09470	\$ 0.10464	\$ 0.09470
TOU-GS-1-SUB-E	Energy	Summer	OFF-PEAK	\$ 0.05981	\$ 0.06216	\$ 0.06919	\$ 0.06216
TOU-GS-1-SUB-E	Energy	Winter	MID-PEAK	\$ 0.14871	\$ 0.15378	\$ 0.16899	\$ 0.15378
TOU-GS-1-SUB-E	Energy	Winter	OFF-PEAK	\$ 0.07401	\$ 0.07679	\$ 0.08513	\$ 0.07679
TOU-GS-1-SUB-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02965	\$ 0.03107	\$ 0.03533	\$ 0.03107
TOU-GS-2-B	Energy	Summer	ON-PEAK	\$ 0.06021	\$ 0.06284	\$ 0.07073	\$ 0.06284
TOU-GS-2-B	Energy	Summer	MID-PEAK	\$ 0.05520	\$ 0.05766	\$ 0.06504	\$ 0.05766
TOU-GS-2-B	Energy	Summer	OFF-PEAK	\$ 0.05245	\$ 0.05482	\$ 0.06192	\$ 0.05482
TOU-GS-2-B	Energy	Winter	MID-PEAK	\$ 0.07692	\$ 0.08011	\$ 0.08970	\$ 0.08011

January 15, 2026

37 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit B to Resolution 26-01-099
Phase 3, 4, and 5 Non-residential CARE Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
TOU-GS-2-B	Energy	Winter	OFF-PEAK	\$ 0.03831	\$ 0.04020	\$ 0.04586	\$ 0.04020
TOU-GS-2-B	Demand	Summer	ON-PEAK	\$ 13.81	\$ 14.27	\$ 15.68	\$ 14.27
TOU-GS-2-B	Demand	Summer	MID-PEAK	\$ 4.64	\$ 4.80	\$ 5.27	\$ 4.80
TOU-GS-2-D	Energy	Summer	ON-PEAK	\$ 0.08975	\$ 0.09365	\$ 0.10534	\$ 0.09365
TOU-GS-2-D	Energy	Summer	MID-PEAK	\$ 0.08030	\$ 0.08385	\$ 0.09452	\$ 0.08385
TOU-GS-2-D	Energy	Summer	OFF-PEAK	\$ 0.04528	\$ 0.04756	\$ 0.05440	\$ 0.04756
TOU-GS-2-D	Energy	Winter	MID-PEAK	\$ 0.05492	\$ 0.05755	\$ 0.06545	\$ 0.05755
TOU-GS-2-D	Energy	Winter	OFF-PEAK	\$ 0.05536	\$ 0.05801	\$ 0.06595	\$ 0.05801
TOU-GS-2-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02080	\$ 0.02219	\$ 0.02636	\$ 0.02219
TOU-GS-2-D	Demand	Summer	ON-PEAK	\$ 19.90	\$ 20.62	\$ 22.79	\$ 20.62
TOU-GS-2-D	Demand	Winter	MID-PEAK	\$ 5.22	\$ 5.41	\$ 5.98	\$ 5.41
TOU-GS-2-E	Energy	Summer	ON-PEAK	\$ 0.34357	\$ 0.35741	\$ 0.39892	\$ 0.35741
TOU-GS-2-E	Energy	Summer	MID-PEAK	\$ 0.08023	\$ 0.08397	\$ 0.09520	\$ 0.08397
TOU-GS-2-E	Energy	Summer	OFF-PEAK	\$ 0.04523	\$ 0.04764	\$ 0.05484	\$ 0.04764
TOU-GS-2-E	Energy	Winter	MID-PEAK	\$ 0.09530	\$ 0.09962	\$ 0.11258	\$ 0.09962
TOU-GS-2-E	Energy	Winter	OFF-PEAK	\$ 0.05531	\$ 0.05810	\$ 0.06646	\$ 0.05810
TOU-GS-2-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02077	\$ 0.02224	\$ 0.02663	\$ 0.02224
TOU-GS-2-E	Demand	Summer	ON-PEAK	\$ 5.52	\$ 5.74	\$ 6.37	\$ 5.74
TOU-GS-2-E	Demand	Winter	MID-PEAK	\$ 2.13	\$ 2.21	\$ 2.46	\$ 2.21
TOU-GS-2-PRI-B	Energy	Summer	ON-PEAK	\$ 0.05934	\$ 0.06195	\$ 0.06978	\$ 0.06195
TOU-GS-2-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05433	\$ 0.05676	\$ 0.06408	\$ 0.05676
TOU-GS-2-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.05157	\$ 0.05392	\$ 0.06096	\$ 0.05392
TOU-GS-2-PRI-B	Energy	Winter	MID-PEAK	\$ 0.07604	\$ 0.07922	\$ 0.08875	\$ 0.07922
TOU-GS-2-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.03744	\$ 0.03930	\$ 0.04490	\$ 0.03930
TOU-GS-2-PRI-B	Demand	Summer	ON-PEAK	\$ 13.26	\$ 13.71	\$ 15.06	\$ 13.71
TOU-GS-2-PRI-B	Demand	Summer	MID-PEAK	\$ 4.09	\$ 4.23	\$ 4.65	\$ 4.23
TOU-GS-2-PRI-D	Energy	Summer	ON-PEAK	\$ 0.08887	\$ 0.09275	\$ 0.10437	\$ 0.09275
TOU-GS-2-PRI-D	Energy	Summer	MID-PEAK	\$ 0.07942	\$ 0.08295	\$ 0.09355	\$ 0.08295
TOU-GS-2-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04440	\$ 0.04666	\$ 0.05342	\$ 0.04666
TOU-GS-2-PRI-D	Energy	Winter	MID-PEAK	\$ 0.05405	\$ 0.05665	\$ 0.06447	\$ 0.05665
TOU-GS-2-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05449	\$ 0.05711	\$ 0.06497	\$ 0.05711
TOU-GS-2-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01993	\$ 0.02129	\$ 0.02537	\$ 0.02129
TOU-GS-2-PRI-D	Demand	Summer	ON-PEAK	\$ 19.45	\$ 20.16	\$ 22.28	\$ 20.16
TOU-GS-2-PRI-D	Demand	Winter	MID-PEAK	\$ 5.11	\$ 5.29	\$ 5.85	\$ 5.29
TOU-GS-2-PRI-E	Energy	Summer	ON-PEAK	\$ 0.34227	\$ 0.35608	\$ 0.39751	\$ 0.35608
TOU-GS-2-PRI-E	Energy	Summer	MID-PEAK	\$ 0.07893	\$ 0.08263	\$ 0.09373	\$ 0.08263
TOU-GS-2-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.04393	\$ 0.04629	\$ 0.05336	\$ 0.04629
TOU-GS-2-PRI-E	Energy	Winter	MID-PEAK	\$ 0.09399	\$ 0.09827	\$ 0.11111	\$ 0.09827
TOU-GS-2-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.05401	\$ 0.05675	\$ 0.06498	\$ 0.05675
TOU-GS-2-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01947	\$ 0.02089	\$ 0.02514	\$ 0.02089
TOU-GS-2-PRI-E	Demand	Summer	ON-PEAK	\$ 5.34	\$ 5.54	\$ 6.16	\$ 5.54
TOU-GS-2-PRI-E	Demand	Winter	MID-PEAK	\$ 2.08	\$ 2.16	\$ 2.40	\$ 2.16
TOU-GS-2-PRI-R	Energy	Summer	ON-PEAK	\$ 0.24015	\$ 0.24941	\$ 0.27718	\$ 0.24941
TOU-GS-2-PRI-R	Energy	Summer	MID-PEAK	\$ 0.10380	\$ 0.10816	\$ 0.12123	\$ 0.10816
TOU-GS-2-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.05018	\$ 0.05261	\$ 0.05989	\$ 0.05261
TOU-GS-2-PRI-R	Energy	Winter	MID-PEAK	\$ 0.07463	\$ 0.07794	\$ 0.08786	\$ 0.07794
TOU-GS-2-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.03605	\$ 0.03797	\$ 0.04373	\$ 0.03797

January 15, 2026

38 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit B to Resolution 26-01-099
Phase 3, 4, and 5 Non-residential CARE Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
TOU-GS-2-R	Energy	Summer	ON-PEAK	\$ 0.24239	\$ 0.25168	\$ 0.27956	\$ 0.25168
TOU-GS-2-R	Energy	Summer	MID-PEAK	\$ 0.10603	\$ 0.11045	\$ 0.12370	\$ 0.11045
TOU-GS-2-R	Energy	Summer	OFF-PEAK	\$ 0.05240	\$ 0.05490	\$ 0.06239	\$ 0.05490
TOU-GS-2-R	Energy	Winter	MID-PEAK	\$ 0.07685	\$ 0.08023	\$ 0.09034	\$ 0.08023
TOU-GS-2-R	Energy	Winter	OFF-PEAK	\$ 0.03827	\$ 0.04027	\$ 0.04624	\$ 0.04027
TOU-GS-2-SUB-B	Energy	Summer	ON-PEAK	\$ 0.05841	\$ 0.06058	\$ 0.06710	\$ 0.06058
TOU-GS-2-SUB-B	Energy	Summer	MID-PEAK	\$ 0.05339	\$ 0.05542	\$ 0.06150	\$ 0.05542
TOU-GS-2-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.05063	\$ 0.05258	\$ 0.05843	\$ 0.05258
TOU-GS-2-SUB-B	Energy	Winter	MID-PEAK	\$ 0.07515	\$ 0.07780	\$ 0.08575	\$ 0.07780
TOU-GS-2-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.03647	\$ 0.03801	\$ 0.04264	\$ 0.03801
TOU-GS-2-SUB-B	Demand	Summer	ON-PEAK	\$ 12.57	\$ 12.92	\$ 14.00	\$ 12.92
TOU-GS-2-SUB-B	Demand	Summer	MID-PEAK	\$ 3.38	\$ 3.48	\$ 3.77	\$ 3.48
TOU-GS-2-SUB-D	Energy	Summer	ON-PEAK	\$ 0.08800	\$ 0.09130	\$ 0.10120	\$ 0.09130
TOU-GS-2-SUB-D	Energy	Summer	MID-PEAK	\$ 0.07853	\$ 0.08153	\$ 0.09055	\$ 0.08153
TOU-GS-2-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.04345	\$ 0.04535	\$ 0.05107	\$ 0.04535
TOU-GS-2-SUB-D	Energy	Winter	MID-PEAK	\$ 0.05311	\$ 0.05532	\$ 0.06194	\$ 0.05532
TOU-GS-2-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.05355	\$ 0.05577	\$ 0.06244	\$ 0.05577
TOU-GS-2-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01893	\$ 0.02006	\$ 0.02348	\$ 0.02006
TOU-GS-2-SUB-D	Demand	Summer	ON-PEAK	\$ 18.89	\$ 19.49	\$ 21.26	\$ 19.49
TOU-GS-2-SUB-D	Demand	Winter	MID-PEAK	\$ 4.96	\$ 5.11	\$ 5.58	\$ 5.11
TOU-GS-3-B	Energy	Summer	ON-PEAK	\$ 0.05718	\$ 0.05945	\$ 0.06626	\$ 0.05945
TOU-GS-3-B	Energy	Summer	MID-PEAK	\$ 0.05228	\$ 0.05440	\$ 0.06076	\$ 0.05440
TOU-GS-3-B	Energy	Summer	OFF-PEAK	\$ 0.04977	\$ 0.05182	\$ 0.05794	\$ 0.05182
TOU-GS-3-B	Energy	Winter	MID-PEAK	\$ 0.07712	\$ 0.08000	\$ 0.08864	\$ 0.08000
TOU-GS-3-B	Energy	Winter	OFF-PEAK	\$ 0.03788	\$ 0.03956	\$ 0.04460	\$ 0.03956
TOU-GS-3-B	Demand	Summer	ON-PEAK	\$ 11.46	\$ 11.81	\$ 12.86	\$ 11.81
TOU-GS-3-B	Demand	Summer	MID-PEAK	\$ 3.82	\$ 3.94	\$ 4.29	\$ 3.94
TOU-GS-3-D	Energy	Summer	ON-PEAK	\$ 0.08262	\$ 0.08586	\$ 0.09556	\$ 0.08586
TOU-GS-3-D	Energy	Summer	MID-PEAK	\$ 0.07385	\$ 0.07680	\$ 0.08564	\$ 0.07680
TOU-GS-3-D	Energy	Summer	OFF-PEAK	\$ 0.04438	\$ 0.04637	\$ 0.05235	\$ 0.04637
TOU-GS-3-D	Energy	Winter	MID-PEAK	\$ 0.05383	\$ 0.05613	\$ 0.06303	\$ 0.05613
TOU-GS-3-D	Energy	Winter	OFF-PEAK	\$ 0.05426	\$ 0.05657	\$ 0.06350	\$ 0.05657
TOU-GS-3-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02046	\$ 0.02167	\$ 0.02532	\$ 0.02167
TOU-GS-3-D	Demand	Summer	ON-PEAK	\$ 17.09	\$ 17.65	\$ 19.31	\$ 17.65
TOU-GS-3-D	Demand	Winter	MID-PEAK	\$ 6.18	\$ 6.38	\$ 6.98	\$ 6.38
TOU-GS-3-E	Energy	Summer	ON-PEAK	\$ 0.27769	\$ 0.28801	\$ 0.31897	\$ 0.28801
TOU-GS-3-E	Energy	Summer	MID-PEAK	\$ 0.07377	\$ 0.07694	\$ 0.08647	\$ 0.07694
TOU-GS-3-E	Energy	Summer	OFF-PEAK	\$ 0.04433	\$ 0.04647	\$ 0.05291	\$ 0.04647
TOU-GS-3-E	Energy	Winter	MID-PEAK	\$ 0.09720	\$ 0.10119	\$ 0.11318	\$ 0.10119
TOU-GS-3-E	Energy	Winter	OFF-PEAK	\$ 0.05419	\$ 0.05668	\$ 0.06415	\$ 0.05668
TOU-GS-3-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02043	\$ 0.02174	\$ 0.02566	\$ 0.02174
TOU-GS-3-E	Demand	Summer	ON-PEAK	\$ 4.75	\$ 4.91	\$ 5.41	\$ 4.91
TOU-GS-3-E	Demand	Winter	MID-PEAK	\$ 2.53	\$ 2.61	\$ 2.88	\$ 2.61
TOU-GS-3-PRI-B	Energy	Summer	ON-PEAK	\$ 0.05630	\$ 0.05855	\$ 0.06529	\$ 0.05855
TOU-GS-3-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05140	\$ 0.05350	\$ 0.05979	\$ 0.05350
TOU-GS-3-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.04889	\$ 0.05091	\$ 0.05697	\$ 0.05091
TOU-GS-3-PRI-B	Energy	Winter	MID-PEAK	\$ 0.07624	\$ 0.07910	\$ 0.08767	\$ 0.07910

January 15, 2026

39 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit B to Resolution 26-01-099
Phase 3, 4, and 5 Non-residential CARE Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
TOU-GS-3-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.03700	\$ 0.03865	\$ 0.04362	\$ 0.03865
TOU-GS-3-PRI-B	Demand	Summer	ON-PEAK	\$ 10.99	\$ 11.33	\$ 12.34	\$ 11.33
TOU-GS-3-PRI-B	Demand	Summer	MID-PEAK	\$ 3.35	\$ 3.46	\$ 3.76	\$ 3.46
TOU-GS-3-PRI-D	Energy	Summer	ON-PEAK	\$ 0.08174	\$ 0.08495	\$ 0.09459	\$ 0.08495
TOU-GS-3-PRI-D	Energy	Summer	MID-PEAK	\$ 0.07296	\$ 0.07589	\$ 0.08467	\$ 0.07589
TOU-GS-3-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04350	\$ 0.04547	\$ 0.05137	\$ 0.04547
TOU-GS-3-PRI-D	Energy	Winter	MID-PEAK	\$ 0.05295	\$ 0.05523	\$ 0.06205	\$ 0.05523
TOU-GS-3-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05337	\$ 0.05566	\$ 0.06253	\$ 0.05566
TOU-GS-3-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01958	\$ 0.02077	\$ 0.02433	\$ 0.02077
TOU-GS-3-PRI-D	Demand	Summer	ON-PEAK	\$ 16.70	\$ 17.25	\$ 18.88	\$ 17.25
TOU-GS-3-PRI-D	Demand	Winter	MID-PEAK	\$ 6.02	\$ 6.22	\$ 6.81	\$ 6.22
TOU-GS-3-PRI-E	Energy	Summer	ON-PEAK	\$ 0.27605	\$ 0.28636	\$ 0.31731	\$ 0.28636
TOU-GS-3-PRI-E	Energy	Summer	MID-PEAK	\$ 0.07214	\$ 0.07527	\$ 0.08468	\$ 0.07527
TOU-GS-3-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.04270	\$ 0.04480	\$ 0.05109	\$ 0.04480
TOU-GS-3-PRI-E	Energy	Winter	MID-PEAK	\$ 0.09557	\$ 0.09953	\$ 0.11141	\$ 0.09953
TOU-GS-3-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.05256	\$ 0.05501	\$ 0.06235	\$ 0.05501
TOU-GS-3-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01880	\$ 0.02006	\$ 0.02383	\$ 0.02006
TOU-GS-3-PRI-E	Demand	Summer	ON-PEAK	\$ 4.59	\$ 4.75	\$ 5.24	\$ 4.75
TOU-GS-3-PRI-E	Demand	Winter	MID-PEAK	\$ 2.46	\$ 2.54	\$ 2.80	\$ 2.54
TOU-GS-3-PRI-R	Energy	Summer	ON-PEAK	\$ 0.19620	\$ 0.20330	\$ 0.22458	\$ 0.20330
TOU-GS-3-PRI-R	Energy	Summer	MID-PEAK	\$ 0.08721	\$ 0.09067	\$ 0.10107	\$ 0.09067
TOU-GS-3-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.04782	\$ 0.04998	\$ 0.05644	\$ 0.04998
TOU-GS-3-PRI-R	Energy	Winter	MID-PEAK	\$ 0.07514	\$ 0.07821	\$ 0.08740	\$ 0.07821
TOU-GS-3-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.03594	\$ 0.03770	\$ 0.04298	\$ 0.03770
TOU-GS-3-R	Energy	Summer	ON-PEAK	\$ 0.19810	\$ 0.20523	\$ 0.22663	\$ 0.20523
TOU-GS-3-R	Energy	Summer	MID-PEAK	\$ 0.08910	\$ 0.09262	\$ 0.10317	\$ 0.09262
TOU-GS-3-R	Energy	Summer	OFF-PEAK	\$ 0.04971	\$ 0.05192	\$ 0.05855	\$ 0.05192
TOU-GS-3-R	Energy	Winter	MID-PEAK	\$ 0.07704	\$ 0.08015	\$ 0.08950	\$ 0.08015
TOU-GS-3-R	Energy	Winter	OFF-PEAK	\$ 0.03784	\$ 0.03965	\$ 0.04510	\$ 0.03965
TOU-GS-3-SUB-D	Energy	Summer	ON-PEAK	\$ 0.08084	\$ 0.08360	\$ 0.09190	\$ 0.08360
TOU-GS-3-SUB-D	Energy	Summer	MID-PEAK	\$ 0.07205	\$ 0.07456	\$ 0.08212	\$ 0.07456
TOU-GS-3-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.04254	\$ 0.04422	\$ 0.04927	\$ 0.04422
TOU-GS-3-SUB-D	Energy	Winter	MID-PEAK	\$ 0.05200	\$ 0.05396	\$ 0.05981	\$ 0.05396
TOU-GS-3-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.05243	\$ 0.05439	\$ 0.06028	\$ 0.05439
TOU-GS-3-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01858	\$ 0.01959	\$ 0.02260	\$ 0.01959
TOU-GS-3-SUB-D	Demand	Summer	ON-PEAK	\$ 16.21	\$ 16.66	\$ 18.04	\$ 16.66
TOU-GS-3-SUB-D	Demand	Winter	MID-PEAK	\$ 5.86	\$ 6.02	\$ 6.52	\$ 6.02

Exhibit B to Resolution 26-01-099
Phase 3, 4, and 5 Non-residential CARE Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN - CARE	DEFAULT 100% GREEN - CARE
----------	------	--------	------------	-------------	--------------	-------------------	---------------------------

Notes

Default 100% Green - CARE rates are the rates paid by CARE, FERA and Medical Baseline customers for 100% Green Power in communities where 100% Green Power is the preferred (default) energy product.

For all rate schedules, seasons are defined as follows:

Summer: season shall commence at 12:00 a.m. on June 1 and continue until 12:00 a.m. on October 1 of each year.

Winter: season shall commence at 12:00 a.m. on October 1 of each year and continue until 12:00 a.m. on June 1 of the following year.

For Domestic, D-CARE and D-FERA rates the following definitions from SCE Schedule D (Domestic Service) apply:

Tier 1: Baseline Service

Tier 2: 100% to 400% of Baseline Service

High Usage: 400% of Baseline Service

For TOU-D rate schedules the following definitions from SCE Schedule TOU-D (Time-of-Use Domestic) apply:

TOU-D-4 and TOU-D-PRIME:

On-Peak: 4:00 p.m. to 9:00 p.m. summer weekdays except holidays

Mid-Peak: 4:00 p.m. to 9:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: 9:00 p.m. to 4:00 p.m. summer weekdays and weekends. 9:00 p.m. to 8:00 a.m. winter

Super Off-Peak: 8:00 a.m. to 4:00 p.m. winter weekdays and weekends/holidays

TOU-D-5:

On-Peak: 5:00 p.m. to 8:00 p.m. summer weekdays except holidays

Mid-Peak: 5:00 p.m. to 8:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: 8:00 p.m. to 5:00 p.m. summer weekdays and weekends. 8:00 p.m. to 8:00 a.m. winter weekdays

Super Off-Peak: 8:00 a.m. to 5:00 p.m. winter weekdays and weekends/holidays

TOU-D-A and TOU-D-B:

On-Peak: 2:00 p.m. to 8:00 p.m. summer and winter weekdays except holidays

Super Off-Peak: 10:00 p.m. to 8:00 a.m. all year, every day

Off-Peak: All other hours – all year, every day

For TOU-D-PRIME-SOP (also referred to on customer bills as TOU-SMART), the following definitions apply:

On-Peak: 4:00 p.m. to 9:00 p.m. summer weekdays except holidays

Mid-Peak: 4:00 p.m. to 9:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: 9:00 p.m. to 8:00 a.m. all year, every day

Super Off-Peak: 8:00 a.m. to 4:00 p.m. all year, every day

C refers CARE-discounted rates and F refers to FERA-discounted rates as defined in SCE Schedule TOU-D.

For all standard non-residential rate schedules, time periods are defined as follows:

On-Peak: 4:00 p.m. to 9:00 p.m. summer weekdays except holidays

Mid-Peak: 4:00 p.m. to 9:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: All other hours – all year, every day

Super Off-Peak: 8:00 a.m. to 4:00 p.m. winter weekdays and weekends/holidays

Time-related Demand Charges: 4:00 p.m. to 9:00 p.m. winter weekdays and summer weekdays except holidays

For optional agricultural/pumping rate schedules TOU-PA-2-PRI-E-5TO8, TOU-PA-2-PRI-D-5TO8, TOU-PA-3-PRI-E-5TO8, TOU-PA-3-PRI-D-5TO8, time periods are defined as follows:

On-Peak: 5:00 p.m. to 8:00 p.m. summer weekdays except holidays

Mid-Peak: 5:00 p.m. to 8:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: All other hours – all year, every day

Super Off-Peak: 8:00 a.m. to 5:00 p.m. winter weekdays and weekends/holidays

Time-related Demand Charges: 5:00 p.m. to 8:00 p.m. winter weekdays and summer weekdays except holidays

For eligible legacy solar and/or agriculture and pumping rate schedules time periods are defined as follows:

On-Peak: 12:00 p.m. to 6:00 p.m. summer weekdays except holidays

Mid-Peak: 8:00 a.m. to 12:00 p.m. and 6:00 p.m. to 11:00 p.m. summer weekdays except holidays, 8:00 a.m. to 9:00 p.m. winter weekdays except holidays

Off-Peak: All other hours – all year, every day

Exhibit C to Resolution 26-01-099
Phase 3 and 5 Power Share Rates Effective February 1, 2026

CPA RATE	TYPE	SEASON	CHARGE TYPE	TOU PERIOD	RATE
DOMESTIC-C-PS	Energy	All_Year	Generation	None	\$ 0.09622
DOMESTIC-C-PS	Energy	All_Year	Power Share Credit - Tier 1	None	\$ (0.04047)
DOMESTIC-C-PS	Energy	All_Year	Power Share Credit - Tier 2	None	\$ (0.05411)
DOMESTIC-C-PS	Energy	All_Year	Power Share Credit - High Usage	None	\$ (0.05411)
DOMESTIC-F-PS	Energy	All_Year	Generation	None	\$ 0.09622
DOMESTIC-F-PS	Energy	All_Year	Power Share Credit - Tier 1	None	\$ (0.05099)
DOMESTIC-F-PS	Energy	All_Year	Power Share Credit - Tier 2	None	\$ (0.06756)
DOMESTIC-F-PS	Energy	All_Year	Power Share Credit - High Usage	None	\$ (0.06756)
DOMESTIC-PS	Energy	All_Year	Generation	None	\$ 0.09816
DOMESTIC-PS	Energy	All_Year	Power Share Credit - Tier 1	None	\$ (0.06248)
DOMESTIC-PS	Energy	All_Year	Power Share Credit - Tier 2	None	\$ (0.08270)
DOMESTIC-PS	Energy	All_Year	Power Share Credit - High Usage	None	\$ (0.08270)
TOU-D-4-C-PS	Energy	Summer	Generation	On-Peak	\$ 0.23529
TOU-D-4-C-PS	Energy	Summer	Generation	Mid-peak	\$ 0.11331
TOU-D-4-C-PS	Energy	Summer	Generation	Off-Peak	\$ 0.05153
TOU-D-4-C-PS	Energy	Winter	Generation	Mid-peak	\$ 0.16041
TOU-D-4-C-PS	Energy	Winter	Generation	Off-Peak	\$ 0.08050
TOU-D-4-C-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.06173
TOU-D-4-C-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.06545)
TOU-D-4-C-PS	Energy	Summer	Power Share Credit	Mid-peak	\$ (0.04886)
TOU-D-4-C-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.03270)
TOU-D-4-C-PS	Energy	Winter	Power Share Credit	Mid-peak	\$ (0.05526)
TOU-D-4-C-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.03664)
TOU-D-4-C-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.03130)
TOU-D-4-F-PS	Energy	Summer	Generation	On-Peak	\$ 0.23529
TOU-D-4-F-PS	Energy	Summer	Generation	Mid-peak	\$ 0.11331
TOU-D-4-F-PS	Energy	Summer	Generation	Off-Peak	\$ 0.05153
TOU-D-4-F-PS	Energy	Winter	Generation	Mid-peak	\$ 0.16041
TOU-D-4-F-PS	Energy	Winter	Generation	Off-Peak	\$ 0.08050
TOU-D-4-F-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.06173
TOU-D-4-F-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.08124)
TOU-D-4-F-PS	Energy	Summer	Power Share Credit	Mid-peak	\$ (0.06117)
TOU-D-4-F-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.04158)
TOU-D-4-F-PS	Energy	Winter	Power Share Credit	Mid-peak	\$ (0.06892)
TOU-D-4-F-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.04635)
TOU-D-4-F-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.03987)
TOU-D-4-PS	Energy	Summer	Generation	On-Peak	\$ 0.23952
TOU-D-4-PS	Energy	Summer	Generation	Mid-peak	\$ 0.11554
TOU-D-4-PS	Energy	Summer	Generation	Off-Peak	\$ 0.05275
TOU-D-4-PS	Energy	Winter	Generation	Mid-peak	\$ 0.16341
TOU-D-4-PS	Energy	Winter	Generation	Off-Peak	\$ 0.08220
TOU-D-4-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.06312
TOU-D-4-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.09974)
TOU-D-4-PS	Energy	Summer	Power Share Credit	Mid-peak	\$ (0.07494)

January 15, 2026

42 of 73

Energy rates are shown in \$/kWh.

Exhibit C to Resolution 26-01-099
Phase 3 and 5 Power Share Rates Effective February 1, 2026

CPA RATE	TYPE	SEASON	CHARGE TYPE	TOU PERIOD	RATE
TOU-D-4-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.05090)
TOU-D-4-PS	Energy	Winter	Power Share Credit	Mid-peak	\$ (0.08452)
TOU-D-4-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.05679)
TOU-D-4-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.04884)
TOU-D-5-C-PS	Energy	Summer	Generation	On-Peak	\$ 0.39635
TOU-D-5-C-PS	Energy	Summer	Generation	Mid-peak	\$ 0.19278
TOU-D-5-C-PS	Energy	Summer	Generation	Off-Peak	\$ 0.04061
TOU-D-5-C-PS	Energy	Winter	Generation	Mid-peak	\$ 0.25830
TOU-D-5-C-PS	Energy	Winter	Generation	Off-Peak	\$ 0.07790
TOU-D-5-C-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.04723
TOU-D-5-C-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.08745)
TOU-D-5-C-PS	Energy	Summer	Power Share Credit	Mid-peak	\$ (0.05976)
TOU-D-5-C-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.03248)
TOU-D-5-C-PS	Energy	Winter	Power Share Credit	Mid-peak	\$ (0.06867)
TOU-D-5-C-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.03755)
TOU-D-5-C-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.02982)
TOU-D-5-F-PS	Energy	Summer	Generation	On-Peak	\$ 0.39635
TOU-D-5-F-PS	Energy	Summer	Generation	Mid-peak	\$ 0.19278
TOU-D-5-F-PS	Energy	Summer	Generation	Off-Peak	\$ 0.04061
TOU-D-5-F-PS	Energy	Winter	Generation	Mid-peak	\$ 0.25830
TOU-D-5-F-PS	Energy	Winter	Generation	Off-Peak	\$ 0.07790
TOU-D-5-F-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.04723
TOU-D-5-F-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.10786)
TOU-D-5-F-PS	Energy	Summer	Power Share Credit	Mid-peak	\$ (0.07436)
TOU-D-5-F-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.04132)
TOU-D-5-F-PS	Energy	Winter	Power Share Credit	Mid-peak	\$ (0.08514)
TOU-D-5-F-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.04746)
TOU-D-5-F-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.03808)
TOU-D-5-PS	Energy	Summer	Generation	On-Peak	\$ 0.40324
TOU-D-5-PS	Energy	Summer	Generation	Mid-peak	\$ 0.19633
TOU-D-5-PS	Energy	Summer	Generation	Off-Peak	\$ 0.04166
TOU-D-5-PS	Energy	Winter	Generation	Mid-peak	\$ 0.26292
TOU-D-5-PS	Energy	Winter	Generation	Off-Peak	\$ 0.07956
TOU-D-5-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.04839
TOU-D-5-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.13262)
TOU-D-5-PS	Energy	Summer	Power Share Credit	Mid-peak	\$ (0.09124)
TOU-D-5-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.05056)
TOU-D-5-PS	Energy	Winter	Power Share Credit	Mid-peak	\$ (0.10456)
TOU-D-5-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.05814)
TOU-D-5-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.04663)
TOU-D-PRIME-C-PS	Energy	Summer	Generation	On-Peak	\$ 0.27848
TOU-D-PRIME-C-PS	Energy	Summer	Generation	Mid-Peak	\$ 0.08413
TOU-D-PRIME-C-PS	Energy	Summer	Generation	Off-Peak	\$ 0.04844
TOU-D-PRIME-C-PS	Energy	Winter	Generation	Mid-Peak	\$ 0.24616

January 15, 2026

43 of 73

Energy rates are shown in \$/kWh.

Exhibit C to Resolution 26-01-099
Phase 3 and 5 Power Share Rates Effective February 1, 2026

CPA RATE	TYPE	SEASON	CHARGE TYPE	TOU PERIOD	RATE
TOU-D-PRIME-C-PS	Energy	Winter	Generation	Off-Peak	\$ 0.03735
TOU-D-PRIME-C-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.03735
TOU-D-PRIME-C-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.08023)
TOU-D-PRIME-C-PS	Energy	Summer	Power Share Credit	Mid-peak	\$ (0.05378)
TOU-D-PRIME-C-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.03567)
TOU-D-PRIME-C-PS	Energy	Winter	Power Share Credit	Mid-peak	\$ (0.07655)
TOU-D-PRIME-C-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.03287)
TOU-D-PRIME-C-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.03287)
TOU-D-PRIME-F-PS	Energy	Summer	Generation	On-Peak	\$ 0.27848
TOU-D-PRIME-F-PS	Energy	Summer	Generation	Mid-Peak	\$ 0.08413
TOU-D-PRIME-F-PS	Energy	Summer	Generation	Off-Peak	\$ 0.04844
TOU-D-PRIME-F-PS	Energy	Winter	Generation	Mid-Peak	\$ 0.24616
TOU-D-PRIME-F-PS	Energy	Winter	Generation	Off-Peak	\$ 0.03735
TOU-D-PRIME-F-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.03735
TOU-D-PRIME-F-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.09916)
TOU-D-PRIME-F-PS	Energy	Summer	Power Share Credit	Mid-peak	\$ (0.06717)
TOU-D-PRIME-F-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.04518)
TOU-D-PRIME-F-PS	Energy	Winter	Power Share Credit	Mid-peak	\$ (0.09471)
TOU-D-PRIME-F-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.04180)
TOU-D-PRIME-F-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.04180)
TOU-D-PRIME-PS	Energy	Summer	Generation	On-Peak	\$ 0.28357
TOU-D-PRIME-PS	Energy	Summer	Generation	Mid-Peak	\$ 0.08594
TOU-D-PRIME-PS	Energy	Summer	Generation	Off-Peak	\$ 0.04965
TOU-D-PRIME-PS	Energy	Winter	Generation	Mid-Peak	\$ 0.25070
TOU-D-PRIME-PS	Energy	Winter	Generation	Off-Peak	\$ 0.03837
TOU-D-PRIME-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.03837
TOU-D-PRIME-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.12172)
TOU-D-PRIME-PS	Energy	Summer	Power Share Credit	Mid-peak	\$ (0.08219)
TOU-D-PRIME-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.05529)
TOU-D-PRIME-PS	Energy	Winter	Power Share Credit	Mid-peak	\$ (0.11621)
TOU-D-PRIME-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.05113)
TOU-D-PRIME-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.05113)
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Generation	On-Peak	\$ 0.27848
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Generation	Mid-Peak	\$ 0.08413
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Generation	Off-Peak	\$ 0.06176
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Generation	Super Off-Peak	\$ 0.03088
TOU-D-PRIME-SOP-C-PS	Energy	Winter	Generation	Mid-Peak	\$ 0.24616
TOU-D-PRIME-SOP-C-PS	Energy	Winter	Generation	Off-Peak	\$ 0.04636
TOU-D-PRIME-SOP-C-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.02318
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.08023)
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Power Share Credit	Mid-peak	\$ (0.05378)
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.03833)
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Power Share Credit	Super Off-Peak	\$ (0.03216)
TOU-D-PRIME-SOP-C-PS	Energy	Winter	Power Share Credit	Mid-peak	\$ (0.07655)

January 15, 2026

44 of 73

Energy rates are shown in \$/kWh.

Exhibit C to Resolution 26-01-099
Phase 3 and 5 Power Share Rates Effective February 1, 2026

CPA RATE	TYPE	SEASON	CHARGE TYPE	TOU PERIOD	RATE
TOU-D-PRIME-SOP-C-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.03468)
TOU-D-PRIME-SOP-C-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.03004)
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Generation	On-Peak	\$ 0.27848
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Generation	Mid-Peak	\$ 0.08413
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Generation	Off-Peak	\$ 0.06176
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Generation	Super Off-Peak	\$ 0.03088
TOU-D-PRIME-SOP-F-PS	Energy	Winter	Generation	Mid-Peak	\$ 0.24616
TOU-D-PRIME-SOP-F-PS	Energy	Winter	Generation	Off-Peak	\$ 0.04636
TOU-D-PRIME-SOP-F-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.02318
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.09916)
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Power Share Credit	Mid-peak	\$ (0.06717)
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.04785)
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Power Share Credit	Super Off-Peak	\$ (0.04167)
TOU-D-PRIME-SOP-F-PS	Energy	Winter	Power Share Credit	Mid-peak	\$ (0.09471)
TOU-D-PRIME-SOP-F-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.04360)
TOU-D-PRIME-SOP-F-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.03896)
TOU-D-PRIME-SOP-PS	Energy	Summer	Generation	On-Peak	\$ 0.28357
TOU-D-PRIME-SOP-PS	Energy	Summer	Generation	Mid-Peak	\$ 0.08594
TOU-D-PRIME-SOP-PS	Energy	Summer	Generation	Off-Peak	\$ 0.06332
TOU-D-PRIME-SOP-PS	Energy	Summer	Generation	Super Off-Peak	\$ 0.03166
TOU-D-PRIME-SOP-PS	Energy	Winter	Generation	Mid-Peak	\$ 0.25070
TOU-D-PRIME-SOP-PS	Energy	Winter	Generation	Off-Peak	\$ 0.04762
TOU-D-PRIME-SOP-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.02381
TOU-D-PRIME-SOP-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.12172)
TOU-D-PRIME-SOP-PS	Energy	Summer	Power Share Credit	Mid-peak	\$ (0.08219)
TOU-D-PRIME-SOP-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.05803)
TOU-D-PRIME-SOP-PS	Energy	Summer	Power Share Credit	Super Off-Peak	\$ (0.05169)
TOU-D-PRIME-SOP-PS	Energy	Winter	Power Share Credit	Mid-peak	\$ (0.11621)
TOU-D-PRIME-SOP-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.05298)
TOU-D-PRIME-SOP-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.04822)
TOU-D-A-C-PS	Energy	Summer	Generation	On-Peak	\$ 0.25301
TOU-D-A-C-PS	Energy	Summer	Generation	Off-Peak	\$ 0.09214
TOU-D-A-C-PS	Energy	Summer	Generation	Super Off-Peak	\$ 0.05803
TOU-D-A-C-PS	Energy	Winter	Generation	On-Peak	\$ 0.14085
TOU-D-A-C-PS	Energy	Winter	Generation	Off-Peak	\$ 0.06463
TOU-D-A-C-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.05991
TOU-D-A-C-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.10244)
TOU-D-A-C-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.05975)
TOU-D-A-C-PS	Energy	Summer	Power Share Credit	Super Off-Peak	\$ (0.01052)
TOU-D-A-C-PS	Energy	Winter	Power Share Credit	On-Peak	\$ (0.05781)
TOU-D-A-C-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.04527)
TOU-D-A-C-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.01013)
TOU-D-A-F-PS	Energy	Summer	Generation	On-Peak	\$ 0.25301
TOU-D-A-F-PS	Energy	Summer	Generation	Off-Peak	\$ 0.09214

January 15, 2026
45 of 73

Energy rates are shown in \$/kWh.

Exhibit C to Resolution 26-01-099
Phase 3 and 5 Power Share Rates Effective February 1, 2026

CPA RATE	TYPE	SEASON	CHARGE TYPE	TOU PERIOD	RATE
TOU-D-A-F-PS	Energy	Summer	Generation	Super Off-Peak	\$ 0.05803
TOU-D-A-F-PS	Energy	Winter	Generation	On-Peak	\$ 0.14085
TOU-D-A-F-PS	Energy	Winter	Generation	Off-Peak	\$ 0.06463
TOU-D-A-F-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.05991
TOU-D-A-F-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.12838)
TOU-D-A-F-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.07664)
TOU-D-A-F-PS	Energy	Summer	Power Share Credit	Super Off-Peak	\$ (0.01686)
TOU-D-A-F-PS	Energy	Winter	Power Share Credit	On-Peak	\$ (0.07424)
TOU-D-A-F-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.05907)
TOU-D-A-F-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.01637)
TOU-D-A-PS	Energy	Summer	Generation	On-Peak	\$ 0.25712
TOU-D-A-PS	Energy	Summer	Generation	Off-Peak	\$ 0.09386
TOU-D-A-PS	Energy	Summer	Generation	Super Off-Peak	\$ 0.05924
TOU-D-A-PS	Energy	Winter	Generation	On-Peak	\$ 0.14329
TOU-D-A-PS	Energy	Winter	Generation	Off-Peak	\$ 0.06593
TOU-D-A-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.06115
TOU-D-A-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.15719)
TOU-D-A-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.09372)
TOU-D-A-PS	Energy	Summer	Power Share Credit	Super Off-Peak	\$ (0.02074)
TOU-D-A-PS	Energy	Winter	Power Share Credit	On-Peak	\$ (0.09091)
TOU-D-A-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.07223)
TOU-D-A-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.02016)
TOU-D-B-C-PS	Energy	Summer	Generation	On-Peak	\$ 0.39318
TOU-D-B-C-PS	Energy	Summer	Generation	Off-Peak	\$ 0.09213
TOU-D-B-C-PS	Energy	Summer	Generation	Super Off-Peak	\$ 0.01645
TOU-D-B-C-PS	Energy	Winter	Generation	On-Peak	\$ 0.13829
TOU-D-B-C-PS	Energy	Winter	Generation	Off-Peak	\$ 0.06466
TOU-D-B-C-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.01736
TOU-D-B-C-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.09389)
TOU-D-B-C-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.04125)
TOU-D-B-C-PS	Energy	Summer	Power Share Credit	Super Off-Peak	\$ (0.01811)
TOU-D-B-C-PS	Energy	Winter	Power Share Credit	On-Peak	\$ (0.05921)
TOU-D-B-C-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.03752)
TOU-D-B-C-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.01823)
TOU-D-B-F-PS	Energy	Summer	Generation	On-Peak	\$ 0.39318
TOU-D-B-F-PS	Energy	Summer	Generation	Off-Peak	\$ 0.09213
TOU-D-B-F-PS	Energy	Summer	Generation	Super Off-Peak	\$ 0.01645
TOU-D-B-F-PS	Energy	Winter	Generation	On-Peak	\$ 0.13829
TOU-D-B-F-PS	Energy	Winter	Generation	Off-Peak	\$ 0.06466
TOU-D-B-F-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.01736
TOU-D-B-F-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.11790)
TOU-D-B-F-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.05416)
TOU-D-B-F-PS	Energy	Summer	Power Share Credit	Super Off-Peak	\$ (0.02610)
TOU-D-B-F-PS	Energy	Winter	Power Share Credit	On-Peak	\$ (0.07595)

January 15, 2026

46 of 73

Energy rates are shown in \$/kWh.

Exhibit C to Resolution 26-01-099
Phase 3 and 5 Power Share Rates Effective February 1, 2026

CPA RATE	TYPE	SEASON	CHARGE TYPE	TOU PERIOD	RATE
TOU-D-B-F-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.04964)
TOU-D-B-F-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.02625)
TOU-D-B-PS	Energy	Summer	Generation	On-Peak	\$ 0.39942
TOU-D-B-PS	Energy	Summer	Generation	Off-Peak	\$ 0.09386
TOU-D-B-PS	Energy	Summer	Generation	Super Off-Peak	\$ 0.01704
TOU-D-B-PS	Energy	Winter	Generation	On-Peak	\$ 0.14071
TOU-D-B-PS	Energy	Winter	Generation	Off-Peak	\$ 0.06597
TOU-D-B-PS	Energy	Winter	Generation	Super Off-Peak	\$ 0.01797
TOU-D-B-PS	Energy	Summer	Power Share Credit	On-Peak	\$ (0.14473)
TOU-D-B-PS	Energy	Summer	Power Share Credit	Off-Peak	\$ (0.06631)
TOU-D-B-PS	Energy	Summer	Power Share Credit	Super Off-Peak	\$ (0.03192)
TOU-D-B-PS	Energy	Winter	Power Share Credit	On-Peak	\$ (0.09299)
TOU-D-B-PS	Energy	Winter	Power Share Credit	Off-Peak	\$ (0.06074)
TOU-D-B-PS	Energy	Winter	Power Share Credit	Super Off-Peak	\$ (0.03210)

Notes

For all rate schedules, seasons are defined as follows:

Summer: season shall commence at 12:00 a.m. on June 1 and continue until 12:00 a.m. on October 1 of each year.

Winter: season shall commence at 12:00 a.m. on October 1 of each year and continue until 12:00 a.m. on June 1 of the following year.

For Domestic, D-CARE and D-FERA rates the following definitions from SCE Schedule D (Domestic Service) apply:

Tier 1: Baseline Service

Tier 2: 100% to 400% of Baseline Service

High Usage: 400% of Baseline Service

For TOU-D rate schedules the following definitions from SCE Schedule TOU-D (Time-of-Use Domestic) apply:

TOU-D-4 and TOU-D-PRIME:

On-Peak: 4:00 p.m. to 9:00 p.m. summer weekdays except holidays

Mid-Peak: 4:00 p.m. to 9:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: 9:00 p.m. to 4:00 p.m. summer weekdays and weekends. 9:00 p.m. to 8:00 a.m. winter weekdays and weekends/holidays

Super Off-Peak: 8:00 a.m. to 4:00 p.m. winter weekdays and weekends/holidays

TOU-D-5:

On-Peak: 5:00 p.m. to 8:00 p.m. summer weekdays except holidays

Mid-Peak: 5:00 p.m. to 8:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: 8:00 p.m. to 5:00 p.m. summer weekdays and weekends. 8:00 p.m. to 8:00 a.m. winter weekdays and weekends/holidays

Super Off-Peak: 8:00 a.m. to 5:00 p.m. winter weekdays and weekends/holidays

TOU-D-A and TOU-D-B:

On-Peak: 2:00 p.m. to 8:00 p.m. summer and winter weekdays except holidays

Super Off-Peak: 10:00 p.m. to 8:00 a.m. all year, every day

Off-Peak: All other hours – all year, every day

For TOU-D-PRIME-SOP (also referred to on customer bills as TOU-SMART), the following definitions apply:

On-Peak: 4:00 p.m. to 9:00 p.m. summer weekdays except holidays

Mid-Peak: 4:00 p.m. to 9:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: 9:00 p.m. to 8:00 a.m. all year, every day

Super Off-Peak: 8:00 a.m. to 4:00 p.m. all year, every day

C refers CARE-discounted rates and F refers to FERA-discounted rates as defined in SCE Schedule TOU-D.

Exhibit D to Resolution 26-01-099
Phase 6 Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
DOMESTIC	Energy	All_Year	NONE	\$ 0.08750	\$ 0.09503	\$ 0.11764
TOU-D-4	Energy	Summer	ON-PEAK	\$ 0.22000	\$ 0.23639	\$ 0.28558
TOU-D-4	Energy	Summer	MID-PEAK	\$ 0.10375	\$ 0.11241	\$ 0.13839
TOU-D-4	Energy	Summer	OFF-PEAK	\$ 0.04488	\$ 0.04962	\$ 0.06384
TOU-D-4	Energy	Winter	MID-PEAK	\$ 0.14863	\$ 0.16028	\$ 0.19522
TOU-D-4	Energy	Winter	OFF-PEAK	\$ 0.07249	\$ 0.07907	\$ 0.09881
TOU-D-4	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05460	\$ 0.05999	\$ 0.07615
TOU-D-5	Energy	Summer	ON-PEAK	\$ 0.37341	\$ 0.40011	\$ 0.48021
TOU-D-5	Energy	Summer	MID-PEAK	\$ 0.17945	\$ 0.19320	\$ 0.23444
TOU-D-5	Energy	Summer	OFF-PEAK	\$ 0.03446	\$ 0.03853	\$ 0.05072
TOU-D-5	Energy	Winter	MID-PEAK	\$ 0.24187	\$ 0.25979	\$ 0.31354
TOU-D-5	Energy	Winter	OFF-PEAK	\$ 0.06999	\$ 0.07643	\$ 0.09574
TOU-D-5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04078	\$ 0.04526	\$ 0.05872
TOU-D-A	Energy	Summer	ON-PEAK	\$ 0.23693	\$ 0.25399	\$ 0.30516
TOU-D-A	Energy	Summer	OFF-PEAK	\$ 0.08360	\$ 0.09073	\$ 0.11210
TOU-D-A	Energy	Summer	SUPER-OFF-PEAK	\$ 0.05109	\$ 0.05611	\$ 0.07116
TOU-D-A	Energy	Winter	ON-PEAK	\$ 0.13003	\$ 0.14016	\$ 0.17056
TOU-D-A	Energy	Winter	OFF-PEAK	\$ 0.05738	\$ 0.06280	\$ 0.07908
TOU-D-A	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05288	\$ 0.05802	\$ 0.07342
TOU-D-B	Energy	Summer	ON-PEAK	\$ 0.37036	\$ 0.39629	\$ 0.47408
TOU-D-B	Energy	Summer	OFF-PEAK	\$ 0.08354	\$ 0.09073	\$ 0.11228
TOU-D-B	Energy	Summer	SUPER-OFF-PEAK	\$ 0.01144	\$ 0.01391	\$ 0.02133
TOU-D-B	Energy	Winter	ON-PEAK	\$ 0.12752	\$ 0.13758	\$ 0.16776
TOU-D-B	Energy	Winter	OFF-PEAK	\$ 0.05737	\$ 0.06284	\$ 0.07927
TOU-D-B	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01231	\$ 0.01484	\$ 0.02243
TOU-D-PRIME	Energy	Summer	ON-PEAK	\$ 0.26058	\$ 0.28044	\$ 0.34003
TOU-D-PRIME	Energy	Summer	MID-PEAK	\$ 0.07574	\$ 0.08281	\$ 0.10402
TOU-D-PRIME	Energy	Summer	OFF-PEAK	\$ 0.04180	\$ 0.04652	\$ 0.06068
TOU-D-PRIME	Energy	Winter	MID-PEAK	\$ 0.22984	\$ 0.24757	\$ 0.30078
TOU-D-PRIME	Energy	Winter	OFF-PEAK	\$ 0.03125	\$ 0.03524	\$ 0.04720
TOU-D-PRIME	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03125	\$ 0.03524	\$ 0.04720
TOU-D-PRIME-SOP	Energy	Summer	ON-PEAK	\$ 0.26058	\$ 0.28044	\$ 0.34003
TOU-D-PRIME-SOP	Energy	Summer	MID-PEAK	\$ 0.07574	\$ 0.08281	\$ 0.10402
TOU-D-PRIME-SOP	Energy	Summer	OFF-PEAK	\$ 0.05330	\$ 0.05932	\$ 0.07738
TOU-D-PRIME-SOP	Energy	Summer	SUPER-OFF-PEAK	\$ 0.02665	\$ 0.02966	\$ 0.03869
TOU-D-PRIME-SOP	Energy	Winter	MID-PEAK	\$ 0.22984	\$ 0.24757	\$ 0.30078
TOU-D-PRIME-SOP	Energy	Winter	OFF-PEAK	\$ 0.03880	\$ 0.04374	\$ 0.05858
TOU-D-PRIME-SOP	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01940	\$ 0.02187	\$ 0.02929
TOU-D-T	Energy	Summer	ON-PEAK	\$ 0.11840	\$ 0.12681	\$ 0.15201
TOU-D-T	Energy	Summer	OFF-PEAK	\$ 0.10524	\$ 0.11287	\$ 0.13579
TOU-D-T	Energy	Winter	ON-PEAK	\$ 0.08089	\$ 0.08712	\$ 0.10579
TOU-D-T	Energy	Winter	OFF-PEAK	\$ 0.07115	\$ 0.07681	\$ 0.09378

Exhibit D to Resolution 26-01-099
Phase 6 Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-1-A	Energy	Summer	ON-PEAK	\$ 0.12911	\$ 0.13735	\$ 0.16205
TOU-GS-1-A	Energy	Summer	MID-PEAK	\$ 0.11954	\$ 0.12724	\$ 0.15034
TOU-GS-1-A	Energy	Summer	OFF-PEAK	\$ 0.11431	\$ 0.12172	\$ 0.14395
TOU-GS-1-A	Energy	Winter	MID-PEAK	\$ 0.07935	\$ 0.08481	\$ 0.10120
TOU-GS-1-A	Energy	Winter	OFF-PEAK	\$ 0.06953	\$ 0.07445	\$ 0.08920
TOU-GS-1-B	Energy	Summer	ON-PEAK	\$ 0.06211	\$ 0.06582	\$ 0.07696
TOU-GS-1-B	Energy	Summer	MID-PEAK	\$ 0.05687	\$ 0.06035	\$ 0.07077
TOU-GS-1-B	Energy	Summer	OFF-PEAK	\$ 0.05401	\$ 0.05735	\$ 0.06737
TOU-GS-1-B	Energy	Winter	MID-PEAK	\$ 0.07968	\$ 0.08420	\$ 0.09776
TOU-GS-1-B	Energy	Winter	OFF-PEAK	\$ 0.06983	\$ 0.07390	\$ 0.08610
TOU-GS-1-B	Demand	Summer	ON-PEAK	\$ 11.48	\$ 12.00	\$ 13.58
TOU-GS-1-B	Demand	Summer	MID-PEAK	\$ 3.73	\$ 3.91	\$ 4.42
TOU-GS-1-D	Energy	Summer	ON-PEAK	\$ 0.09186	\$ 0.09752	\$ 0.11450
TOU-GS-1-D	Energy	Summer	MID-PEAK	\$ 0.08114	\$ 0.08625	\$ 0.10158
TOU-GS-1-D	Energy	Summer	OFF-PEAK	\$ 0.04668	\$ 0.05003	\$ 0.06008
TOU-GS-1-D	Energy	Winter	MID-PEAK	\$ 0.08538	\$ 0.09071	\$ 0.10669
TOU-GS-1-D	Energy	Winter	OFF-PEAK	\$ 0.05474	\$ 0.05850	\$ 0.06979
TOU-GS-1-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03622	\$ 0.03903	\$ 0.04748
TOU-GS-1-D	Demand	Summer	ON-PEAK	\$ 15.60	\$ 16.40	\$ 18.79
TOU-GS-1-D	Demand	Winter	MID-PEAK	\$ 4.79	\$ 5.03	\$ 5.77
TOU-GS-1-E	Energy	Summer	ON-PEAK	\$ 0.39336	\$ 0.41669	\$ 0.48665
TOU-GS-1-E	Energy	Summer	MID-PEAK	\$ 0.09090	\$ 0.09711	\$ 0.11573
TOU-GS-1-E	Energy	Summer	OFF-PEAK	\$ 0.05961	\$ 0.06404	\$ 0.07736
TOU-GS-1-E	Energy	Winter	MID-PEAK	\$ 0.14771	\$ 0.15713	\$ 0.18540
TOU-GS-1-E	Energy	Winter	OFF-PEAK	\$ 0.07367	\$ 0.07891	\$ 0.09461
TOU-GS-1-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02971	\$ 0.03246	\$ 0.04070
TOU-GS-1-ES	Energy	Summer	ON-PEAK	\$ 0.40978	\$ 0.43407	\$ 0.50695
TOU-GS-1-ES	Energy	Summer	MID-PEAK	\$ 0.09854	\$ 0.10519	\$ 0.12515
TOU-GS-1-ES	Energy	Summer	OFF-PEAK	\$ 0.06235	\$ 0.06695	\$ 0.08076
TOU-GS-1-ES	Energy	Winter	MID-PEAK	\$ 0.14412	\$ 0.15335	\$ 0.18107
TOU-GS-1-ES	Energy	Winter	OFF-PEAK	\$ 0.06935	\$ 0.07435	\$ 0.08934
TOU-GS-1-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02782	\$ 0.03046	\$ 0.03840
TOU-GS-1-PRI-A	Energy	Summer	ON-PEAK	\$ 0.12787	\$ 0.13604	\$ 0.16056
TOU-GS-1-PRI-A	Energy	Summer	MID-PEAK	\$ 0.11829	\$ 0.12593	\$ 0.14886
TOU-GS-1-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.11307	\$ 0.12042	\$ 0.14246
TOU-GS-1-PRI-A	Energy	Winter	MID-PEAK	\$ 0.07810	\$ 0.08350	\$ 0.09971
TOU-GS-1-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.06829	\$ 0.07314	\$ 0.08771
TOU-GS-1-PRI-B	Energy	Summer	ON-PEAK	\$ 0.06166	\$ 0.06536	\$ 0.07645
TOU-GS-1-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05642	\$ 0.05988	\$ 0.07025
TOU-GS-1-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.05356	\$ 0.05688	\$ 0.06686
TOU-GS-1-PRI-B	Energy	Winter	MID-PEAK	\$ 0.07923	\$ 0.08373	\$ 0.09724
TOU-GS-1-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.06938	\$ 0.07343	\$ 0.08559
TOU-GS-1-PRI-B	Demand	Summer	ON-PEAK	\$ 11.21	\$ 11.73	\$ 13.27
TOU-GS-1-PRI-B	Demand	Summer	MID-PEAK	\$ 3.47	\$ 3.63	\$ 4.11

January 15, 2026

49 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit D to Resolution 26-01-099
Phase 6 Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-1-PRI-D	Energy	Summer	ON-PEAK	\$ 0.09141	\$ 0.09705	\$ 0.11398
TOU-GS-1-PRI-D	Energy	Summer	MID-PEAK	\$ 0.08069	\$ 0.08578	\$ 0.10106
TOU-GS-1-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04623	\$ 0.04956	\$ 0.05955
TOU-GS-1-PRI-D	Energy	Winter	MID-PEAK	\$ 0.08493	\$ 0.09024	\$ 0.10617
TOU-GS-1-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05429	\$ 0.05803	\$ 0.06926
TOU-GS-1-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03577	\$ 0.03857	\$ 0.04695
TOU-GS-1-PRI-D	Demand	Summer	ON-PEAK	\$ 15.41	\$ 16.20	\$ 18.56
TOU-GS-1-PRI-D	Demand	Winter	MID-PEAK	\$ 4.59	\$ 4.83	\$ 5.53
TOU-GS-1-PRI-E	Energy	Summer	ON-PEAK	\$ 0.39211	\$ 0.41539	\$ 0.48525
TOU-GS-1-PRI-E	Energy	Summer	MID-PEAK	\$ 0.08965	\$ 0.09580	\$ 0.11424
TOU-GS-1-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.05836	\$ 0.06273	\$ 0.07586
TOU-GS-1-PRI-E	Energy	Winter	MID-PEAK	\$ 0.14646	\$ 0.15583	\$ 0.18393
TOU-GS-1-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.07243	\$ 0.07760	\$ 0.09311
TOU-GS-1-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02847	\$ 0.03115	\$ 0.03919
TOU-GS-1-PRI-ES	Energy	Summer	ON-PEAK	\$ 0.40852	\$ 0.43278	\$ 0.50555
TOU-GS-1-PRI-ES	Energy	Summer	MID-PEAK	\$ 0.09729	\$ 0.10388	\$ 0.12366
TOU-GS-1-PRI-ES	Energy	Summer	OFF-PEAK	\$ 0.06111	\$ 0.06565	\$ 0.07926
TOU-GS-1-PRI-ES	Energy	Winter	MID-PEAK	\$ 0.14287	\$ 0.15205	\$ 0.17959
TOU-GS-1-PRI-ES	Energy	Winter	OFF-PEAK	\$ 0.06810	\$ 0.07304	\$ 0.08784
TOU-GS-1-PRI-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02657	\$ 0.02915	\$ 0.03689
TOU-GS-1-SUB-A	Energy	Summer	ON-PEAK	\$ 0.12671	\$ 0.13392	\$ 0.15555
TOU-GS-1-SUB-A	Energy	Summer	MID-PEAK	\$ 0.11712	\$ 0.12385	\$ 0.14405
TOU-GS-1-SUB-A	Energy	Summer	OFF-PEAK	\$ 0.11188	\$ 0.11835	\$ 0.13778
TOU-GS-1-SUB-A	Energy	Winter	MID-PEAK	\$ 0.07684	\$ 0.08158	\$ 0.09580
TOU-GS-1-SUB-A	Energy	Winter	OFF-PEAK	\$ 0.06700	\$ 0.07125	\$ 0.08401
TOU-GS-1-SUB-B	Energy	Summer	ON-PEAK	\$ 0.06134	\$ 0.06475	\$ 0.07498
TOU-GS-1-SUB-B	Energy	Summer	MID-PEAK	\$ 0.05610	\$ 0.05929	\$ 0.06885
TOU-GS-1-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.05323	\$ 0.05630	\$ 0.06549
TOU-GS-1-SUB-B	Energy	Winter	MID-PEAK	\$ 0.07893	\$ 0.08309	\$ 0.09556
TOU-GS-1-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.06907	\$ 0.07281	\$ 0.08403
TOU-GS-1-SUB-B	Demand	Summer	ON-PEAK	\$ 10.88	\$ 11.35	\$ 12.74
TOU-GS-1-SUB-B	Demand	Summer	MID-PEAK	\$ 3.13	\$ 3.27	\$ 3.67
TOU-GS-1-SUB-D	Energy	Summer	ON-PEAK	\$ 0.09116	\$ 0.09633	\$ 0.11185
TOU-GS-1-SUB-D	Energy	Summer	MID-PEAK	\$ 0.08042	\$ 0.08509	\$ 0.09909
TOU-GS-1-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.04592	\$ 0.04896	\$ 0.05810
TOU-GS-1-SUB-D	Energy	Winter	MID-PEAK	\$ 0.08467	\$ 0.08954	\$ 0.10414
TOU-GS-1-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.05399	\$ 0.05741	\$ 0.06768
TOU-GS-1-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03544	\$ 0.03799	\$ 0.04565
TOU-GS-1-SUB-D	Demand	Summer	ON-PEAK	\$ 15.17	\$ 15.88	\$ 18.02
TOU-GS-1-SUB-D	Demand	Winter	MID-PEAK	\$ 4.34	\$ 4.54	\$ 5.15
TOU-GS-1-SUB-E	Energy	Summer	ON-PEAK	\$ 0.39154	\$ 0.41218	\$ 0.47409
TOU-GS-1-SUB-E	Energy	Summer	MID-PEAK	\$ 0.08842	\$ 0.09381	\$ 0.10999
TOU-GS-1-SUB-E	Energy	Summer	OFF-PEAK	\$ 0.05706	\$ 0.06088	\$ 0.07233
TOU-GS-1-SUB-E	Energy	Winter	MID-PEAK	\$ 0.14535	\$ 0.15361	\$ 0.17838

January 15, 2026

50 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit D to Resolution 26-01-099
Phase 6 Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-1-SUB-E	Energy	Winter	OFF-PEAK	\$ 0.07116	\$ 0.07568	\$ 0.08926
TOU-GS-1-SUB-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02710	\$ 0.02941	\$ 0.03635
TOU-GS-2-B	Energy	Summer	ON-PEAK	\$ 0.05728	\$ 0.06158	\$ 0.07451
TOU-GS-2-B	Energy	Summer	MID-PEAK	\$ 0.05230	\$ 0.05633	\$ 0.06842
TOU-GS-2-B	Energy	Summer	OFF-PEAK	\$ 0.04957	\$ 0.05345	\$ 0.06508
TOU-GS-2-B	Energy	Winter	MID-PEAK	\$ 0.07385	\$ 0.07909	\$ 0.09479
TOU-GS-2-B	Energy	Winter	OFF-PEAK	\$ 0.03554	\$ 0.03863	\$ 0.04791
TOU-GS-2-B	Demand	Summer	ON-PEAK	\$ 13.70	\$ 14.47	\$ 16.77
TOU-GS-2-B	Demand	Summer	MID-PEAK	\$ 4.61	\$ 4.86	\$ 5.64
TOU-GS-2-D	Energy	Summer	ON-PEAK	\$ 0.08653	\$ 0.09291	\$ 0.11205
TOU-GS-2-D	Energy	Summer	MID-PEAK	\$ 0.07716	\$ 0.08297	\$ 0.10042
TOU-GS-2-D	Energy	Summer	OFF-PEAK	\$ 0.04242	\$ 0.04615	\$ 0.05735
TOU-GS-2-D	Energy	Winter	MID-PEAK	\$ 0.05199	\$ 0.05629	\$ 0.06921
TOU-GS-2-D	Energy	Winter	OFF-PEAK	\$ 0.05242	\$ 0.05675	\$ 0.06975
TOU-GS-2-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01814	\$ 0.02042	\$ 0.02724
TOU-GS-2-D	Demand	Summer	ON-PEAK	\$ 19.74	\$ 20.92	\$ 24.47
TOU-GS-2-D	Demand	Winter	MID-PEAK	\$ 5.18	\$ 5.49	\$ 6.43
TOU-GS-2-E	Energy	Summer	ON-PEAK	\$ 0.33823	\$ 0.36062	\$ 0.42779
TOU-GS-2-E	Energy	Summer	MID-PEAK	\$ 0.07707	\$ 0.08313	\$ 0.10130
TOU-GS-2-E	Energy	Summer	OFF-PEAK	\$ 0.04236	\$ 0.04625	\$ 0.05791
TOU-GS-2-E	Energy	Winter	MID-PEAK	\$ 0.09201	\$ 0.09900	\$ 0.11998
TOU-GS-2-E	Energy	Winter	OFF-PEAK	\$ 0.05236	\$ 0.05687	\$ 0.07040
TOU-GS-2-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01811	\$ 0.02048	\$ 0.02758
TOU-GS-2-E	Demand	Summer	ON-PEAK	\$ 5.48	\$ 5.82	\$ 6.85
TOU-GS-2-E	Demand	Winter	MID-PEAK	\$ 2.11	\$ 2.25	\$ 2.64
TOU-GS-2-PRI-B	Energy	Summer	ON-PEAK	\$ 0.05640	\$ 0.06068	\$ 0.07353
TOU-GS-2-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05143	\$ 0.05543	\$ 0.06744
TOU-GS-2-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.04870	\$ 0.05255	\$ 0.06409
TOU-GS-2-PRI-B	Energy	Winter	MID-PEAK	\$ 0.07298	\$ 0.07819	\$ 0.09383
TOU-GS-2-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.03467	\$ 0.03773	\$ 0.04691
TOU-GS-2-PRI-B	Demand	Summer	ON-PEAK	\$ 13.16	\$ 13.89	\$ 16.11
TOU-GS-2-PRI-B	Demand	Summer	MID-PEAK	\$ 4.06	\$ 4.29	\$ 4.97
TOU-GS-2-PRI-D	Energy	Summer	ON-PEAK	\$ 0.08566	\$ 0.09201	\$ 0.11106
TOU-GS-2-PRI-D	Energy	Summer	MID-PEAK	\$ 0.07629	\$ 0.08207	\$ 0.09943
TOU-GS-2-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04155	\$ 0.04524	\$ 0.05632
TOU-GS-2-PRI-D	Energy	Winter	MID-PEAK	\$ 0.05112	\$ 0.05539	\$ 0.06819
TOU-GS-2-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05155	\$ 0.05585	\$ 0.06874
TOU-GS-2-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01727	\$ 0.01951	\$ 0.02620
TOU-GS-2-PRI-D	Demand	Summer	ON-PEAK	\$ 19.29	\$ 20.45	\$ 23.94
TOU-GS-2-PRI-D	Demand	Winter	MID-PEAK	\$ 5.06	\$ 5.37	\$ 6.28
TOU-GS-2-PRI-E	Energy	Summer	ON-PEAK	\$ 0.33692	\$ 0.35930	\$ 0.42643
TOU-GS-2-PRI-E	Energy	Summer	MID-PEAK	\$ 0.07578	\$ 0.08177	\$ 0.09975
TOU-GS-2-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.04107	\$ 0.04489	\$ 0.05634
TOU-GS-2-PRI-E	Energy	Winter	MID-PEAK	\$ 0.09071	\$ 0.09765	\$ 0.11844

January 15, 2026

51 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit D to Resolution 26-01-099
Phase 6 Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-2-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.05107	\$ 0.05551	\$ 0.06884
TOU-GS-2-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01682	\$ 0.01911	\$ 0.02600
TOU-GS-2-PRI-E	Demand	Summer	ON-PEAK	\$ 5.29	\$ 5.63	\$ 6.62
TOU-GS-2-PRI-E	Demand	Winter	MID-PEAK	\$ 2.06	\$ 2.19	\$ 2.58
TOU-GS-2-PRI-R	Energy	Summer	ON-PEAK	\$ 0.23578	\$ 0.25081	\$ 0.29589
TOU-GS-2-PRI-R	Energy	Summer	MID-PEAK	\$ 0.10050	\$ 0.10758	\$ 0.12879
TOU-GS-2-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.04730	\$ 0.05124	\$ 0.06307
TOU-GS-2-PRI-R	Energy	Winter	MID-PEAK	\$ 0.07156	\$ 0.07693	\$ 0.09304
TOU-GS-2-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.03328	\$ 0.03640	\$ 0.04576
TOU-GS-2-R	Energy	Summer	ON-PEAK	\$ 0.23802	\$ 0.25308	\$ 0.29828
TOU-GS-2-R	Energy	Summer	MID-PEAK	\$ 0.10272	\$ 0.10988	\$ 0.13135
TOU-GS-2-R	Energy	Summer	OFF-PEAK	\$ 0.04951	\$ 0.05356	\$ 0.06570
TOU-GS-2-R	Energy	Winter	MID-PEAK	\$ 0.07377	\$ 0.07924	\$ 0.09564
TOU-GS-2-R	Energy	Winter	OFF-PEAK	\$ 0.03549	\$ 0.03872	\$ 0.04841
TOU-GS-2-SUB-B	Energy	Summer	ON-PEAK	\$ 0.05555	\$ 0.05919	\$ 0.07010
TOU-GS-2-SUB-B	Energy	Summer	MID-PEAK	\$ 0.05056	\$ 0.05396	\$ 0.06415
TOU-GS-2-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.04782	\$ 0.05109	\$ 0.06088
TOU-GS-2-SUB-B	Energy	Winter	MID-PEAK	\$ 0.07217	\$ 0.07661	\$ 0.08993
TOU-GS-2-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.03375	\$ 0.03634	\$ 0.04409
TOU-GS-2-SUB-B	Demand	Summer	ON-PEAK	\$ 12.48	\$ 13.08	\$ 14.89
TOU-GS-2-SUB-B	Demand	Summer	MID-PEAK	\$ 3.36	\$ 3.52	\$ 4.01
TOU-GS-2-SUB-D	Energy	Summer	ON-PEAK	\$ 0.08487	\$ 0.09038	\$ 0.10689
TOU-GS-2-SUB-D	Energy	Summer	MID-PEAK	\$ 0.07548	\$ 0.08049	\$ 0.09552
TOU-GS-2-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.04065	\$ 0.04383	\$ 0.05336
TOU-GS-2-SUB-D	Energy	Winter	MID-PEAK	\$ 0.05024	\$ 0.05393	\$ 0.06497
TOU-GS-2-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.05068	\$ 0.05439	\$ 0.06550
TOU-GS-2-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01631	\$ 0.01821	\$ 0.02390
TOU-GS-2-SUB-D	Demand	Summer	ON-PEAK	\$ 18.76	\$ 19.74	\$ 22.70
TOU-GS-2-SUB-D	Demand	Winter	MID-PEAK	\$ 4.92	\$ 5.18	\$ 5.96
TOU-GS-3-B	Energy	Summer	ON-PEAK	\$ 0.03623	\$ 0.04214	\$ 0.05799
TOU-GS-3-B	Energy	Summer	MID-PEAK	\$ 0.03256	\$ 0.03808	\$ 0.05289
TOU-GS-3-B	Energy	Summer	OFF-PEAK	\$ 0.03069	\$ 0.03600	\$ 0.05027
TOU-GS-3-B	Energy	Winter	MID-PEAK	\$ 0.09574	\$ 0.10431	\$ 0.13087
TOU-GS-3-B	Energy	Winter	OFF-PEAK	\$ 0.04778	\$ 0.05277	\$ 0.06825
TOU-GS-3-B	Demand	Summer	ON-PEAK	\$ 8.57	\$ 9.48	\$ 11.94
TOU-GS-3-B	Demand	Summer	MID-PEAK	\$ 2.86	\$ 3.16	\$ 3.98
TOU-GS-3-D	Energy	Summer	ON-PEAK	\$ 0.05531	\$ 0.06325	\$ 0.08456
TOU-GS-3-D	Energy	Summer	MID-PEAK	\$ 0.04874	\$ 0.05598	\$ 0.07541
TOU-GS-3-D	Energy	Summer	OFF-PEAK	\$ 0.02668	\$ 0.03157	\$ 0.04470
TOU-GS-3-D	Energy	Winter	MID-PEAK	\$ 0.06733	\$ 0.07378	\$ 0.09378
TOU-GS-3-D	Energy	Winter	OFF-PEAK	\$ 0.06785	\$ 0.07434	\$ 0.09445
TOU-GS-3-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02651	\$ 0.02992	\$ 0.04048
TOU-GS-3-D	Demand	Summer	ON-PEAK	\$ 12.79	\$ 14.16	\$ 17.82
TOU-GS-3-D	Demand	Winter	MID-PEAK	\$ 7.56	\$ 8.12	\$ 9.87

January 15, 2026

52 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit D to Resolution 26-01-099
Phase 6 Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-3-E	Energy	Summer	ON-PEAK	\$ 0.20149	\$ 0.22502	\$ 0.28816
TOU-GS-3-E	Energy	Summer	MID-PEAK	\$ 0.04874	\$ 0.05598	\$ 0.07541
TOU-GS-3-E	Energy	Summer	OFF-PEAK	\$ 0.02668	\$ 0.03157	\$ 0.04470
TOU-GS-3-E	Energy	Winter	MID-PEAK	\$ 0.12049	\$ 0.13090	\$ 0.16319
TOU-GS-3-E	Energy	Winter	OFF-PEAK	\$ 0.06785	\$ 0.07434	\$ 0.09445
TOU-GS-3-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02651	\$ 0.02992	\$ 0.04048
TOU-GS-3-E	Demand	Summer	ON-PEAK	\$ 3.56	\$ 3.93	\$ 4.95
TOU-GS-3-E	Demand	Winter	MID-PEAK	\$ 3.09	\$ 3.32	\$ 4.04
TOU-GS-3-PRI-B	Energy	Summer	ON-PEAK	\$ 0.03557	\$ 0.04141	\$ 0.05707
TOU-GS-3-PRI-B	Energy	Summer	MID-PEAK	\$ 0.03190	\$ 0.03735	\$ 0.05197
TOU-GS-3-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.03003	\$ 0.03527	\$ 0.04935
TOU-GS-3-PRI-B	Energy	Winter	MID-PEAK	\$ 0.09466	\$ 0.10315	\$ 0.12946
TOU-GS-3-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.04670	\$ 0.05161	\$ 0.06684
TOU-GS-3-PRI-B	Demand	Summer	ON-PEAK	\$ 8.22	\$ 9.09	\$ 11.45
TOU-GS-3-PRI-B	Demand	Summer	MID-PEAK	\$ 2.51	\$ 2.77	\$ 3.49
TOU-GS-3-PRI-D	Energy	Summer	ON-PEAK	\$ 0.05465	\$ 0.06252	\$ 0.08364
TOU-GS-3-PRI-D	Energy	Summer	MID-PEAK	\$ 0.04808	\$ 0.05525	\$ 0.07449
TOU-GS-3-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.02603	\$ 0.03084	\$ 0.04378
TOU-GS-3-PRI-D	Energy	Winter	MID-PEAK	\$ 0.06625	\$ 0.07262	\$ 0.09237
TOU-GS-3-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.06677	\$ 0.07318	\$ 0.09305
TOU-GS-3-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02544	\$ 0.02876	\$ 0.03908
TOU-GS-3-PRI-D	Demand	Summer	ON-PEAK	\$ 12.50	\$ 13.83	\$ 17.41
TOU-GS-3-PRI-D	Demand	Winter	MID-PEAK	\$ 7.37	\$ 7.92	\$ 9.62
TOU-GS-3-PRI-E	Energy	Summer	ON-PEAK	\$ 0.20028	\$ 0.22367	\$ 0.28646
TOU-GS-3-PRI-E	Energy	Summer	MID-PEAK	\$ 0.04752	\$ 0.05463	\$ 0.07372
TOU-GS-3-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.02547	\$ 0.03023	\$ 0.04300
TOU-GS-3-PRI-E	Energy	Winter	MID-PEAK	\$ 0.11850	\$ 0.12877	\$ 0.16059
TOU-GS-3-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.06586	\$ 0.07220	\$ 0.09186
TOU-GS-3-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02453	\$ 0.02778	\$ 0.03789
TOU-GS-3-PRI-E	Demand	Summer	ON-PEAK	\$ 3.44	\$ 3.80	\$ 4.79
TOU-GS-3-PRI-E	Demand	Winter	MID-PEAK	\$ 3.01	\$ 3.23	\$ 3.93
TOU-GS-3-PRI-R	Energy	Summer	ON-PEAK	\$ 0.14036	\$ 0.15737	\$ 0.20301
TOU-GS-3-PRI-R	Energy	Summer	MID-PEAK	\$ 0.05876	\$ 0.06707	\$ 0.08937
TOU-GS-3-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.02927	\$ 0.03444	\$ 0.04830
TOU-GS-3-PRI-R	Energy	Winter	MID-PEAK	\$ 0.09343	\$ 0.10182	\$ 0.12785
TOU-GS-3-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.04547	\$ 0.05029	\$ 0.06523
TOU-GS-3-R	Energy	Summer	ON-PEAK	\$ 0.14177	\$ 0.15893	\$ 0.20498
TOU-GS-3-R	Energy	Summer	MID-PEAK	\$ 0.06017	\$ 0.06863	\$ 0.09134
TOU-GS-3-R	Energy	Summer	OFF-PEAK	\$ 0.03069	\$ 0.03600	\$ 0.05027
TOU-GS-3-R	Energy	Winter	MID-PEAK	\$ 0.09574	\$ 0.10431	\$ 0.13087
TOU-GS-3-R	Energy	Winter	OFF-PEAK	\$ 0.04778	\$ 0.05277	\$ 0.06825
TOU-GS-3-SUB-D	Energy	Summer	ON-PEAK	\$ 0.05386	\$ 0.06165	\$ 0.08255
TOU-GS-3-SUB-D	Energy	Summer	MID-PEAK	\$ 0.04729	\$ 0.05438	\$ 0.07340
TOU-GS-3-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.02524	\$ 0.02998	\$ 0.04269

January 15, 2026

53 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit D to Resolution 26-01-099
Phase 6 Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-GS-3-SUB-D	Energy	Winter	MID-PEAK	\$ 0.06497	\$ 0.07125	\$ 0.09070
TOU-GS-3-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.06549	\$ 0.07180	\$ 0.09137
TOU-GS-3-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02415	\$ 0.02738	\$ 0.03740
TOU-GS-3-SUB-D	Demand	Summer	ON-PEAK	\$ 12.11	\$ 13.40	\$ 16.87
TOU-GS-3-SUB-D	Demand	Winter	MID-PEAK	\$ 7.15	\$ 7.69	\$ 9.34
TOU-8-PRI-B	Energy	Summer	ON-PEAK	\$ 0.05056	\$ 0.05225	\$ 0.06420
TOU-8-PRI-B	Energy	Summer	MID-PEAK	\$ 0.04548	\$ 0.04704	\$ 0.05811
TOU-8-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.04367	\$ 0.04519	\$ 0.05595
TOU-8-PRI-B	Energy	Winter	MID-PEAK	\$ 0.09977	\$ 0.10284	\$ 0.12324
TOU-8-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.05058	\$ 0.05237	\$ 0.06427
TOU-8-PRI-B	Demand	Summer	ON-PEAK	\$ 11.81	\$ 12.10	\$ 14.14
TOU-8-PRI-B	Demand	Summer	MID-PEAK	\$ 3.79	\$ 3.89	\$ 4.55
TOU-8-PRI-D	Energy	Summer	ON-PEAK	\$ 0.07379	\$ 0.07604	\$ 0.09203
TOU-8-PRI-D	Energy	Summer	MID-PEAK	\$ 0.06585	\$ 0.06792	\$ 0.08252
TOU-8-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.03860	\$ 0.03999	\$ 0.04987
TOU-8-PRI-D	Energy	Winter	MID-PEAK	\$ 0.06712	\$ 0.06935	\$ 0.08411
TOU-8-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.06783	\$ 0.07008	\$ 0.08496
TOU-8-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02688	\$ 0.02806	\$ 0.03587
TOU-8-PRI-D	Demand	Summer	ON-PEAK	\$ 16.77	\$ 17.18	\$ 20.09
TOU-8-PRI-D	Demand	Winter	MID-PEAK	\$ 8.16	\$ 8.37	\$ 9.78
TOU-8-PRI-E	Energy	Summer	ON-PEAK	\$ 0.24318	\$ 0.24960	\$ 0.29497
TOU-8-PRI-E	Energy	Summer	MID-PEAK	\$ 0.06585	\$ 0.06792	\$ 0.08252
TOU-8-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.03860	\$ 0.03999	\$ 0.04987
TOU-8-PRI-E	Energy	Winter	MID-PEAK	\$ 0.13785	\$ 0.14192	\$ 0.16890
TOU-8-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.06783	\$ 0.07008	\$ 0.08496
TOU-8-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02688	\$ 0.02806	\$ 0.03587
TOU-8-PRI-E	Demand	Summer	ON-PEAK	\$ 4.11	\$ 4.21	\$ 4.93
TOU-8-PRI-E	Demand	Winter	MID-PEAK	\$ 0.94	\$ 0.96	\$ 1.12
TOU-8-PRI-R	Energy	Summer	ON-PEAK	\$ 0.18413	\$ 0.18910	\$ 0.22423
TOU-8-PRI-R	Energy	Summer	MID-PEAK	\$ 0.07574	\$ 0.07804	\$ 0.09436
TOU-8-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.04367	\$ 0.04519	\$ 0.05595
TOU-8-PRI-R	Energy	Winter	MID-PEAK	\$ 0.09977	\$ 0.10284	\$ 0.12324
TOU-8-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.05058	\$ 0.05237	\$ 0.06427
TOU-8-SEC-B	Energy	Summer	ON-PEAK	\$ 0.03674	\$ 0.04324	\$ 0.05927
TOU-8-SEC-B	Energy	Summer	MID-PEAK	\$ 0.03289	\$ 0.03894	\$ 0.05385
TOU-8-SEC-B	Energy	Summer	OFF-PEAK	\$ 0.03119	\$ 0.03704	\$ 0.05147
TOU-8-SEC-B	Energy	Winter	MID-PEAK	\$ 0.09362	\$ 0.09743	\$ 0.12928
TOU-8-SEC-B	Energy	Winter	OFF-PEAK	\$ 0.05055	\$ 0.05290	\$ 0.07254
TOU-8-SEC-B	Demand	Summer	ON-PEAK	\$ 9.29	\$ 10.38	\$ 13.06
TOU-8-SEC-B	Demand	Summer	MID-PEAK	\$ 3.05	\$ 3.41	\$ 4.29
TOU-8-SEC-D	Energy	Summer	ON-PEAK	\$ 0.05570	\$ 0.06443	\$ 0.08594
TOU-8-SEC-D	Energy	Summer	MID-PEAK	\$ 0.04915	\$ 0.05710	\$ 0.07672
TOU-8-SEC-D	Energy	Summer	OFF-PEAK	\$ 0.02725	\$ 0.03264	\$ 0.04593
TOU-8-SEC-D	Energy	Winter	MID-PEAK	\$ 0.06929	\$ 0.07228	\$ 0.09723

January 15, 2026

54 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit D to Resolution 26-01-099
Phase 6 Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-8-SEC-D	Energy	Winter	OFF-PEAK	\$ 0.06984	\$ 0.07285	\$ 0.09795
TOU-8-SEC-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02776	\$ 0.02934	\$ 0.04251
TOU-8-SEC-D	Demand	Summer	ON-PEAK	\$ 13.49	\$ 15.07	\$ 18.97
TOU-8-SEC-D	Demand	Winter	MID-PEAK	\$ 6.86	\$ 7.09	\$ 9.04
TOU-8-SEC-E	Energy	Summer	ON-PEAK	\$ 0.19473	\$ 0.21976	\$ 0.28146
TOU-8-SEC-E	Energy	Summer	MID-PEAK	\$ 0.04915	\$ 0.05710	\$ 0.07672
TOU-8-SEC-E	Energy	Summer	OFF-PEAK	\$ 0.02725	\$ 0.03264	\$ 0.04593
TOU-8-SEC-E	Energy	Winter	MID-PEAK	\$ 0.11411	\$ 0.11861	\$ 0.15627
TOU-8-SEC-E	Energy	Winter	OFF-PEAK	\$ 0.06984	\$ 0.07285	\$ 0.09795
TOU-8-SEC-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02776	\$ 0.02934	\$ 0.04251
TOU-8-SEC-E	Demand	Summer	ON-PEAK	\$ 3.75	\$ 4.19	\$ 5.27
TOU-8-SEC-E	Demand	Winter	MID-PEAK	\$ 2.80	\$ 2.90	\$ 3.69
TOU-8-SEC-R	Energy	Summer	ON-PEAK	\$ 0.14340	\$ 0.16241	\$ 0.20927
TOU-8-SEC-R	Energy	Summer	MID-PEAK	\$ 0.05885	\$ 0.06795	\$ 0.09037
TOU-8-SEC-R	Energy	Summer	OFF-PEAK	\$ 0.03119	\$ 0.03704	\$ 0.05147
TOU-8-SEC-R	Energy	Winter	MID-PEAK	\$ 0.09362	\$ 0.09743	\$ 0.12928
TOU-8-SEC-R	Energy	Winter	OFF-PEAK	\$ 0.05055	\$ 0.05290	\$ 0.07254
TOU-8-SUB-B	Energy	Summer	ON-PEAK	\$ 0.03483	\$ 0.03613	\$ 0.04495
TOU-8-SUB-B	Energy	Summer	MID-PEAK	\$ 0.03082	\$ 0.03203	\$ 0.04017
TOU-8-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.02961	\$ 0.03079	\$ 0.03872
TOU-8-SUB-B	Energy	Winter	MID-PEAK	\$ 0.08790	\$ 0.09059	\$ 0.10855
TOU-8-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.04574	\$ 0.04735	\$ 0.05811
TOU-8-SUB-B	Demand	Summer	ON-PEAK	\$ 10.91	\$ 11.18	\$ 13.03
TOU-8-SUB-B	Demand	Summer	MID-PEAK	\$ 3.53	\$ 3.62	\$ 4.22
TOU-8-SUB-D	Energy	Summer	ON-PEAK	\$ 0.05254	\$ 0.05429	\$ 0.06610
TOU-8-SUB-D	Energy	Summer	MID-PEAK	\$ 0.04670	\$ 0.04830	\$ 0.05913
TOU-8-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.02574	\$ 0.02682	\$ 0.03409
TOU-8-SUB-D	Energy	Winter	MID-PEAK	\$ 0.05990	\$ 0.06188	\$ 0.07506
TOU-8-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.06083	\$ 0.06283	\$ 0.07617
TOU-8-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02368	\$ 0.02473	\$ 0.03172
TOU-8-SUB-D	Demand	Summer	ON-PEAK	\$ 14.98	\$ 15.35	\$ 17.89
TOU-8-SUB-D	Demand	Winter	MID-PEAK	\$ 7.50	\$ 7.69	\$ 8.97
TOU-8-SUB-E	Energy	Summer	ON-PEAK	\$ 0.21520	\$ 0.22103	\$ 0.26035
TOU-8-SUB-E	Energy	Summer	MID-PEAK	\$ 0.04670	\$ 0.04830	\$ 0.05913
TOU-8-SUB-E	Energy	Summer	OFF-PEAK	\$ 0.02574	\$ 0.02682	\$ 0.03409
TOU-8-SUB-E	Energy	Winter	MID-PEAK	\$ 0.11492	\$ 0.11831	\$ 0.14087
TOU-8-SUB-E	Energy	Winter	OFF-PEAK	\$ 0.06083	\$ 0.06283	\$ 0.07617
TOU-8-SUB-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02368	\$ 0.02473	\$ 0.03172
TOU-8-SUB-E	Demand	Summer	ON-PEAK	\$ 1.42	\$ 1.46	\$ 1.70
TOU-8-SUB-E	Demand	Winter	MID-PEAK	\$ 1.07	\$ 1.10	\$ 1.28
TOU-8-SUB-R	Energy	Summer	ON-PEAK	\$ 0.14512	\$ 0.14919	\$ 0.17666
TOU-8-SUB-R	Energy	Summer	MID-PEAK	\$ 0.05506	\$ 0.05687	\$ 0.06911
TOU-8-SUB-R	Energy	Summer	OFF-PEAK	\$ 0.02961	\$ 0.03079	\$ 0.03872
TOU-8-SUB-R	Energy	Winter	MID-PEAK	\$ 0.08790	\$ 0.09059	\$ 0.10855

January 15, 2026

55 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit D to Resolution 26-01-099
Phase 6 Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-8-SUB-R	Energy	Winter	OFF-PEAK	\$ 0.04574	\$ 0.04735	\$ 0.05811
TOU-EV-7	Energy	Summer	ON-PEAK	\$ 0.29042	\$ 0.30760	\$ 0.35917
TOU-EV-7	Energy	Summer	MID-PEAK	\$ 0.09093	\$ 0.09704	\$ 0.11534
TOU-EV-7	Energy	Summer	OFF-PEAK	\$ 0.07136	\$ 0.07638	\$ 0.09142
TOU-EV-7	Energy	Winter	MID-PEAK	\$ 0.14777	\$ 0.15703	\$ 0.18481
TOU-EV-7	Energy	Winter	OFF-PEAK	\$ 0.08728	\$ 0.09318	\$ 0.11087
TOU-EV-7	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02973	\$ 0.03243	\$ 0.04053
TOU-EV-8	Energy	Summer	ON-PEAK	\$ 0.32108	\$ 0.34322	\$ 0.40963
TOU-EV-8	Energy	Summer	MID-PEAK	\$ 0.07699	\$ 0.08328	\$ 0.10213
TOU-EV-8	Energy	Summer	OFF-PEAK	\$ 0.05509	\$ 0.05995	\$ 0.07454
TOU-EV-8	Energy	Winter	MID-PEAK	\$ 0.11964	\$ 0.12870	\$ 0.15586
TOU-EV-8	Energy	Winter	OFF-PEAK	\$ 0.06821	\$ 0.07392	\$ 0.09106
TOU-EV-8	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01808	\$ 0.02053	\$ 0.02791
TOU-EV-PRI-9	Energy	Summer	ON-PEAK	\$ 0.22200	\$ 0.23496	\$ 0.27385
TOU-EV-PRI-9	Energy	Summer	MID-PEAK	\$ 0.06688	\$ 0.07147	\$ 0.08526
TOU-EV-PRI-9	Energy	Summer	OFF-PEAK	\$ 0.04690	\$ 0.05041	\$ 0.06097
TOU-EV-PRI-9	Energy	Winter	MID-PEAK	\$ 0.11055	\$ 0.11750	\$ 0.13835
TOU-EV-PRI-9	Energy	Winter	OFF-PEAK	\$ 0.05630	\$ 0.06032	\$ 0.07240
TOU-EV-PRI-9	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01693	\$ 0.01883	\$ 0.02453
TOU-EV-SEC-9	Energy	Summer	ON-PEAK	\$ 0.24592	\$ 0.26108	\$ 0.30653
TOU-EV-SEC-9	Energy	Summer	MID-PEAK	\$ 0.07099	\$ 0.07613	\$ 0.09154
TOU-EV-SEC-9	Energy	Summer	OFF-PEAK	\$ 0.05093	\$ 0.05492	\$ 0.06688
TOU-EV-SEC-9	Energy	Winter	MID-PEAK	\$ 0.11185	\$ 0.11933	\$ 0.14175
TOU-EV-SEC-9	Energy	Winter	OFF-PEAK	\$ 0.06125	\$ 0.06583	\$ 0.07956
TOU-EV-SEC-9	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01832	\$ 0.02044	\$ 0.02680
TOU-EV-SUB-9	Energy	Summer	ON-PEAK	\$ 0.21837	\$ 0.22726	\$ 0.25391
TOU-EV-SUB-9	Energy	Summer	MID-PEAK	\$ 0.06330	\$ 0.06634	\$ 0.07546
TOU-EV-SUB-9	Energy	Summer	OFF-PEAK	\$ 0.04382	\$ 0.04613	\$ 0.05304
TOU-EV-SUB-9	Energy	Winter	MID-PEAK	\$ 0.09752	\$ 0.10185	\$ 0.11484
TOU-EV-SUB-9	Energy	Winter	OFF-PEAK	\$ 0.05228	\$ 0.05490	\$ 0.06277
TOU-EV-SUB-9	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01599	\$ 0.01725	\$ 0.02101
TOU-PA-2-A	Energy	Summer	ON-PEAK	\$ 0.15659	\$ 0.16126	\$ 0.22609
TOU-PA-2-A	Energy	Summer	MID-PEAK	\$ 0.06104	\$ 0.06317	\$ 0.09279
TOU-PA-2-A	Energy	Summer	OFF-PEAK	\$ 0.03512	\$ 0.03657	\$ 0.05664
TOU-PA-2-A	Energy	Winter	MID-PEAK	\$ 0.10250	\$ 0.10343	\$ 0.13600
TOU-PA-2-A	Energy	Winter	OFF-PEAK	\$ 0.06113	\$ 0.06175	\$ 0.08326
TOU-PA-2-B	Energy	Summer	ON-PEAK	\$ 0.04118	\$ 0.04279	\$ 0.06509
TOU-PA-2-B	Energy	Summer	MID-PEAK	\$ 0.03659	\$ 0.03807	\$ 0.05868
TOU-PA-2-B	Energy	Summer	OFF-PEAK	\$ 0.03512	\$ 0.03657	\$ 0.05664
TOU-PA-2-B	Energy	Winter	MID-PEAK	\$ 0.10250	\$ 0.10343	\$ 0.13600
TOU-PA-2-B	Energy	Winter	OFF-PEAK	\$ 0.06113	\$ 0.06175	\$ 0.08326
TOU-PA-2-B	Demand	Summer	ON-PEAK	\$ 5.95	\$ 6.11	\$ 8.31
TOU-PA-2-B	Demand	Summer	MID-PEAK	\$ 1.83	\$ 1.88	\$ 2.55
TOU-PA-2-D	Energy	Summer	ON-PEAK	\$ 0.06358	\$ 0.06578	\$ 0.09634

January 15, 2026

56 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit D to Resolution 26-01-099
Phase 6 Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-2-D	Energy	Summer	MID-PEAK	\$ 0.05625	\$ 0.05826	\$ 0.08612
TOU-PA-2-D	Energy	Summer	OFF-PEAK	\$ 0.03068	\$ 0.03200	\$ 0.05044
TOU-PA-2-D	Energy	Winter	MID-PEAK	\$ 0.08679	\$ 0.08760	\$ 0.11597
TOU-PA-2-D	Energy	Winter	OFF-PEAK	\$ 0.06510	\$ 0.06575	\$ 0.08832
TOU-PA-2-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05280	\$ 0.05335	\$ 0.07264
TOU-PA-2-D	Demand	Summer	ON-PEAK	\$ 8.40	\$ 8.62	\$ 11.72
TOU-PA-2-D	Demand	Winter	MID-PEAK	\$ 3.11	\$ 3.13	\$ 3.96
TOU-PA-2-D5	Energy	Summer	ON-PEAK	\$ 0.14585	\$ 0.15023	\$ 0.21110
TOU-PA-2-D5	Energy	Summer	MID-PEAK	\$ 0.13647	\$ 0.14061	\$ 0.19802
TOU-PA-2-D5	Energy	Summer	OFF-PEAK	\$ 0.02754	\$ 0.02879	\$ 0.04607
TOU-PA-2-D5	Energy	Winter	MID-PEAK	\$ 0.09009	\$ 0.09092	\$ 0.12017
TOU-PA-2-D5	Energy	Winter	OFF-PEAK	\$ 0.06773	\$ 0.06840	\$ 0.09167
TOU-PA-2-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05501	\$ 0.05558	\$ 0.07546
TOU-PA-2-D5	Demand	Summer	ON-PEAK	\$ 8.04	\$ 8.25	\$ 11.21
TOU-PA-2-D5	Demand	Winter	MID-PEAK	\$ 2.74	\$ 2.76	\$ 3.49
TOU-PA-2-E	Energy	Summer	ON-PEAK	\$ 0.25975	\$ 0.26716	\$ 0.37000
TOU-PA-2-E	Energy	Summer	MID-PEAK	\$ 0.05625	\$ 0.05826	\$ 0.08612
TOU-PA-2-E	Energy	Summer	OFF-PEAK	\$ 0.03068	\$ 0.03200	\$ 0.05044
TOU-PA-2-E	Energy	Winter	MID-PEAK	\$ 0.10358	\$ 0.10452	\$ 0.13738
TOU-PA-2-E	Energy	Winter	OFF-PEAK	\$ 0.07847	\$ 0.07922	\$ 0.10537
TOU-PA-2-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.06418	\$ 0.06482	\$ 0.08715
TOU-PA-2-E5	Energy	Summer	ON-PEAK	\$ 0.44515	\$ 0.45747	\$ 0.62862
TOU-PA-2-E5	Energy	Summer	MID-PEAK	\$ 0.13647	\$ 0.14061	\$ 0.19802
TOU-PA-2-E5	Energy	Summer	OFF-PEAK	\$ 0.02754	\$ 0.02879	\$ 0.04607
TOU-PA-2-E5	Energy	Winter	MID-PEAK	\$ 0.10410	\$ 0.10504	\$ 0.13803
TOU-PA-2-E5	Energy	Winter	OFF-PEAK	\$ 0.07888	\$ 0.07963	\$ 0.10588
TOU-PA-2-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.06454	\$ 0.06518	\$ 0.08760
TOU-PA-2-PRI-A	Energy	Summer	ON-PEAK	\$ 0.15545	\$ 0.16009	\$ 0.22450
TOU-PA-2-PRI-A	Energy	Summer	MID-PEAK	\$ 0.05989	\$ 0.06200	\$ 0.09120
TOU-PA-2-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.03398	\$ 0.03539	\$ 0.05504
TOU-PA-2-PRI-A	Energy	Winter	MID-PEAK	\$ 0.10063	\$ 0.10155	\$ 0.13362
TOU-PA-2-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.05927	\$ 0.05987	\$ 0.08088
TOU-PA-2-PRI-B	Energy	Summer	ON-PEAK	\$ 0.04049	\$ 0.04208	\$ 0.06413
TOU-PA-2-PRI-B	Energy	Summer	MID-PEAK	\$ 0.03589	\$ 0.03736	\$ 0.05772
TOU-PA-2-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.03443	\$ 0.03586	\$ 0.05567
TOU-PA-2-PRI-B	Energy	Winter	MID-PEAK	\$ 0.10137	\$ 0.10229	\$ 0.13456
TOU-PA-2-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.06000	\$ 0.06061	\$ 0.08182
TOU-PA-2-PRI-B	Demand	Summer	ON-PEAK	\$ 5.82	\$ 5.97	\$ 8.12
TOU-PA-2-PRI-B	Demand	Summer	MID-PEAK	\$ 1.69	\$ 1.74	\$ 2.36
TOU-PA-2-PRI-D	Energy	Summer	ON-PEAK	\$ 0.06289	\$ 0.06507	\$ 0.09537
TOU-PA-2-PRI-D	Energy	Summer	MID-PEAK	\$ 0.05556	\$ 0.05755	\$ 0.08516
TOU-PA-2-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.02998	\$ 0.03129	\$ 0.04948
TOU-PA-2-PRI-D	Energy	Winter	MID-PEAK	\$ 0.08566	\$ 0.08646	\$ 0.11453
TOU-PA-2-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.06397	\$ 0.06461	\$ 0.08688

January 15, 2026

57 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit D to Resolution 26-01-099
Phase 6 Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-2-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05167	\$ 0.05221	\$ 0.07120
TOU-PA-2-PRI-D	Demand	Summer	ON-PEAK	\$ 8.28	\$ 8.50	\$ 11.55
TOU-PA-2-PRI-D	Demand	Winter	MID-PEAK	\$ 2.91	\$ 2.93	\$ 3.71
TOU-PA-2-PRI-D5	Energy	Summer	ON-PEAK	\$ 0.14513	\$ 0.14950	\$ 0.21011
TOU-PA-2-PRI-D5	Energy	Summer	MID-PEAK	\$ 0.13576	\$ 0.13987	\$ 0.19703
TOU-PA-2-PRI-D5	Energy	Summer	OFF-PEAK	\$ 0.02683	\$ 0.02805	\$ 0.04507
TOU-PA-2-PRI-D5	Energy	Winter	MID-PEAK	\$ 0.08892	\$ 0.08974	\$ 0.11868
TOU-PA-2-PRI-D5	Energy	Winter	OFF-PEAK	\$ 0.06657	\$ 0.06722	\$ 0.09019
TOU-PA-2-PRI-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05385	\$ 0.05440	\$ 0.07397
TOU-PA-2-PRI-D5	Demand	Summer	ON-PEAK	\$ 7.92	\$ 8.13	\$ 11.05
TOU-PA-2-PRI-D5	Demand	Winter	MID-PEAK	\$ 2.56	\$ 2.58	\$ 3.26
TOU-PA-2-PRI-E	Energy	Summer	ON-PEAK	\$ 0.25861	\$ 0.26599	\$ 0.36841
TOU-PA-2-PRI-E	Energy	Summer	MID-PEAK	\$ 0.05511	\$ 0.05709	\$ 0.08453
TOU-PA-2-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.02953	\$ 0.03083	\$ 0.04885
TOU-PA-2-PRI-E	Energy	Winter	MID-PEAK	\$ 0.10171	\$ 0.10264	\$ 0.13499
TOU-PA-2-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.07661	\$ 0.07734	\$ 0.10299
TOU-PA-2-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.06231	\$ 0.06294	\$ 0.08476
TOU-PA-2-PRI-E5	Energy	Summer	ON-PEAK	\$ 0.44401	\$ 0.45630	\$ 0.62703
TOU-PA-2-PRI-E5	Energy	Summer	MID-PEAK	\$ 0.13533	\$ 0.13943	\$ 0.19643
TOU-PA-2-PRI-E5	Energy	Summer	OFF-PEAK	\$ 0.02640	\$ 0.02761	\$ 0.04447
TOU-PA-2-PRI-E5	Energy	Winter	MID-PEAK	\$ 0.10223	\$ 0.10316	\$ 0.13565
TOU-PA-2-PRI-E5	Energy	Winter	OFF-PEAK	\$ 0.07701	\$ 0.07775	\$ 0.10350
TOU-PA-2-PRI-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.06267	\$ 0.06330	\$ 0.08522
TOU-PA-3-A	Energy	Summer	ON-PEAK	\$ 0.13385	\$ 0.13790	\$ 0.19427
TOU-PA-3-A	Energy	Summer	MID-PEAK	\$ 0.04989	\$ 0.05172	\$ 0.07714
TOU-PA-3-A	Energy	Summer	OFF-PEAK	\$ 0.02822	\$ 0.02948	\$ 0.04693
TOU-PA-3-A	Energy	Winter	MID-PEAK	\$ 0.08569	\$ 0.08649	\$ 0.11451
TOU-PA-3-A	Energy	Winter	OFF-PEAK	\$ 0.05395	\$ 0.05451	\$ 0.07404
TOU-PA-3-B	Energy	Summer	ON-PEAK	\$ 0.03349	\$ 0.03488	\$ 0.05427
TOU-PA-3-B	Energy	Summer	MID-PEAK	\$ 0.02944	\$ 0.03072	\$ 0.04861
TOU-PA-3-B	Energy	Summer	OFF-PEAK	\$ 0.02822	\$ 0.02948	\$ 0.04693
TOU-PA-3-B	Energy	Winter	MID-PEAK	\$ 0.08569	\$ 0.08649	\$ 0.11451
TOU-PA-3-B	Energy	Winter	OFF-PEAK	\$ 0.05395	\$ 0.05451	\$ 0.07404
TOU-PA-3-B	Demand	Summer	ON-PEAK	\$ 6.31	\$ 6.48	\$ 8.80
TOU-PA-3-B	Demand	Summer	MID-PEAK	\$ 1.85	\$ 1.90	\$ 2.58
TOU-PA-3-D	Energy	Summer	ON-PEAK	\$ 0.05293	\$ 0.05484	\$ 0.08139
TOU-PA-3-D	Energy	Summer	MID-PEAK	\$ 0.04661	\$ 0.04835	\$ 0.07257
TOU-PA-3-D	Energy	Summer	OFF-PEAK	\$ 0.02443	\$ 0.02558	\$ 0.04163
TOU-PA-3-D	Energy	Winter	MID-PEAK	\$ 0.07197	\$ 0.07266	\$ 0.09701
TOU-PA-3-D	Energy	Winter	OFF-PEAK	\$ 0.07255	\$ 0.07324	\$ 0.09774
TOU-PA-3-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02909	\$ 0.02946	\$ 0.04234
TOU-PA-3-D	Demand	Summer	ON-PEAK	\$ 8.96	\$ 9.20	\$ 12.50
TOU-PA-3-D	Demand	Winter	MID-PEAK	\$ 3.15	\$ 3.17	\$ 4.01
TOU-PA-3-D5	Energy	Summer	ON-PEAK	\$ 0.12130	\$ 0.12502	\$ 0.17676

January 15, 2026

58 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit D to Resolution 26-01-099
Phase 6 Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-3-D5	Energy	Summer	MID-PEAK	\$ 0.11333	\$ 0.11684	\$ 0.16564
TOU-PA-3-D5	Energy	Summer	OFF-PEAK	\$ 0.02183	\$ 0.02292	\$ 0.03801
TOU-PA-3-D5	Energy	Winter	MID-PEAK	\$ 0.07183	\$ 0.07253	\$ 0.09683
TOU-PA-3-D5	Energy	Winter	OFF-PEAK	\$ 0.07241	\$ 0.07311	\$ 0.09757
TOU-PA-3-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02892	\$ 0.02928	\$ 0.04212
TOU-PA-3-D5	Demand	Summer	ON-PEAK	\$ 8.59	\$ 8.81	\$ 11.98
TOU-PA-3-D5	Demand	Winter	MID-PEAK	\$ 3.66	\$ 3.69	\$ 4.67
TOU-PA-3-E	Energy	Summer	ON-PEAK	\$ 0.21972	\$ 0.22605	\$ 0.31405
TOU-PA-3-E	Energy	Summer	MID-PEAK	\$ 0.04661	\$ 0.04835	\$ 0.07257
TOU-PA-3-E	Energy	Summer	OFF-PEAK	\$ 0.02443	\$ 0.02558	\$ 0.04163
TOU-PA-3-E	Energy	Winter	MID-PEAK	\$ 0.11090	\$ 0.11189	\$ 0.14664
TOU-PA-3-E	Energy	Winter	OFF-PEAK	\$ 0.08445	\$ 0.08524	\$ 0.11292
TOU-PA-3-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01858	\$ 0.01887	\$ 0.02895
TOU-PA-3-E5	Energy	Summer	ON-PEAK	\$ 0.37263	\$ 0.38302	\$ 0.52737
TOU-PA-3-E5	Energy	Summer	MID-PEAK	\$ 0.11333	\$ 0.11684	\$ 0.16564
TOU-PA-3-E5	Energy	Summer	OFF-PEAK	\$ 0.02183	\$ 0.02292	\$ 0.03801
TOU-PA-3-E5	Energy	Winter	MID-PEAK	\$ 0.11691	\$ 0.11795	\$ 0.15430
TOU-PA-3-E5	Energy	Winter	OFF-PEAK	\$ 0.08925	\$ 0.09007	\$ 0.11903
TOU-PA-3-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02033	\$ 0.02063	\$ 0.03117
TOU-PA-3-PRI-A	Energy	Summer	ON-PEAK	\$ 0.13279	\$ 0.13682	\$ 0.19279
TOU-PA-3-PRI-A	Energy	Summer	MID-PEAK	\$ 0.04883	\$ 0.05063	\$ 0.07566
TOU-PA-3-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.02716	\$ 0.02839	\$ 0.04545
TOU-PA-3-PRI-A	Energy	Winter	MID-PEAK	\$ 0.08396	\$ 0.08475	\$ 0.11230
TOU-PA-3-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.05222	\$ 0.05276	\$ 0.07183
TOU-PA-3-PRI-B	Energy	Summer	ON-PEAK	\$ 0.03280	\$ 0.03418	\$ 0.05331
TOU-PA-3-PRI-B	Energy	Summer	MID-PEAK	\$ 0.02875	\$ 0.03002	\$ 0.04766
TOU-PA-3-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.02754	\$ 0.02878	\$ 0.04597
TOU-PA-3-PRI-B	Energy	Winter	MID-PEAK	\$ 0.08458	\$ 0.08537	\$ 0.11308
TOU-PA-3-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.05283	\$ 0.05338	\$ 0.07261
TOU-PA-3-PRI-B	Demand	Summer	ON-PEAK	\$ 6.14	\$ 6.31	\$ 8.57
TOU-PA-3-PRI-B	Demand	Summer	MID-PEAK	\$ 1.68	\$ 1.73	\$ 2.35
TOU-PA-3-PRI-D	Energy	Summer	ON-PEAK	\$ 0.05225	\$ 0.05414	\$ 0.08044
TOU-PA-3-PRI-D	Energy	Summer	MID-PEAK	\$ 0.04592	\$ 0.04765	\$ 0.07162
TOU-PA-3-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.02374	\$ 0.02488	\$ 0.04067
TOU-PA-3-PRI-D	Energy	Winter	MID-PEAK	\$ 0.07085	\$ 0.07153	\$ 0.09558
TOU-PA-3-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.07143	\$ 0.07212	\$ 0.09632
TOU-PA-3-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02797	\$ 0.02833	\$ 0.04092
TOU-PA-3-PRI-D	Demand	Summer	ON-PEAK	\$ 8.83	\$ 9.06	\$ 12.31
TOU-PA-3-PRI-D	Demand	Winter	MID-PEAK	\$ 2.92	\$ 2.95	\$ 3.73
TOU-PA-3-PRI-D5	Energy	Summer	ON-PEAK	\$ 0.12061	\$ 0.12432	\$ 0.17581
TOU-PA-3-PRI-D5	Energy	Summer	MID-PEAK	\$ 0.11264	\$ 0.11614	\$ 0.16469
TOU-PA-3-PRI-D5	Energy	Summer	OFF-PEAK	\$ 0.02115	\$ 0.02222	\$ 0.03706
TOU-PA-3-PRI-D5	Energy	Winter	MID-PEAK	\$ 0.07071	\$ 0.07140	\$ 0.09541
TOU-PA-3-PRI-D5	Energy	Winter	OFF-PEAK	\$ 0.07129	\$ 0.07198	\$ 0.09614

January 15, 2026

59 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit D to Resolution 26-01-099
Phase 6 Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN	CLEAN	100% GREEN
TOU-PA-3-PRI-D5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02780	\$ 0.02816	\$ 0.04070
TOU-PA-3-PRI-D5	Demand	Summer	ON-PEAK	\$ 8.45	\$ 8.68	\$ 11.79
TOU-PA-3-PRI-D5	Demand	Winter	MID-PEAK	\$ 3.44	\$ 3.47	\$ 4.39
TOU-PA-3-PRI-E	Energy	Summer	ON-PEAK	\$ 0.21866	\$ 0.22496	\$ 0.31258
TOU-PA-3-PRI-E	Energy	Summer	MID-PEAK	\$ 0.04555	\$ 0.04726	\$ 0.07109
TOU-PA-3-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.02337	\$ 0.02449	\$ 0.04015
TOU-PA-3-PRI-E	Energy	Winter	MID-PEAK	\$ 0.10917	\$ 0.11014	\$ 0.14443
TOU-PA-3-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.08272	\$ 0.08350	\$ 0.11071
TOU-PA-3-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01685	\$ 0.01712	\$ 0.02674
TOU-PA-3-PRI-E5	Energy	Summer	ON-PEAK	\$ 0.37157	\$ 0.38193	\$ 0.52589
TOU-PA-3-PRI-E5	Energy	Summer	MID-PEAK	\$ 0.11227	\$ 0.11575	\$ 0.16416
TOU-PA-3-PRI-E5	Energy	Summer	OFF-PEAK	\$ 0.02077	\$ 0.02183	\$ 0.03653
TOU-PA-3-PRI-E5	Energy	Winter	MID-PEAK	\$ 0.11518	\$ 0.11620	\$ 0.15209
TOU-PA-3-PRI-E5	Energy	Winter	OFF-PEAK	\$ 0.08751	\$ 0.08833	\$ 0.11683
TOU-PA-3-PRI-E5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01860	\$ 0.01888	\$ 0.02896
AL-2-F	Energy	All_Year	NONE	\$ 0.08364	\$ 0.08709	\$ 0.11361
AL-2-GF	Energy	Summer	ON-PEAK	\$ 0.23130	\$ 0.23973	\$ 0.30447
AL-2-GF	Energy	Summer	OFF-PEAK	\$ 0.07834	\$ 0.08179	\$ 0.10831
AL-2-GF	Energy	Winter	ON-PEAK	\$ 0.14717	\$ 0.15276	\$ 0.19573
AL-2-GF	Energy	Winter	OFF-PEAK	\$ 0.07834	\$ 0.08179	\$ 0.10831
DWL	Energy	All_Year	NONE	\$ 0.03623	\$ 0.04007	\$ 0.05158
LS-1	Energy	All_Year	NONE	\$ 0.07820	\$ 0.08165	\$ 0.10814
LS-3	Energy	All_Year	NONE	\$ 0.07834	\$ 0.08179	\$ 0.10831
TC-1	Energy	All_Year	NONE	\$ 0.06769	\$ 0.07498	\$ 0.09686
WTR	Energy	All_Year	NONE	\$ 0.06827	\$ 0.07391	\$ 0.09083

Exhibit D to Resolution 26-01-099
Phase 6 CARE/FERA/Medical Baseline Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN CARE	DEFAULT 100% GREEN - CARE
DOMESTIC	Energy	All_Year	NONE	\$ 0.08855	\$ 0.09309	\$ 0.10673	\$ 0.09309
TOU-D-4	Energy	Summer	ON-PEAK	\$ 0.22227	\$ 0.23216	\$ 0.26184	\$ 0.23216
TOU-D-4	Energy	Summer	MID-PEAK	\$ 0.10495	\$ 0.11018	\$ 0.12585	\$ 0.11018
TOU-D-4	Energy	Summer	OFF-PEAK	\$ 0.04553	\$ 0.04840	\$ 0.05698	\$ 0.04840
TOU-D-4	Energy	Winter	MID-PEAK	\$ 0.15025	\$ 0.15728	\$ 0.17835	\$ 0.15728
TOU-D-4	Energy	Winter	OFF-PEAK	\$ 0.07340	\$ 0.07737	\$ 0.08928	\$ 0.07737
TOU-D-4	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05534	\$ 0.05860	\$ 0.06835	\$ 0.05860
TOU-D-5	Energy	Summer	ON-PEAK	\$ 0.37712	\$ 0.39322	\$ 0.44153	\$ 0.39322
TOU-D-5	Energy	Summer	MID-PEAK	\$ 0.18136	\$ 0.18965	\$ 0.21453	\$ 0.18965
TOU-D-5	Energy	Summer	OFF-PEAK	\$ 0.03503	\$ 0.03748	\$ 0.04483	\$ 0.03748
TOU-D-5	Energy	Winter	MID-PEAK	\$ 0.24436	\$ 0.25517	\$ 0.28759	\$ 0.25517
TOU-D-5	Energy	Winter	OFF-PEAK	\$ 0.07089	\$ 0.07477	\$ 0.08641	\$ 0.07477
TOU-D-5	Energy	Winter	SUPER-OFF-PEAK	\$ 0.04140	\$ 0.04410	\$ 0.05222	\$ 0.04410
TOU-D-A	Energy	Summer	ON-PEAK	\$ 0.23915	\$ 0.24988	\$ 0.28208	\$ 0.24988
TOU-D-A	Energy	Summer	OFF-PEAK	\$ 0.08453	\$ 0.08901	\$ 0.10246	\$ 0.08901
TOU-D-A	Energy	Summer	SUPER-OFF-PEAK	\$ 0.05174	\$ 0.05490	\$ 0.06437	\$ 0.05490
TOU-D-A	Energy	Winter	ON-PEAK	\$ 0.13135	\$ 0.13772	\$ 0.15685	\$ 0.13772
TOU-D-A	Energy	Winter	OFF-PEAK	\$ 0.05808	\$ 0.06150	\$ 0.07174	\$ 0.06150
TOU-D-A	Energy	Winter	SUPER-OFF-PEAK	\$ 0.05355	\$ 0.05678	\$ 0.06647	\$ 0.05678
TOU-D-B	Energy	Summer	ON-PEAK	\$ 0.37372	\$ 0.39005	\$ 0.43906	\$ 0.39005
TOU-D-B	Energy	Summer	OFF-PEAK	\$ 0.08447	\$ 0.08900	\$ 0.10258	\$ 0.08900
TOU-D-B	Energy	Summer	SUPER-OFF-PEAK	\$ 0.01176	\$ 0.01332	\$ 0.01799	\$ 0.01332
TOU-D-B	Energy	Winter	ON-PEAK	\$ 0.12883	\$ 0.13516	\$ 0.15417	\$ 0.13516
TOU-D-B	Energy	Winter	OFF-PEAK	\$ 0.05808	\$ 0.06153	\$ 0.07187	\$ 0.06153
TOU-D-B	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01264	\$ 0.01423	\$ 0.01901	\$ 0.01423
TOU-D-PRIME	Energy	Summer	ON-PEAK	\$ 0.26332	\$ 0.27535	\$ 0.31143	\$ 0.27535
TOU-D-PRIME	Energy	Summer	MID-PEAK	\$ 0.07672	\$ 0.08100	\$ 0.09384	\$ 0.08100
TOU-D-PRIME	Energy	Summer	OFF-PEAK	\$ 0.04245	\$ 0.04531	\$ 0.05389	\$ 0.04531
TOU-D-PRIME	Energy	Winter	MID-PEAK	\$ 0.23229	\$ 0.24303	\$ 0.27525	\$ 0.24303
TOU-D-PRIME	Energy	Winter	OFF-PEAK	\$ 0.03180	\$ 0.03422	\$ 0.04146	\$ 0.03422
TOU-D-PRIME	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03180	\$ 0.03422	\$ 0.04146	\$ 0.03422
TOU-D-PRIME-SOP	Energy	Summer	ON-PEAK	\$ 0.26332	\$ 0.27535	\$ 0.31143	\$ 0.27535
TOU-D-PRIME-SOP	Energy	Summer	MID-PEAK	\$ 0.07672	\$ 0.08100	\$ 0.09384	\$ 0.08100
TOU-D-PRIME-SOP	Energy	Summer	OFF-PEAK	\$ 0.05414	\$ 0.05778	\$ 0.06872	\$ 0.05778
TOU-D-PRIME-SOP	Energy	Summer	SUPER-OFF-PEAK	\$ 0.02707	\$ 0.02889	\$ 0.03436	\$ 0.02889
TOU-D-PRIME-SOP	Energy	Winter	MID-PEAK	\$ 0.23229	\$ 0.24303	\$ 0.27525	\$ 0.24303
TOU-D-PRIME-SOP	Energy	Winter	OFF-PEAK	\$ 0.03948	\$ 0.04248	\$ 0.05146	\$ 0.04248
TOU-D-PRIME-SOP	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01974	\$ 0.02124	\$ 0.02573	\$ 0.02124
TOU-D-T	Energy	Summer	ON-PEAK	\$ 0.11951	\$ 0.12475	\$ 0.14048	\$ 0.12475
TOU-D-T	Energy	Summer	OFF-PEAK	\$ 0.10624	\$ 0.11101	\$ 0.12531	\$ 0.11101
TOU-D-T	Energy	Winter	ON-PEAK	\$ 0.08171	\$ 0.08560	\$ 0.09725	\$ 0.08560
TOU-D-T	Energy	Winter	OFF-PEAK	\$ 0.07189	\$ 0.07542	\$ 0.08602	\$ 0.07542

Exhibit D to Resolution 26-01-099
Phase 6 CARE/FERA/Medical Baseline Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN CARE	DEFAULT 100% GREEN - CARE
TOU-GS-1-A	Energy	Summer	ON-PEAK	\$ 0.13020	\$ 0.13533	\$ 0.15072	\$ 0.13533
TOU-GS-1-A	Energy	Summer	MID-PEAK	\$ 0.12056	\$ 0.12535	\$ 0.13975	\$ 0.12535
TOU-GS-1-A	Energy	Summer	OFF-PEAK	\$ 0.11529	\$ 0.11991	\$ 0.13376	\$ 0.11991
TOU-GS-1-A	Energy	Winter	MID-PEAK	\$ 0.08007	\$ 0.08347	\$ 0.09369	\$ 0.08347
TOU-GS-1-A	Energy	Winter	OFF-PEAK	\$ 0.07018	\$ 0.07325	\$ 0.08244	\$ 0.07325
TOU-GS-1-B	Energy	Summer	ON-PEAK	\$ 0.06262	\$ 0.06487	\$ 0.07163	\$ 0.06487
TOU-GS-1-B	Energy	Summer	MID-PEAK	\$ 0.05735	\$ 0.05946	\$ 0.06578	\$ 0.05946
TOU-GS-1-B	Energy	Summer	OFF-PEAK	\$ 0.05447	\$ 0.05649	\$ 0.06257	\$ 0.05649
TOU-GS-1-B	Energy	Winter	MID-PEAK	\$ 0.08030	\$ 0.08304	\$ 0.09126	\$ 0.08304
TOU-GS-1-B	Energy	Winter	OFF-PEAK	\$ 0.07039	\$ 0.07286	\$ 0.08026	\$ 0.07286
TOU-GS-1-B	Demand	Summer	ON-PEAK	\$ 11.55	\$ 11.87	\$ 12.83	\$ 11.87
TOU-GS-1-B	Demand	Summer	MID-PEAK	\$ 3.76	\$ 3.86	\$ 4.17	\$ 3.86
TOU-GS-1-D	Energy	Summer	ON-PEAK	\$ 0.09264	\$ 0.09607	\$ 0.10636	\$ 0.09607
TOU-GS-1-D	Energy	Summer	MID-PEAK	\$ 0.08184	\$ 0.08494	\$ 0.09423	\$ 0.08494
TOU-GS-1-D	Energy	Summer	OFF-PEAK	\$ 0.04714	\$ 0.04917	\$ 0.05526	\$ 0.04917
TOU-GS-1-D	Energy	Winter	MID-PEAK	\$ 0.08612	\$ 0.08934	\$ 0.09903	\$ 0.08934
TOU-GS-1-D	Energy	Winter	OFF-PEAK	\$ 0.05526	\$ 0.05754	\$ 0.06437	\$ 0.05754
TOU-GS-1-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03661	\$ 0.03831	\$ 0.04343	\$ 0.03831
TOU-GS-1-D	Demand	Summer	ON-PEAK	\$ 15.71	\$ 16.20	\$ 17.64	\$ 16.20
TOU-GS-1-D	Demand	Winter	MID-PEAK	\$ 4.82	\$ 4.97	\$ 5.42	\$ 4.97
TOU-GS-1-E	Energy	Summer	ON-PEAK	\$ 0.39645	\$ 0.41096	\$ 0.45449	\$ 0.41096
TOU-GS-1-E	Energy	Summer	MID-PEAK	\$ 0.09172	\$ 0.09558	\$ 0.10717	\$ 0.09558
TOU-GS-1-E	Energy	Summer	OFF-PEAK	\$ 0.06019	\$ 0.06295	\$ 0.07124	\$ 0.06295
TOU-GS-1-E	Energy	Winter	MID-PEAK	\$ 0.14895	\$ 0.15482	\$ 0.17241	\$ 0.15482
TOU-GS-1-E	Energy	Winter	OFF-PEAK	\$ 0.07436	\$ 0.07762	\$ 0.08739	\$ 0.07762
TOU-GS-1-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03008	\$ 0.03179	\$ 0.03692	\$ 0.03179
TOU-GS-1-ES	Energy	Summer	ON-PEAK	\$ 0.41299	\$ 0.42810	\$ 0.47345	\$ 0.42810
TOU-GS-1-ES	Energy	Summer	MID-PEAK	\$ 0.09942	\$ 0.10356	\$ 0.11598	\$ 0.10356
TOU-GS-1-ES	Energy	Summer	OFF-PEAK	\$ 0.06296	\$ 0.06582	\$ 0.07442	\$ 0.06582
TOU-GS-1-ES	Energy	Winter	MID-PEAK	\$ 0.14534	\$ 0.15109	\$ 0.16833	\$ 0.15109
TOU-GS-1-ES	Energy	Winter	OFF-PEAK	\$ 0.07001	\$ 0.07312	\$ 0.08245	\$ 0.07312
TOU-GS-1-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02817	\$ 0.02981	\$ 0.03475	\$ 0.02981
TOU-GS-1-PRI-A	Energy	Summer	ON-PEAK	\$ 0.12895	\$ 0.13403	\$ 0.14930	\$ 0.13403
TOU-GS-1-PRI-A	Energy	Summer	MID-PEAK	\$ 0.11930	\$ 0.12406	\$ 0.13833	\$ 0.12406
TOU-GS-1-PRI-A	Energy	Summer	OFF-PEAK	\$ 0.11404	\$ 0.11861	\$ 0.13234	\$ 0.11861
TOU-GS-1-PRI-A	Energy	Winter	MID-PEAK	\$ 0.07882	\$ 0.08218	\$ 0.09226	\$ 0.08218
TOU-GS-1-PRI-A	Energy	Winter	OFF-PEAK	\$ 0.06893	\$ 0.07195	\$ 0.08102	\$ 0.07195
TOU-GS-1-PRI-B	Energy	Summer	ON-PEAK	\$ 0.06217	\$ 0.06441	\$ 0.07113	\$ 0.06441
TOU-GS-1-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05690	\$ 0.05899	\$ 0.06528	\$ 0.05899
TOU-GS-1-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.05401	\$ 0.05603	\$ 0.06207	\$ 0.05603
TOU-GS-1-PRI-B	Energy	Winter	MID-PEAK	\$ 0.07985	\$ 0.08258	\$ 0.09076	\$ 0.08258
TOU-GS-1-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.06994	\$ 0.07239	\$ 0.07976	\$ 0.07239
TOU-GS-1-PRI-B	Demand	Summer	ON-PEAK	\$ 11.28	\$ 11.60	\$ 12.53	\$ 11.60
TOU-GS-1-PRI-B	Demand	Summer	MID-PEAK	\$ 3.49	\$ 3.59	\$ 3.88	\$ 3.59
TOU-GS-1-PRI-D	Energy	Summer	ON-PEAK	\$ 0.09219	\$ 0.09561	\$ 0.10585	\$ 0.09561
TOU-GS-1-PRI-D	Energy	Summer	MID-PEAK	\$ 0.08139	\$ 0.08447	\$ 0.09372	\$ 0.08447
TOU-GS-1-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04669	\$ 0.04871	\$ 0.05476	\$ 0.04871
TOU-GS-1-PRI-D	Energy	Winter	MID-PEAK	\$ 0.08566	\$ 0.08888	\$ 0.09852	\$ 0.08888

January 15, 2026

62 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit D to Resolution 26-01-099
Phase 6 CARE/FERA/Medical Baseline Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN CARE	DEFAULT 100% GREEN - CARE
TOU-GS-1-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05481	\$ 0.05707	\$ 0.06387	\$ 0.05707
TOU-GS-1-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03616	\$ 0.03785	\$ 0.04292	\$ 0.03785
TOU-GS-1-PRI-D	Demand	Summer	ON-PEAK	\$ 15.52	\$ 15.99	\$ 17.42	\$ 15.99
TOU-GS-1-PRI-D	Demand	Winter	MID-PEAK	\$ 4.63	\$ 4.77	\$ 5.20	\$ 4.77
TOU-GS-1-PRI-E	Energy	Summer	ON-PEAK	\$ 0.39519	\$ 0.40967	\$ 0.45309	\$ 0.40967
TOU-GS-1-PRI-E	Energy	Summer	MID-PEAK	\$ 0.09046	\$ 0.09429	\$ 0.10575	\$ 0.09429
TOU-GS-1-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.05894	\$ 0.06166	\$ 0.06982	\$ 0.06166
TOU-GS-1-PRI-E	Energy	Winter	MID-PEAK	\$ 0.14770	\$ 0.15352	\$ 0.17099	\$ 0.15352
TOU-GS-1-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.07311	\$ 0.07633	\$ 0.08597	\$ 0.07633
TOU-GS-1-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02882	\$ 0.03049	\$ 0.03549	\$ 0.03049
TOU-GS-1-PRI-ES	Energy	Summer	ON-PEAK	\$ 0.41173	\$ 0.42681	\$ 0.47206	\$ 0.42681
TOU-GS-1-PRI-ES	Energy	Summer	MID-PEAK	\$ 0.09816	\$ 0.10226	\$ 0.11456	\$ 0.10226
TOU-GS-1-PRI-ES	Energy	Summer	OFF-PEAK	\$ 0.06171	\$ 0.06453	\$ 0.07299	\$ 0.06453
TOU-GS-1-PRI-ES	Energy	Winter	MID-PEAK	\$ 0.14409	\$ 0.14979	\$ 0.16691	\$ 0.14979
TOU-GS-1-PRI-ES	Energy	Winter	OFF-PEAK	\$ 0.06875	\$ 0.07182	\$ 0.08103	\$ 0.07182
TOU-GS-1-PRI-ES	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02691	\$ 0.02852	\$ 0.03333	\$ 0.02852
TOU-GS-1-SUB-A	Energy	Summer	ON-PEAK	\$ 0.12768	\$ 0.13211	\$ 0.14542	\$ 0.13211
TOU-GS-1-SUB-A	Energy	Summer	MID-PEAK	\$ 0.11802	\$ 0.12217	\$ 0.13460	\$ 0.12217
TOU-GS-1-SUB-A	Energy	Summer	OFF-PEAK	\$ 0.11275	\$ 0.11673	\$ 0.12868	\$ 0.11673
TOU-GS-1-SUB-A	Energy	Winter	MID-PEAK	\$ 0.07748	\$ 0.08039	\$ 0.08914	\$ 0.08039
TOU-GS-1-SUB-A	Energy	Winter	OFF-PEAK	\$ 0.06757	\$ 0.07019	\$ 0.07804	\$ 0.07019
TOU-GS-1-SUB-B	Energy	Summer	ON-PEAK	\$ 0.06182	\$ 0.06387	\$ 0.07000	\$ 0.06387
TOU-GS-1-SUB-B	Energy	Summer	MID-PEAK	\$ 0.05655	\$ 0.05846	\$ 0.06419	\$ 0.05846
TOU-GS-1-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.05366	\$ 0.05550	\$ 0.06101	\$ 0.05550
TOU-GS-1-SUB-B	Energy	Winter	MID-PEAK	\$ 0.07952	\$ 0.08201	\$ 0.08949	\$ 0.08201
TOU-GS-1-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.06960	\$ 0.07184	\$ 0.07856	\$ 0.07184
TOU-GS-1-SUB-B	Demand	Summer	ON-PEAK	\$ 10.95	\$ 11.23	\$ 12.06	\$ 11.23
TOU-GS-1-SUB-B	Demand	Summer	MID-PEAK	\$ 3.15	\$ 3.23	\$ 3.47	\$ 3.23
TOU-GS-1-SUB-D	Energy	Summer	ON-PEAK	\$ 0.09189	\$ 0.09498	\$ 0.10427	\$ 0.09498
TOU-GS-1-SUB-D	Energy	Summer	MID-PEAK	\$ 0.08108	\$ 0.08387	\$ 0.09225	\$ 0.08387
TOU-GS-1-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.04634	\$ 0.04817	\$ 0.05363	\$ 0.04817
TOU-GS-1-SUB-D	Energy	Winter	MID-PEAK	\$ 0.08535	\$ 0.08827	\$ 0.09700	\$ 0.08827
TOU-GS-1-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.05447	\$ 0.05652	\$ 0.06267	\$ 0.05652
TOU-GS-1-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.03580	\$ 0.03733	\$ 0.04191	\$ 0.03733
TOU-GS-1-SUB-D	Demand	Summer	ON-PEAK	\$ 15.27	\$ 15.69	\$ 16.97	\$ 15.69
TOU-GS-1-SUB-D	Demand	Winter	MID-PEAK	\$ 4.37	\$ 4.49	\$ 4.85	\$ 4.49
TOU-GS-1-SUB-E	Energy	Summer	ON-PEAK	\$ 0.39433	\$ 0.40700	\$ 0.44502	\$ 0.40700
TOU-GS-1-SUB-E	Energy	Summer	MID-PEAK	\$ 0.08915	\$ 0.09246	\$ 0.10240	\$ 0.09246
TOU-GS-1-SUB-E	Energy	Summer	OFF-PEAK	\$ 0.05757	\$ 0.05992	\$ 0.06695	\$ 0.05992
TOU-GS-1-SUB-E	Energy	Winter	MID-PEAK	\$ 0.14647	\$ 0.15154	\$ 0.16675	\$ 0.15154
TOU-GS-1-SUB-E	Energy	Winter	OFF-PEAK	\$ 0.07177	\$ 0.07455	\$ 0.08289	\$ 0.07455
TOU-GS-1-SUB-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.02741	\$ 0.02883	\$ 0.03309	\$ 0.02883
TOU-GS-2-B	Energy	Summer	ON-PEAK	\$ 0.05786	\$ 0.06049	\$ 0.06838	\$ 0.06049
TOU-GS-2-B	Energy	Summer	MID-PEAK	\$ 0.05285	\$ 0.05531	\$ 0.06269	\$ 0.05531
TOU-GS-2-B	Energy	Summer	OFF-PEAK	\$ 0.05010	\$ 0.05247	\$ 0.05957	\$ 0.05247
TOU-GS-2-B	Energy	Winter	MID-PEAK	\$ 0.07457	\$ 0.07776	\$ 0.08735	\$ 0.07776
TOU-GS-2-B	Energy	Winter	OFF-PEAK	\$ 0.03596	\$ 0.03785	\$ 0.04351	\$ 0.03785
TOU-GS-2-B	Demand	Summer	ON-PEAK	\$ 13.81	\$ 14.27	\$ 15.68	\$ 14.27

January 15, 2026

63 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit D to Resolution 26-01-099
Phase 6 CARE/FERA/Medical Baseline Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN CARE	DEFAULT 100% GREEN - CARE
TOU-GS-2-B	Demand	Summer	MID-PEAK	\$ 4.64	\$ 4.80	\$ 5.27	\$ 4.80
TOU-GS-2-D	Energy	Summer	ON-PEAK	\$ 0.08740	\$ 0.09130	\$ 0.10299	\$ 0.09130
TOU-GS-2-D	Energy	Summer	MID-PEAK	\$ 0.07795	\$ 0.08150	\$ 0.09217	\$ 0.08150
TOU-GS-2-D	Energy	Summer	OFF-PEAK	\$ 0.04293	\$ 0.04521	\$ 0.05205	\$ 0.04521
TOU-GS-2-D	Energy	Winter	MID-PEAK	\$ 0.05257	\$ 0.05520	\$ 0.06310	\$ 0.05520
TOU-GS-2-D	Energy	Winter	OFF-PEAK	\$ 0.05301	\$ 0.05566	\$ 0.06360	\$ 0.05566
TOU-GS-2-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01845	\$ 0.01984	\$ 0.02401	\$ 0.01984
TOU-GS-2-D	Demand	Summer	ON-PEAK	\$ 19.90	\$ 20.62	\$ 22.79	\$ 20.62
TOU-GS-2-D	Demand	Winter	MID-PEAK	\$ 5.22	\$ 5.41	\$ 5.98	\$ 5.41
TOU-GS-2-E	Energy	Summer	ON-PEAK	\$ 0.34122	\$ 0.35506	\$ 0.39657	\$ 0.35506
TOU-GS-2-E	Energy	Summer	MID-PEAK	\$ 0.07788	\$ 0.08162	\$ 0.09285	\$ 0.08162
TOU-GS-2-E	Energy	Summer	OFF-PEAK	\$ 0.04288	\$ 0.04529	\$ 0.05249	\$ 0.04529
TOU-GS-2-E	Energy	Winter	MID-PEAK	\$ 0.09295	\$ 0.09727	\$ 0.11023	\$ 0.09727
TOU-GS-2-E	Energy	Winter	OFF-PEAK	\$ 0.05296	\$ 0.05575	\$ 0.06411	\$ 0.05575
TOU-GS-2-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01842	\$ 0.01989	\$ 0.02428	\$ 0.01989
TOU-GS-2-E	Demand	Summer	ON-PEAK	\$ 5.52	\$ 5.74	\$ 6.37	\$ 5.74
TOU-GS-2-E	Demand	Winter	MID-PEAK	\$ 2.13	\$ 2.21	\$ 2.46	\$ 2.21
TOU-GS-2-PRI-B	Energy	Summer	ON-PEAK	\$ 0.05699	\$ 0.05960	\$ 0.06743	\$ 0.05960
TOU-GS-2-PRI-B	Energy	Summer	MID-PEAK	\$ 0.05198	\$ 0.05441	\$ 0.06173	\$ 0.05441
TOU-GS-2-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.04922	\$ 0.05157	\$ 0.05861	\$ 0.05157
TOU-GS-2-PRI-B	Energy	Winter	MID-PEAK	\$ 0.07369	\$ 0.07687	\$ 0.08640	\$ 0.07687
TOU-GS-2-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.03509	\$ 0.03695	\$ 0.04255	\$ 0.03695
TOU-GS-2-PRI-B	Demand	Summer	ON-PEAK	\$ 13.26	\$ 13.71	\$ 15.06	\$ 13.71
TOU-GS-2-PRI-B	Demand	Summer	MID-PEAK	\$ 4.09	\$ 4.23	\$ 4.65	\$ 4.23
TOU-GS-2-PRI-D	Energy	Summer	ON-PEAK	\$ 0.08652	\$ 0.09040	\$ 0.10202	\$ 0.09040
TOU-GS-2-PRI-D	Energy	Summer	MID-PEAK	\$ 0.07707	\$ 0.08060	\$ 0.09120	\$ 0.08060
TOU-GS-2-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04205	\$ 0.04431	\$ 0.05107	\$ 0.04431
TOU-GS-2-PRI-D	Energy	Winter	MID-PEAK	\$ 0.05170	\$ 0.05430	\$ 0.06212	\$ 0.05430
TOU-GS-2-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05214	\$ 0.05476	\$ 0.06262	\$ 0.05476
TOU-GS-2-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01758	\$ 0.01894	\$ 0.02302	\$ 0.01894
TOU-GS-2-PRI-D	Demand	Summer	ON-PEAK	\$ 19.45	\$ 20.16	\$ 22.28	\$ 20.16
TOU-GS-2-PRI-D	Demand	Winter	MID-PEAK	\$ 5.11	\$ 5.29	\$ 5.85	\$ 5.29
TOU-GS-2-PRI-E	Energy	Summer	ON-PEAK	\$ 0.33992	\$ 0.35373	\$ 0.39516	\$ 0.35373
TOU-GS-2-PRI-E	Energy	Summer	MID-PEAK	\$ 0.07658	\$ 0.08028	\$ 0.09138	\$ 0.08028
TOU-GS-2-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.04158	\$ 0.04394	\$ 0.05101	\$ 0.04394
TOU-GS-2-PRI-E	Energy	Winter	MID-PEAK	\$ 0.09164	\$ 0.09592	\$ 0.10876	\$ 0.09592
TOU-GS-2-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.05166	\$ 0.05440	\$ 0.06263	\$ 0.05440
TOU-GS-2-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01712	\$ 0.01854	\$ 0.02279	\$ 0.01854
TOU-GS-2-PRI-E	Demand	Summer	ON-PEAK	\$ 5.34	\$ 5.54	\$ 6.16	\$ 5.54
TOU-GS-2-PRI-E	Demand	Winter	MID-PEAK	\$ 2.08	\$ 2.16	\$ 2.40	\$ 2.16
TOU-GS-2-PRI-R	Energy	Summer	ON-PEAK	\$ 0.23780	\$ 0.24706	\$ 0.27483	\$ 0.24706
TOU-GS-2-PRI-R	Energy	Summer	MID-PEAK	\$ 0.10145	\$ 0.10581	\$ 0.11888	\$ 0.10581
TOU-GS-2-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.04783	\$ 0.05026	\$ 0.05754	\$ 0.05026
TOU-GS-2-PRI-R	Energy	Winter	MID-PEAK	\$ 0.07228	\$ 0.07559	\$ 0.08551	\$ 0.07559
TOU-GS-2-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.03370	\$ 0.03562	\$ 0.04138	\$ 0.03562
TOU-GS-2-R	Energy	Summer	ON-PEAK	\$ 0.24004	\$ 0.24933	\$ 0.27721	\$ 0.24933
TOU-GS-2-R	Energy	Summer	MID-PEAK	\$ 0.10368	\$ 0.10810	\$ 0.12135	\$ 0.10810
TOU-GS-2-R	Energy	Summer	OFF-PEAK	\$ 0.05005	\$ 0.05255	\$ 0.06004	\$ 0.05255

January 15, 2026

64 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit D to Resolution 26-01-099
Phase 6 CARE/FERA/Medical Baseline Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN CARE	DEFAULT 100% GREEN - CARE
TOU-GS-2-R	Energy	Winter	MID-PEAK	\$ 0.07450	\$ 0.07788	\$ 0.08799	\$ 0.07788
TOU-GS-2-R	Energy	Winter	OFF-PEAK	\$ 0.03592	\$ 0.03792	\$ 0.04389	\$ 0.03792
TOU-GS-2-SUB-B	Energy	Summer	ON-PEAK	\$ 0.05606	\$ 0.05823	\$ 0.06475	\$ 0.05823
TOU-GS-2-SUB-B	Energy	Summer	MID-PEAK	\$ 0.05104	\$ 0.05307	\$ 0.05915	\$ 0.05307
TOU-GS-2-SUB-B	Energy	Summer	OFF-PEAK	\$ 0.04828	\$ 0.05023	\$ 0.05608	\$ 0.05023
TOU-GS-2-SUB-B	Energy	Winter	MID-PEAK	\$ 0.07280	\$ 0.07545	\$ 0.08340	\$ 0.07545
TOU-GS-2-SUB-B	Energy	Winter	OFF-PEAK	\$ 0.03412	\$ 0.03566	\$ 0.04029	\$ 0.03566
TOU-GS-2-SUB-B	Demand	Summer	ON-PEAK	\$ 12.57	\$ 12.92	\$ 14.00	\$ 12.92
TOU-GS-2-SUB-B	Demand	Summer	MID-PEAK	\$ 3.38	\$ 3.48	\$ 3.77	\$ 3.48
TOU-GS-2-SUB-D	Energy	Summer	ON-PEAK	\$ 0.08565	\$ 0.08895	\$ 0.09885	\$ 0.08895
TOU-GS-2-SUB-D	Energy	Summer	MID-PEAK	\$ 0.07618	\$ 0.07918	\$ 0.08820	\$ 0.07918
TOU-GS-2-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.04110	\$ 0.04300	\$ 0.04872	\$ 0.04300
TOU-GS-2-SUB-D	Energy	Winter	MID-PEAK	\$ 0.05076	\$ 0.05297	\$ 0.05959	\$ 0.05297
TOU-GS-2-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.05120	\$ 0.05342	\$ 0.06009	\$ 0.05342
TOU-GS-2-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01658	\$ 0.01771	\$ 0.02113	\$ 0.01771
TOU-GS-2-SUB-D	Demand	Summer	ON-PEAK	\$ 18.89	\$ 19.49	\$ 21.26	\$ 19.49
TOU-GS-2-SUB-D	Demand	Winter	MID-PEAK	\$ 4.96	\$ 5.11	\$ 5.58	\$ 5.11
TOU-GS-3-B	Energy	Summer	ON-PEAK	\$ 0.05490	\$ 0.05717	\$ 0.06398	\$ 0.05717
TOU-GS-3-B	Energy	Summer	MID-PEAK	\$ 0.05000	\$ 0.05212	\$ 0.05848	\$ 0.05212
TOU-GS-3-B	Energy	Summer	OFF-PEAK	\$ 0.04749	\$ 0.04954	\$ 0.05566	\$ 0.04954
TOU-GS-3-B	Energy	Winter	MID-PEAK	\$ 0.07484	\$ 0.07772	\$ 0.08636	\$ 0.07772
TOU-GS-3-B	Energy	Winter	OFF-PEAK	\$ 0.03560	\$ 0.03728	\$ 0.04232	\$ 0.03728
TOU-GS-3-B	Demand	Summer	ON-PEAK	\$ 11.46	\$ 11.81	\$ 12.86	\$ 11.81
TOU-GS-3-B	Demand	Summer	MID-PEAK	\$ 3.82	\$ 3.94	\$ 4.29	\$ 3.94
TOU-GS-3-D	Energy	Summer	ON-PEAK	\$ 0.08034	\$ 0.08358	\$ 0.09328	\$ 0.08358
TOU-GS-3-D	Energy	Summer	MID-PEAK	\$ 0.07157	\$ 0.07452	\$ 0.08336	\$ 0.07452
TOU-GS-3-D	Energy	Summer	OFF-PEAK	\$ 0.04210	\$ 0.04409	\$ 0.05007	\$ 0.04409
TOU-GS-3-D	Energy	Winter	MID-PEAK	\$ 0.05155	\$ 0.05385	\$ 0.06075	\$ 0.05385
TOU-GS-3-D	Energy	Winter	OFF-PEAK	\$ 0.05198	\$ 0.05429	\$ 0.06122	\$ 0.05429
TOU-GS-3-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01818	\$ 0.01939	\$ 0.02304	\$ 0.01939
TOU-GS-3-D	Demand	Summer	ON-PEAK	\$ 17.09	\$ 17.65	\$ 19.31	\$ 17.65
TOU-GS-3-D	Demand	Winter	MID-PEAK	\$ 6.18	\$ 6.38	\$ 6.98	\$ 6.38
TOU-GS-3-E	Energy	Summer	ON-PEAK	\$ 0.27541	\$ 0.28573	\$ 0.31669	\$ 0.28573
TOU-GS-3-E	Energy	Summer	MID-PEAK	\$ 0.07149	\$ 0.07466	\$ 0.08419	\$ 0.07466
TOU-GS-3-E	Energy	Summer	OFF-PEAK	\$ 0.04205	\$ 0.04419	\$ 0.05063	\$ 0.04419
TOU-GS-3-E	Energy	Winter	MID-PEAK	\$ 0.09492	\$ 0.09891	\$ 0.11090	\$ 0.09891
TOU-GS-3-E	Energy	Winter	OFF-PEAK	\$ 0.05191	\$ 0.05440	\$ 0.06187	\$ 0.05440
TOU-GS-3-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01815	\$ 0.01946	\$ 0.02338	\$ 0.01946
TOU-GS-3-E	Demand	Summer	ON-PEAK	\$ 4.75	\$ 4.91	\$ 5.41	\$ 4.91
TOU-GS-3-E	Demand	Winter	MID-PEAK	\$ 2.53	\$ 2.61	\$ 2.88	\$ 2.61
TOU-GS-3-PRI-B	Energy	Summer	ON-PEAK	\$ 0.05402	\$ 0.05627	\$ 0.06301	\$ 0.05627
TOU-GS-3-PRI-B	Energy	Summer	MID-PEAK	\$ 0.04912	\$ 0.05122	\$ 0.05751	\$ 0.05122
TOU-GS-3-PRI-B	Energy	Summer	OFF-PEAK	\$ 0.04661	\$ 0.04863	\$ 0.05469	\$ 0.04863
TOU-GS-3-PRI-B	Energy	Winter	MID-PEAK	\$ 0.07396	\$ 0.07682	\$ 0.08539	\$ 0.07682
TOU-GS-3-PRI-B	Energy	Winter	OFF-PEAK	\$ 0.03472	\$ 0.03637	\$ 0.04134	\$ 0.03637
TOU-GS-3-PRI-B	Demand	Summer	ON-PEAK	\$ 10.99	\$ 11.33	\$ 12.34	\$ 11.33
TOU-GS-3-PRI-B	Demand	Summer	MID-PEAK	\$ 3.35	\$ 3.46	\$ 3.76	\$ 3.46
TOU-GS-3-PRI-D	Energy	Summer	ON-PEAK	\$ 0.07946	\$ 0.08267	\$ 0.09231	\$ 0.08267

January 15, 2026

65 of 73

Energy rates are shown in \$/kWh and demand rates are shown in \$/kW.

Exhibit D to Resolution 26-01-099
Phase 6 CARE/FERA/Medical Baseline Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN CARE	DEFAULT 100% GREEN - CARE
TOU-GS-3-PRI-D	Energy	Summer	MID-PEAK	\$ 0.07068	\$ 0.07361	\$ 0.08239	\$ 0.07361
TOU-GS-3-PRI-D	Energy	Summer	OFF-PEAK	\$ 0.04122	\$ 0.04319	\$ 0.04909	\$ 0.04319
TOU-GS-3-PRI-D	Energy	Winter	MID-PEAK	\$ 0.05067	\$ 0.05295	\$ 0.05977	\$ 0.05295
TOU-GS-3-PRI-D	Energy	Winter	OFF-PEAK	\$ 0.05109	\$ 0.05338	\$ 0.06025	\$ 0.05338
TOU-GS-3-PRI-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01730	\$ 0.01849	\$ 0.02205	\$ 0.01849
TOU-GS-3-PRI-D	Demand	Summer	ON-PEAK	\$ 16.70	\$ 17.25	\$ 18.88	\$ 17.25
TOU-GS-3-PRI-D	Demand	Winter	MID-PEAK	\$ 6.02	\$ 6.22	\$ 6.81	\$ 6.22
TOU-GS-3-PRI-E	Energy	Summer	ON-PEAK	\$ 0.27377	\$ 0.28408	\$ 0.31503	\$ 0.28408
TOU-GS-3-PRI-E	Energy	Summer	MID-PEAK	\$ 0.06986	\$ 0.07299	\$ 0.08240	\$ 0.07299
TOU-GS-3-PRI-E	Energy	Summer	OFF-PEAK	\$ 0.04042	\$ 0.04252	\$ 0.04881	\$ 0.04252
TOU-GS-3-PRI-E	Energy	Winter	MID-PEAK	\$ 0.09329	\$ 0.09725	\$ 0.10913	\$ 0.09725
TOU-GS-3-PRI-E	Energy	Winter	OFF-PEAK	\$ 0.05028	\$ 0.05273	\$ 0.06007	\$ 0.05273
TOU-GS-3-PRI-E	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01652	\$ 0.01778	\$ 0.02155	\$ 0.01778
TOU-GS-3-PRI-E	Demand	Summer	ON-PEAK	\$ 4.59	\$ 4.75	\$ 5.24	\$ 4.75
TOU-GS-3-PRI-E	Demand	Winter	MID-PEAK	\$ 2.46	\$ 2.54	\$ 2.80	\$ 2.54
TOU-GS-3-PRI-R	Energy	Summer	ON-PEAK	\$ 0.19392	\$ 0.20102	\$ 0.22230	\$ 0.20102
TOU-GS-3-PRI-R	Energy	Summer	MID-PEAK	\$ 0.08493	\$ 0.08839	\$ 0.09879	\$ 0.08839
TOU-GS-3-PRI-R	Energy	Summer	OFF-PEAK	\$ 0.04554	\$ 0.04770	\$ 0.05416	\$ 0.04770
TOU-GS-3-PRI-R	Energy	Winter	MID-PEAK	\$ 0.07286	\$ 0.07593	\$ 0.08512	\$ 0.07593
TOU-GS-3-PRI-R	Energy	Winter	OFF-PEAK	\$ 0.03366	\$ 0.03542	\$ 0.04070	\$ 0.03542
TOU-GS-3-R	Energy	Summer	ON-PEAK	\$ 0.19582	\$ 0.20295	\$ 0.22435	\$ 0.20295
TOU-GS-3-R	Energy	Summer	MID-PEAK	\$ 0.08682	\$ 0.09034	\$ 0.10089	\$ 0.09034
TOU-GS-3-R	Energy	Summer	OFF-PEAK	\$ 0.04743	\$ 0.04964	\$ 0.05627	\$ 0.04964
TOU-GS-3-R	Energy	Winter	MID-PEAK	\$ 0.07476	\$ 0.07787	\$ 0.08722	\$ 0.07787
TOU-GS-3-R	Energy	Winter	OFF-PEAK	\$ 0.03556	\$ 0.03737	\$ 0.04282	\$ 0.03737
TOU-GS-3-SUB-D	Energy	Summer	ON-PEAK	\$ 0.07856	\$ 0.08132	\$ 0.08962	\$ 0.08132
TOU-GS-3-SUB-D	Energy	Summer	MID-PEAK	\$ 0.06977	\$ 0.07228	\$ 0.07984	\$ 0.07228
TOU-GS-3-SUB-D	Energy	Summer	OFF-PEAK	\$ 0.04026	\$ 0.04194	\$ 0.04699	\$ 0.04194
TOU-GS-3-SUB-D	Energy	Winter	MID-PEAK	\$ 0.04972	\$ 0.05168	\$ 0.05753	\$ 0.05168
TOU-GS-3-SUB-D	Energy	Winter	OFF-PEAK	\$ 0.05015	\$ 0.05211	\$ 0.05800	\$ 0.05211
TOU-GS-3-SUB-D	Energy	Winter	SUPER-OFF-PEAK	\$ 0.01630	\$ 0.01731	\$ 0.02032	\$ 0.01731
TOU-GS-3-SUB-D	Demand	Summer	ON-PEAK	\$ 16.21	\$ 16.66	\$ 18.04	\$ 16.66
TOU-GS-3-SUB-D	Demand	Winter	MID-PEAK	\$ 5.86	\$ 6.02	\$ 6.52	\$ 6.02

Exhibit D to Resolution 26-01-099
Phase 6 CARE/FERA/Medical Baseline Rate Schedules Effective February 1, 2026

CPA CODE	TYPE	SEASON	TOU PERIOD	LEAN - CARE	CLEAN - CARE	100% GREEN CARE	DEFAULT 100% GREEN - CARE
----------	------	--------	------------	-------------	--------------	-----------------	---------------------------

Notes

Default 100% Green - CARE rates are the rates paid by CARE, FERA and Medical Baseline customers for 100% Green Power in communities where 100% Green Power is the preferred (default) energy product.

For all rate schedules, seasons are defined as follows:

Summer: season shall commence at 12:00 a.m. on June 1 and continue until 12:00 a.m. on October 1 of each year.

Winter: season shall commence at 12:00 a.m. on October 1 of each year and continue until 12:00 a.m. on June 1 of the following year.

For Domestic, D-CARE and D-FERA rates the following definitions from SCE Schedule D (Domestic Service) apply:

Tier 1: Baseline Service

Tier 2: 100% to 400% of Baseline Service

High Usage: 400% of Baseline Service

For TOU-D rate schedules the following definitions from SCE Schedule TOU-D (Time-of-Use Domestic) apply:

TOU-D-4 and TOU-D-PRIME:

On-Peak: 4:00 p.m. to 9:00 p.m. summer weekdays except holidays

Mid-Peak: 4:00 p.m. to 9:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: 9:00 p.m. to 4:00 p.m. summer weekdays and weekends. 9:00 p.m. to 8:00 a.m. winter

Super Off-Peak: 8:00 a.m. to 4:00 p.m. winter weekdays and weekends/holidays

TOU-D-5:

On-Peak: 5:00 p.m. to 8:00 p.m. summer weekdays except holidays

Mid-Peak: 5:00 p.m. to 8:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: 8:00 p.m. to 5:00 p.m. summer weekdays and weekends. 8:00 p.m. to 8:00 a.m. winter weekdays

Super Off-Peak: 8:00 a.m. to 5:00 p.m. winter weekdays and weekends/holidays

TOU-D-A and TOU-D-B:

On-Peak: 2:00 p.m. to 8:00 p.m. summer and winter weekdays except holidays

Super Off-Peak: 10:00 p.m. to 8:00 a.m. all year, every day

Off-Peak: All other hours – all year, every day

For TOU-D-PRIME-SOP (also referred to on customer bills as TOU-SMART), the following definitions apply:

On-Peak: 4:00 p.m. to 9:00 p.m. summer weekdays except holidays

Mid-Peak: 4:00 p.m. to 9:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: 9:00 p.m. to 8:00 a.m. all year, every day

Super Off-Peak: 8:00 a.m. to 4:00 p.m. all year, every day

C refers CARE-discounted rates and F refers to FERA-discounted rates as defined in SCE Schedule TOU-D.

For all standard non-residential rate schedules, time periods are defined as follows:

On-Peak: 4:00 p.m. to 9:00 p.m. summer weekdays except holidays

Mid-Peak: 4:00 p.m. to 9:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: All other hours – all year, every day

Super Off-Peak: 8:00 a.m. to 4:00 p.m. winter weekdays and weekends/holidays

Time-related Demand Charges: 4:00 p.m. to 9:00 p.m. winter weekdays and summer weekdays except holidays

For optional agricultural/pumping rate schedules TOU-PA-2-PRI-E-5TO8, TOU-PA-2-PRI-D-5TO8, TOU-PA-3-PRI-E-5TO8, TOU-PA-3-PRI-D-5TO8, time periods are defined as follows:

On-Peak: 5:00 p.m. to 8:00 p.m. summer weekdays except holidays

Mid-Peak: 5:00 p.m. to 8:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: All other hours – all year, every day

Super Off-Peak: 8:00 a.m. to 5:00 p.m. winter weekdays and weekends/holidays

Time-related Demand Charges: 5:00 p.m. to 8:00 p.m. winter weekdays and summer weekdays except holidays

For eligible legacy solar and/or agriculture and pumping rate schedules time periods are defined as follows:

On-Peak: 12:00 p.m. to 6:00 p.m. summer weekdays except holidays

Mid-Peak: 8:00 a.m. to 12:00 p.m. and 6:00 p.m. to 11:00 p.m. summer weekdays except holidays, 8:00 a.m. to 9:00 p.m. winter weekdays except holidays

Off-Peak: All other hours – all year, every day

Exhibit E to Resolution 26-01-099
Phase 6 Power Share Rates Effective February 1, 2026

CPA RATE	TYPE	SEASON	CHARGE TYPE	TOU PERIOD	RATE
DOMESTIC-C-PS	Energy	All_Year	Generation - 2023 Vintage	None	\$ 0.09309
DOMESTIC-C-PS	Energy	All_Year	Power Share Credit - Tier 1 - 2023 Vintage	None	\$ (0.04047)
DOMESTIC-C-PS	Energy	All_Year	Power Share Credit - Tier 2 - 2023 Vintage	None	\$ (0.05411)
DOMESTIC-C-PS	Energy	All_Year	Power Share Credit - High Usage - 2023 Vintage	None	\$ (0.05411)
DOMESTIC-F-PS	Energy	All_Year	Generation - 2023 Vintage	None	\$ 0.09309
DOMESTIC-F-PS	Energy	All_Year	Power Share Credit - Tier 1 - 2023 Vintage	None	\$ (0.05099)
DOMESTIC-F-PS	Energy	All_Year	Power Share Credit - Tier 2 - 2023 Vintage	None	\$ (0.06756)
DOMESTIC-F-PS	Energy	All_Year	Power Share Credit - High Usage - 2023 Vintage	None	\$ (0.06756)
DOMESTIC-PS	Energy	All_Year	Generation - 2023 Vintage	None	\$ 0.09503
DOMESTIC-PS	Energy	All_Year	Power Share Credit - Tier 1 - 2023 Vintage	None	\$ (0.06248)
DOMESTIC-PS	Energy	All_Year	Power Share Credit - Tier 2 - 2023 Vintage	None	\$ (0.08270)
DOMESTIC-PS	Energy	All_Year	Power Share Credit - High Usage - 2023 Vintage	None	\$ (0.08270)
TOU-D-4-C-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.23216
TOU-D-4-C-PS	Energy	Summer	Generation - 2023 Vintage	Mid-peak	\$ 0.11018
TOU-D-4-C-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.04840
TOU-D-4-C-PS	Energy	Winter	Generation - 2023 Vintage	Mid-peak	\$ 0.15728
TOU-D-4-C-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.07737
TOU-D-4-C-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.05860
TOU-D-4-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.06545)
TOU-D-4-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.04886)
TOU-D-4-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.03270)
TOU-D-4-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.05526)
TOU-D-4-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.03664)
TOU-D-4-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.03130)
TOU-D-4-F-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.23216
TOU-D-4-F-PS	Energy	Summer	Generation - 2023 Vintage	Mid-peak	\$ 0.11018
TOU-D-4-F-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.04840
TOU-D-4-F-PS	Energy	Winter	Generation - 2023 Vintage	Mid-peak	\$ 0.15728
TOU-D-4-F-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.07737
TOU-D-4-F-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.05860
TOU-D-4-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.08124)
TOU-D-4-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.06117)
TOU-D-4-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.04158)
TOU-D-4-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.06892)
TOU-D-4-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.04635)
TOU-D-4-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.03987)
TOU-D-4-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.23639
TOU-D-4-PS	Energy	Summer	Generation - 2023 Vintage	Mid-peak	\$ 0.11241
TOU-D-4-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.04962
TOU-D-4-PS	Energy	Winter	Generation - 2023 Vintage	Mid-peak	\$ 0.16028
TOU-D-4-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.07907
TOU-D-4-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.05999
TOU-D-4-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.09974)
TOU-D-4-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.07494)
TOU-D-4-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.05090)
TOU-D-4-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.08452)
TOU-D-4-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.05679)
TOU-D-4-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.04884)
TOU-D-5-C-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.39322
TOU-D-5-C-PS	Energy	Summer	Generation - 2023 Vintage	Mid-peak	\$ 0.18965
TOU-D-5-C-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.03748
TOU-D-5-C-PS	Energy	Winter	Generation - 2023 Vintage	Mid-peak	\$ 0.25517

January 15, 2026

68 of 73

Energy rates are shown in \$/kWh.

Exhibit E to Resolution 26-01-099
Phase 6 Power Share Rates Effective February 1, 2026

CPA RATE	TYPE	SEASON	CHARGE TYPE	TOU PERIOD	RATE
TOU-D-5-C-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.07477
TOU-D-5-C-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.04410
TOU-D-5-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.08745)
TOU-D-5-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.05976)
TOU-D-5-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.03248)
TOU-D-5-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.06867)
TOU-D-5-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.03755)
TOU-D-5-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.02982)
TOU-D-5-F-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.39322
TOU-D-5-F-PS	Energy	Summer	Generation - 2023 Vintage	Mid-peak	\$ 0.18965
TOU-D-5-F-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.03748
TOU-D-5-F-PS	Energy	Winter	Generation - 2023 Vintage	Mid-peak	\$ 0.25517
TOU-D-5-F-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.07477
TOU-D-5-F-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.04410
TOU-D-5-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.10786)
TOU-D-5-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.07436)
TOU-D-5-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.04132)
TOU-D-5-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.08514)
TOU-D-5-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.04746)
TOU-D-5-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.03808)
TOU-D-5-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.40011
TOU-D-5-PS	Energy	Summer	Generation - 2023 Vintage	Mid-peak	\$ 0.19320
TOU-D-5-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.03853
TOU-D-5-PS	Energy	Winter	Generation - 2023 Vintage	Mid-peak	\$ 0.25979
TOU-D-5-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.07643
TOU-D-5-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.04526
TOU-D-5-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.13262)
TOU-D-5-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.09124)
TOU-D-5-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.05056)
TOU-D-5-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.10456)
TOU-D-5-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.05814)
TOU-D-5-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.04663)
TOU-D-PRIME-C-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.27535
TOU-D-PRIME-C-PS	Energy	Summer	Generation - 2023 Vintage	Mid-Peak	\$ 0.08100
TOU-D-PRIME-C-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.04531
TOU-D-PRIME-C-PS	Energy	Winter	Generation - 2023 Vintage	Mid-Peak	\$ 0.24303
TOU-D-PRIME-C-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.03422
TOU-D-PRIME-C-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.03422
TOU-D-PRIME-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.08023)
TOU-D-PRIME-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.05378)
TOU-D-PRIME-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.03567)
TOU-D-PRIME-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.07655)
TOU-D-PRIME-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.03287)
TOU-D-PRIME-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.03287)
TOU-D-PRIME-F-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.27535
TOU-D-PRIME-F-PS	Energy	Summer	Generation - 2023 Vintage	Mid-Peak	\$ 0.08100
TOU-D-PRIME-F-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.04531
TOU-D-PRIME-F-PS	Energy	Winter	Generation - 2023 Vintage	Mid-Peak	\$ 0.24303
TOU-D-PRIME-F-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.03422
TOU-D-PRIME-F-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.03422
TOU-D-PRIME-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.09916)
TOU-D-PRIME-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.06717)

January 15, 2026

69 of 73

Energy rates are shown in \$/kWh.

Exhibit E to Resolution 26-01-099
Phase 6 Power Share Rates Effective February 1, 2026

CPA RATE	TYPE	SEASON	CHARGE TYPE	TOU PERIOD	RATE
TOU-D-PRIME-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.04518)
TOU-D-PRIME-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.09471)
TOU-D-PRIME-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.04180)
TOU-D-PRIME-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.04180)
TOU-D-PRIME-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.28044
TOU-D-PRIME-PS	Energy	Summer	Generation - 2023 Vintage	Mid-Peak	\$ 0.08281
TOU-D-PRIME-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.04652
TOU-D-PRIME-PS	Energy	Winter	Generation - 2023 Vintage	Mid-Peak	\$ 0.24757
TOU-D-PRIME-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.03524
TOU-D-PRIME-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.03524
TOU-D-PRIME-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.12172)
TOU-D-PRIME-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.08219)
TOU-D-PRIME-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.05529)
TOU-D-PRIME-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.11621)
TOU-D-PRIME-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.05113)
TOU-D-PRIME-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.05113)
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.27535
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Generation - 2023 Vintage	Mid-Peak	\$ 0.08100
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.05778
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Generation - 2023 Vintage	Super Off-Peak	\$ 0.02889
TOU-D-PRIME-SOP-C-PS	Energy	Winter	Generation - 2023 Vintage	Mid-Peak	\$ 0.24303
TOU-D-PRIME-SOP-C-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.04248
TOU-D-PRIME-SOP-C-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.02124
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.08023)
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.05378)
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.03816)
TOU-D-PRIME-SOP-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.03238)
TOU-D-PRIME-SOP-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.07655)
TOU-D-PRIME-SOP-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.03453)
TOU-D-PRIME-SOP-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.03028)
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.27535
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Generation - 2023 Vintage	Mid-Peak	\$ 0.08100
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.05778
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Generation - 2023 Vintage	Super Off-Peak	\$ 0.02889
TOU-D-PRIME-SOP-F-PS	Energy	Winter	Generation - 2023 Vintage	Mid-Peak	\$ 0.24303
TOU-D-PRIME-SOP-F-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.04248
TOU-D-PRIME-SOP-F-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.02124
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.09916)
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.06717)
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.04768)
TOU-D-PRIME-SOP-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.04190)
TOU-D-PRIME-SOP-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.09471)
TOU-D-PRIME-SOP-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.04345)
TOU-D-PRIME-SOP-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.03920)
TOU-D-PRIME-SOP-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.28044
TOU-D-PRIME-SOP-PS	Energy	Summer	Generation - 2023 Vintage	Mid-Peak	\$ 0.08281
TOU-D-PRIME-SOP-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.05932
TOU-D-PRIME-SOP-PS	Energy	Summer	Generation - 2023 Vintage	Super Off-Peak	\$ 0.02966
TOU-D-PRIME-SOP-PS	Energy	Winter	Generation - 2023 Vintage	Mid-Peak	\$ 0.24757
TOU-D-PRIME-SOP-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.04374
TOU-D-PRIME-SOP-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.02187
TOU-D-PRIME-SOP-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.12172)

January 15, 2026

70 of 73

Energy rates are shown in \$/kWh.

Exhibit E to Resolution 26-01-099
Phase 6 Power Share Rates Effective February 1, 2026

CPA RATE	TYPE	SEASON	CHARGE TYPE	TOU PERIOD	RATE
TOU-D-PRIME-SOP-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.08219)
TOU-D-PRIME-SOP-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.05785)
TOU-D-PRIME-SOP-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.05192)
TOU-D-PRIME-SOP-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Mid-peak	\$ (0.11621)
TOU-D-PRIME-SOP-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.05283)
TOU-D-PRIME-SOP-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.04846)
TOU-D-A-C-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.24988
TOU-D-A-C-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.08901
TOU-D-A-C-PS	Energy	Summer	Generation - 2023 Vintage	Super Off-Peak	\$ 0.05490
TOU-D-A-C-PS	Energy	Winter	Generation - 2023 Vintage	On-Peak	\$ 0.13772
TOU-D-A-C-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.06150
TOU-D-A-C-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.05678
TOU-D-A-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.10244)
TOU-D-A-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.05975)
TOU-D-A-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.01052)
TOU-D-A-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.05781)
TOU-D-A-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.04527)
TOU-D-A-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.01013)
TOU-D-A-F-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.24988
TOU-D-A-F-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.08901
TOU-D-A-F-PS	Energy	Summer	Generation - 2023 Vintage	Super Off-Peak	\$ 0.05490
TOU-D-A-F-PS	Energy	Winter	Generation - 2023 Vintage	On-Peak	\$ 0.13772
TOU-D-A-F-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.06150
TOU-D-A-F-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.05678
TOU-D-A-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.12838)
TOU-D-A-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.07664)
TOU-D-A-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.01686)
TOU-D-A-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.07424)
TOU-D-A-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.05907)
TOU-D-A-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.01637)
TOU-D-A-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.25399
TOU-D-A-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.09073
TOU-D-A-PS	Energy	Summer	Generation - 2023 Vintage	Super Off-Peak	\$ 0.05611
TOU-D-A-PS	Energy	Winter	Generation - 2023 Vintage	On-Peak	\$ 0.14016
TOU-D-A-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.06280
TOU-D-A-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.05802
TOU-D-A-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.15719)
TOU-D-A-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.09372)
TOU-D-A-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.02074)
TOU-D-A-PS	Energy	Winter	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.09091)
TOU-D-A-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.07223)
TOU-D-A-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.02016)
TOU-D-B-C-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.39005
TOU-D-B-C-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.08900
TOU-D-B-C-PS	Energy	Summer	Generation - 2023 Vintage	Super Off-Peak	\$ 0.01332
TOU-D-B-C-PS	Energy	Winter	Generation - 2023 Vintage	On-Peak	\$ 0.13516
TOU-D-B-C-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.06153
TOU-D-B-C-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.01423
TOU-D-B-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.09389)
TOU-D-B-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.04125)
TOU-D-B-C-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.01811)
TOU-D-B-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.05921)

January 15, 2026

71 of 73

Energy rates are shown in \$/kWh.

Exhibit E to Resolution 26-01-099
Phase 6 Power Share Rates Effective February 1, 2026

CPA RATE	TYPE	SEASON	CHARGE TYPE	TOU PERIOD	RATE
TOU-D-B-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.03752)
TOU-D-B-C-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.01823)
TOU-D-B-F-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.39005
TOU-D-B-F-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.08900
TOU-D-B-F-PS	Energy	Summer	Generation - 2023 Vintage	Super Off-Peak	\$ 0.01332
TOU-D-B-F-PS	Energy	Winter	Generation - 2023 Vintage	On-Peak	\$ 0.13516
TOU-D-B-F-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.06153
TOU-D-B-F-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.01423
TOU-D-B-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.11790)
TOU-D-B-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.05416)
TOU-D-B-F-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.02610)
TOU-D-B-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.07595)
TOU-D-B-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.04964)
TOU-D-B-F-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.02625)
TOU-D-B-PS	Energy	Summer	Generation - 2023 Vintage	On-Peak	\$ 0.39629
TOU-D-B-PS	Energy	Summer	Generation - 2023 Vintage	Off-Peak	\$ 0.09073
TOU-D-B-PS	Energy	Summer	Generation - 2023 Vintage	Super Off-Peak	\$ 0.01391
TOU-D-B-PS	Energy	Winter	Generation - 2023 Vintage	On-Peak	\$ 0.13758
TOU-D-B-PS	Energy	Winter	Generation - 2023 Vintage	Off-Peak	\$ 0.06284
TOU-D-B-PS	Energy	Winter	Generation - 2023 Vintage	Super Off-Peak	\$ 0.01484
TOU-D-B-PS	Energy	Summer	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.14473)
TOU-D-B-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.06631)
TOU-D-B-PS	Energy	Summer	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.03192)
TOU-D-B-PS	Energy	Winter	Power Share Credit - 2023 Vintage	On-Peak	\$ (0.09299)
TOU-D-B-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Off-Peak	\$ (0.06074)
TOU-D-B-PS	Energy	Winter	Power Share Credit - 2023 Vintage	Super Off-Peak	\$ (0.03210)

Exhibit E to Resolution 26-01-099
Phase 6 Power Share Rates Effective February 1, 2026

CPA RATE	TYPE	SEASON	CHARGE TYPE	TOU PERIOD	RATE
----------	------	--------	-------------	------------	------

Notes

For all rate schedules, seasons are defined as follows:

Summer: season shall commence at 12:00 a.m. on June 1 and continue until 12:00 a.m. on October 1 of each year.

Winter: season shall commence at 12:00 a.m. on October 1 of each year and continue until 12:00 a.m. on June 1 of the following year.

For Domestic, D-CARE and D-FERA rates the following definitions from SCE Schedule D (Domestic Service) apply:

Tier 1: Baseline Service

Tier 2: 100% to 400% of Baseline Service

High Usage: 400% of Baseline Service

For TOU-D rate schedules the following definitions from SCE Schedule TOU-D (Time-of-Use Domestic) apply:

TOU-D-4 and TOU-D-PRIME:

On-Peak: 4:00 p.m. to 9:00 p.m. summer weekdays except holidays

Mid-Peak: 4:00 p.m. to 9:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: 9:00 p.m. to 4:00 p.m. summer weekdays and weekends. 9:00 p.m. to 8:00 a.m. winter weekdays and weekends/holidays

Super Off-Peak: 8:00 a.m. to 4:00 p.m. winter weekdays and weekends/holidays

TOU-D-5:

On-Peak: 5:00 p.m. to 8:00 p.m. summer weekdays except holidays

Mid-Peak: 5:00 p.m. to 8:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: 8:00 p.m. to 5:00 p.m. summer weekdays and weekends. 8:00 p.m. to 8:00 a.m. winter weekdays and weekends/holidays

Super Off-Peak: 8:00 a.m. to 5:00 p.m. winter weekdays and weekends/holidays

TOU-D-A and TOU-D-B:

On-Peak: 2:00 p.m. to 8:00 p.m. summer and winter weekdays except holidays

Super Off-Peak: 10:00 p.m. to 8:00 a.m. all year, every day

Off-Peak: All other hours – all year, every day

For TOU-D-PRIME-SOP (also referred to on customer bills as TOU-SMART), the following definitions apply:

On-Peak: 4:00 p.m. to 9:00 p.m. summer weekdays except holidays

Mid-Peak: 4:00 p.m. to 9:00 p.m. winter weekdays and summer and winter weekends/holidays

Off-Peak: 9:00 p.m. to 8:00 a.m. all year, every day

Super Off-Peak: 8:00 a.m. to 4:00 p.m. all year, every day

C refers CARE-discounted rates and F refers to FERA-discounted rates as defined in SCE Schedule TOU-D.